

M. P. MÖLLER Organ Factory

Pipe Organ No.	7909	Date	July 12, 1948
For	ST. JOHN'S EPISCOPAL CHURCH, MEMPHIS, TENNESSEE		
Action	Electro-pneumatic	Console	Detached
Casing No	None	Finish	As per sample
Decorations	None	Motor	10 H.P., Style 4-P-3330
Width of Key-bed	Standard	Stops & inter-man. coup. by drawknobs.	
No. Manuals	Three	Stop Controls	Intra-man. coup. by tilting tablets.
To be Completed	December 25, 1949	Wind Pressure	Gt. 4"; Sw. 4"; Ch. 4", 7"; Ped. 4", 8"
		Blower Pipe furnished by Purchaser	

PITCH A-440
GENERAL The church, at its expense, to make preparations in the building for the organ, from plans by M. P. Moller, Inc.

Great Organ

1	16'	Diapason.....	(console only)	
2	8'	Diapason I.....	(console only)	
3	8'	Diapason II.....	46.....12 Zinc...S.M.....	73 pipes
4	8'	Hohlflöte.....	Reg. Hohlflöte, Mel. Bass.....	73 pipes
5	8'	Gemshorn.....	50-2/3.....12 Zinc...S.M.....	73 pipes
6	4'	Principal....	57.....18-19:1/2..... (console only) SM	73 pipes
7	4'	Octave Flute.....	Wald. Flute.....(console only)	73 pipes
8	2-2/3'	Twelfth.....	(console only)	
9	2'	Fifteenth.....	(console only)	
10	IV Rks.	Mixture.....	(console only)	
11	8'	Tromba.....	(console only)	
12	4'	Claron.....	(console only)	

Swell Organ

13	16'	Bourdon.....	(console only)	
14	8'	Diapason.....	(console only)	
15	8'	Rohrflöte.....	54.....12 Zinc...S.M.....	73 pipes
16	8'	Salicional.....	54.....(console only) SM	61 pipes
17	8'	Voix Celeste.....	56.....(console only) SM	73 pipes
18	4'	Flute Harmonic.....	60.....S.M.....	73 pipes
19	4'	Principal.....	58..... (console only) SM	73 pipes
20	2'	Fifteenth.....	(console only)	
21	III Rks.	Mixture.....	(console only)	
22	16'	Double Trumpet.....	(console only)	
23	8'	Trumpet.....	3-3/4".....	73 pipes
24	8'	Houtboy (Oboe).....	(console only)	
25	4'	Clarion.....	(console only)	
26		Tremolo		

Choir Organ

27	8'	Gamba.....	(console only)		
28	8'	Dulciana.....	(console only)	12 ZINC SM.	85 PIPES
29	8'	Unda Maris.....	(console only)	56 - 2/3 SM.	61 PIPES
30	8'	Concert Flute.....	(console only)		
31	4'	Dulcet.....	(console only)	from #28	73 NOTES
32	4'	Octave Flute.....	(console only)		
33	8'	Clarinet.....	(console only)		
34	8'	English Horn.....	(console only)		73 PIPES
35	8'	Tuba.....	(console only)		43 PIPES
36		Tremolo			

Pedal Organ

37	16'	Diapason.....	(console only)		
38	16'	Bourdon.....	Reg. Ped. Bdn.....		32 pipes
39	16'	Dulciana.....	(console only)	12 PIPES, 20 from #28	32
40	8'	Octave.....	(console only)	5 M	32 PIPES
41	8'	Flute.....	from #4.....		32 notes
42	4'	Octave Flute.....	(console only)		32 notes
43	16'	Trombone.....	(console only)		
44	8'	Tromba.....	(console only)		
45	4'	Clarion.....	(console only)		

Couplers

46	* Great to Pedal	59	* Swell 16'
47	* Swell to Pedal	60	* Swell 4'
48	Swell to Pedal 4'	61	* Great 16'
49	Choir to Pedal	62	* Great 4'
50	* Swell to Great	63	Choir 16'
51	* Swell to Great 16'	64	Choir 4'
52	* Swell to Great 4'	65	* Swell Unison Off
53	Choir to Great	66	* Great Unison Off
54	Choir to Great 16'	67	Choir Unison Off
55	Choir to Great 4'		
56	Swell to Choir		
57	Swell to Choir 16'		
58	Swell to Choir 4'		

Adjustable Combinations

Pistons No. *1-*2-*3-4-5-6-7-8
Pistons No. *1-*2-*3-4-5-6-7-8
Pistons No. 1-2-3-4-5-6-7-8

For Stops of Swell Organ
For Stops of Great Organ
For Stops of Choir Organ

Adjustable Combinations (Cont'd)

Pistons No. *1-*2-*3-4-5-6-7-8	For Stops of Pedal Organ (duplicated by toe studs only)
Pistons No. *1-*2-*3-4-5-6-7-8	For Stops and couplers of Full Organ
General Cancel Piston	

Pedal Movements

- * Swell Expression Pedal, with indicator light
- * Choir Expression Pedal, with indicator light to operate Great shades until Choir Organ is installed.
- Crescendo Pedal, with indicator light (to be installed but not connected with first part of organ)
- Sforzando Pedal, with indicator light (duplicated by manual piston)
- * Great to Pedal, Reversible (Duplicated by manual piston)
- * Swell to Pedal, Reversible (Duplicated by manual piston)
- Choir to Pedal, Reversible (Duplicated by manual piston)
- All Swells to Swell, Reversible (pedal piston and tablet on combinations)

Accessories

- * Organ Bench with Music Compartment
- * Concave and Radiating Pedal Clavier
- * Electric motor, blower and organ action power unit of ample capacity for complete organ of 42 stops.

NOTE: Stops and other console equipment Not Marked with an * are Not to be made workable now; though they are to be installed for future additions to the organ.

* Indicates sets of pipes and stops, couplers, combination pistons, Pedal Movements, and Accessories to be made playable and workable with the first part of the organ.

Three manual console to be installed with first part of the organ.

JHH: jr
3/31/49