

C O P Y.

ORGAN

#4706

## Memorandum of Agreement, Made this... 26th .....

day of... April..... A. D., 1926, by and between M. P. MOLLER, Inc., of Hagerstown, Maryland, party of the first part, and

.... Evangelical Lutheran Salem Church.....  
of the second part.

**Witnesseth:** That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in... Ev. Luth. Salem Church, Ironwood, Mich.....  
ready for use on or before the... first..... day of... November..... A. D., 1926.,  
or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of five  
one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of... Nine thousand four hundred dollars. (\$9,400.00)

AS FOLLOWS: ... \$6,000.00 cash upon completion and acceptance....  
of organ, balance to be covered by two notes for \$1700.00....  
each due respectively one and two years after date of accept-  
ance without interest.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ..... 4..... weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning  
of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

JAN 13 1926

MAY 18 1926

No. 2

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

**In Witness Whereof** we have hereunto set our hands and seals this day and year first above written.

WITNESS

.....(SEAL)  
Party of the first part

..... N...Oscar.Morten.....(SEAL)  
Walter Knutson  
..... C...E...Gunderson.....(SEAL)  
Edna H. Erickson  
..... Anna.E..Rusbolt.....(SEAL)  
Alfreda Nyman  
..... Harry.B...Paterson..(SEAL)

Ford & Reynolds

Party of the second part  
Edna M. Johnson  
C. E. Eminson  
Organ Comm. for  
Ev. Luth. Salem Church

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

# M. P. MÖLLER Organ Factory

Pipe Organ No. 4706 Date April 26, 1926  
 For Evangelical Lutheran Salem Church, Ironwood, Mich.  
 Action Elec. Console Detached 20' Cable  
 Casing No. Console Straight Sawed Oak Finish  
 Decorations Motor Elec.  
 Width of Key-bed Stop Controls Stop Keys *Colored in German*  
 No. Manuals Three Wind Pressure 5"  
 To be completed Nov. 1, 1926 Blower pipe furnished by Church

A-440

## SPECIFICATIONS

Grille to Cover Openings Furnished by Church.

Organ Chamber enclosed by Church: Yes.

No Casing

Organ to Be all Under 5" Wind Pressure:

### GREAT ORGAN 73 Chest

1	8'	Open Diapason.....40 Scale.....	73 Pipes
2	8'	Dulciana.....	73 "
3	8'	Doppel Floete.....	73 "
4	4'	Flute Traverso...From 6.....	61 Notes
5	4'	Principal.....From #22.....	61 "
6	8'	Melodia.....	73 Pipes
7	8'	Viole D'Gamba.....	73 "
8	8'	Tuba.....	73 "
9	8'	Chimes.....	20 Bells

### SWELL ORGAN

10	16'	Bourdon.....	73 Pipes
11	8'	Open Diapason...42 scale.....	73 "
12	8'	Stopped Diapason...From #10.....	61 Notes
13	4'	Viole Aetheria....From #14.....	61 "
14	8'	Salicional.....	73 Pipes
15	8'	Cornopean.....	73 "
16	4'	Flute Harmonic.....	73 "
17	2'	Piccolo.....From 16.....	61 Notes
18	8'	Vox Celeste...Tenor C.....	61 Pipes
19	8'	Oboe.....	73 "
20	8'	Vox Humana.....S.S.B.....	61 "
21		Celeste Harp...(Silent Stop)	

### CHOIR ORGAN

22	8'	English Open Diapason..44 scale.....	73 Pipes
23	8'	Concert Flute.....	73 "
24	8'	Doppel Floete.....From #3.....	73 Notes
25	4'	Solo Flute.....From #23.....	61 "
26	8'	Dulciana.....From #2.....	73 "
27	8'	Viole D'Gamba.....From #7.....	73 "
28	8'	Unda Maris.....Tenor C.....	61 Pipes
29	8'	Clarinet.....	73 "

### PEDAL ORGAN

30	32'	Diapason Resulant.....	32 Notes
31	16'	Open Diapason.....	44 Pipes
32	16'	Bourdon.....	44 "
33	16'	Lieblich Gedeckt....From #10.....	32 Notes
34	8'	Bass Flute.....From #32.....	32 "
35	8'	Octave Bass.....From #31.....	32 "

### COUPLERS

36		Swell to Great 4'	
37		Swell to Great 8'	
38		Swell to Great 16'	
39		Choir to Great 4'	
40		Choir to Great 8'	



-2-  
COUPLERS

- 41 Choir to Great 16'
- 42 Great to Great 4'
- 43 Great to Great 16'
- 44 Swell to Choir 4'
- 45 Swell to Choir 8'
- 46 Swell to Choir 16'
- 47 Choir to Choir 4'
- 48 Choir to Choir 16'
- 49 Choir to Swell 4'
- 50 Choir to Swell 8'
- 51 Choir to Swell 16'
- 52 Swell to Swell 4'
- 53 Swell to Swell 16'
- 54 Swell to Pedal 4'
- 55 Swell to Pedal 8'
- 56 Great to Pedal 4'
- 57 Great to Pedal 8'
- 58 Choir to Pedal
- 59 Swell Unison Off)
- 60 Great Unison Off) Jambs right
- 61 Choir Unison Off)
- 62 All Couplers Cancel-Piston under Swell.

MECHANICALS

- Crescendo Indicator
- 63 Swell Tremulant
- 64 Choir Tremulant

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

- Great 1-2-3-4-5-6 and Cancel
- Swell 1-2-3-4-5-6 and Cancel
- Choir 1-2-3-4-5-6 and Cancel
- Pedal 1-2-3-4-5-6 and Cancel
- General 1-2-3-4-5-6 and Cancel, duplicate studs on toe board.
- Pedal to Manuals "On and Off" coupler pistons on each manual. Jams left.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by stud & light indicator  
Duplicated by manual piston.
- 6 Grand Crescendo Pedal (Beginning at the softest  
stop and drawing all stops including reeds and  
couplers in their order of power by a single  
movement of the foot. By reversing the movement  
all stops and couplers are canceled in their order.  
Concave radiating pedals

FURNISHED WITH ORGAN

Organ Bench with Music Shelf  
Electric motor, blower, generator, freight and drayage  
from factory to church and installation.

6/11/26  
ACZ

# M. P. MÖLLER Organ Factory

Pipe Organ No. 4706 Date April 26, 1926  
 For Evangelical Lutheran Salem Church, Ironwood, Mich.  
 Action Elec. Console Detached 20' Cable  
 Casing No. Console Straight Sawed Oak Finish  
 Decorations Motor Elec.  
 Width of Key-bed Stop Controls Stop Keys *colored in Janes*  
 No. Manuals Three Wind Pressure 5"  
 To be completed Nov. 1, 1926 Blower pipe furnished by Church

## SPECIFICATIONS

A-440

Grille to Cover Openings Furnished by Church.

Organ Chamber enclosed by Church: Yes.

No Casing

Organ to Be all Under 5" Wind Pressure:

### GREAT ORGAN 73 Chest

1	8'	Open Diapason.....40 Scale.....	73 Pipes
2	8'	Dulciana.....	73 "
3	8'	Doppel Floete.....	73 "
4	4'	Flute Traverso...From 6.....	61 Notes
5	4'	Principal.....From #22.....	61 "
6	8'	Melodia.....	73 Pipes
7	8'	Viole D'Gamba.....	73 "
8	8'	Tuba.....	73 "
9	8'	Chimes.....	20 Bells

### SWELL ORGAN

10	16'	Bourdon.....	73 Pipes
11	8'	Open Diapason...42 scale.....	73 "
12	8'	Stopped Diapason...From #10.....	61 Notes
13	4'	Viole Aetheria....From #14.....	61 "
14	8'	Salicional.....	73 Pipes
15	8'	Cornopean.....	73 "
16	4'	Flute Harmonic.....	73 "
17	2'	Piccolo.....From 16.....	61 Notes
18	8'	Vox Celeste.. ..Tenor C.....	61 Pipes
19	8'	Oboe.....	73 "
20	8'	Vox Humana.....S.S.B.....	61 "
21		Celeste Harp...(Silent Stop)	

### CHOIR ORGAN

22	8'	English Open Diapason..44 scale.....	73 Pipes
23	8'	Concert Flute.....	73 "
24	8'	Doppel Floete.....From #3.....	73 Notes
25	4'	Solo Flute.....From #23.....	61 "
26	8'	Dulciana.....From #2.....	73 "
27	8'	Viole D'Gamba.....From #7.....	73 "
28	8'	Unda Maris.....Tenor C.....	61 Pipes
29	8'	Clarinet.....	73 "

### PEDAL ORGAN

30	32'	Diapason Resultant.....	32 Notes
31	16'	Open Diapason.....	44 Pipes
32	16'	Bourdon.....	44 "
33	16'	Lieblich Gedeckt....From #10.....	32 Notes
34	8'	Bass Flute.....From #32.....	32 "
35	8'	Octave Bass.....From #31.....	32 "

### COUPLERS

36		Swell to Great 4'	
37		Swell to Great 8'	
38		Swell to Great 16'	
39		Choir to Great 4'	
40		Choir to Great 8'	

4706

-2-  
COUPLERS

41 Choir to Great 16'  
42 Great to Great 4'  
43 Great to Great 16'  
44 Swell to Choir 4'  
45 Swell to Choir 8'  
46 Swell to Choir 16'  
47 Choir to Choir 4'  
48 Choir to Choir 16'  
49 Choir to Swell 4'  
50 Choir to Swell 8'  
51 Choir to Swell 16'  
52 Swell to Swell 4'  
53 Swell to Swell 16'  
54 Swell to Pedal 4'  
55 Swell to Pedal 8'  
56 Great to Pedal 4'  
57 Great to Pedal 8'  
58 Choir to Pedal  
59 Swell Unison Off)  
60 Great Unison Off) Jambs right  
61 Choir Unison Off)  
62 All Couplers Cancel-Piston under Swell.

MECHANICALS

Crescendo Indicator  
63 Swell Tremulant  
64 Choir Tremulant

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Great 1-2-3-4-5-6 and Cancel  
Swell 1-2-3-4-5-6 and Cancel  
Choir 1-2-3-4-5-6 and Cancel  
Pedal 1-2-3-4-5-6 and Cancel  
General 1-2-3-4-5-6 and Cancel, duplicate studs on toe board.  
Pedal to Manuals "On and Off" coupler pistons on each manual. Jams left.

PEDAL MOVEMENTS

1 Great to Pedal Reversible  
2 Balanced Swell Expression Pedal  
3 Balanced Choir & Great Expression Pedals  
4 Swell to Pedal Reversible  
5 Sforzando Pedal, by stud & light indicator  
Duplicated by manual piston.  
6 Grand Crescendo Pedal (Beginning at the softest stop and drawing all stops including reeds and couplers in their order of power by a single movement of the foot. By reversing the movement all stops and couplers are canceled in their order.  
Concave radiating pedals

FURNISHED WITH ORGAN

Organ Bench with Music Shelf  
Electric motor, blower, generator, freight and drayage from factory to church and installation.

6/11/26  
ACZ