

OFFICES OF
MR. WIDENER
LAND TITLE BUILDING
PHILADELPHIA

September second
1919

The Aeolian Company,
29 W. 42nd Street,
New York City.

Gentlemen:

I hereby confirm my order for attaching
the Duo-Art (Automatic System) to the
Organ in my home "Lynnewood Hall" Elkins
Park, Penna., at a cost of Forty-Five
Hundred Dollars (\$4500) to be completed
about October 15th, or earlier if possible.

I will also arrange with With Allom Co.,
for the necessary cabinet, which is not
included in the above figure.

Yours very truly,

Joseph Widener

RECEIVED
SEP - 3 1919
MAILING DEPT

High pressure load

June 17th, 1909.

The Residence of Mr. P. A. B. Widener,
Elkins Park, Pa.

Introducing Aeolian Compound Windchest System.

(All speaking stops not otherwise indicated are of 8' pitch)

MANUAL I

- 2nd 2
- | | | |
|---|-----|--------------------|
| | 1. | Diapason |
| x | 2. | String F |
| x | 3. | String F (vibrato) |
| | 4. | String P |
| x | 5. | String D (mixture) |
| x | 6. | String FF |
| | 7. | Flute F |
| | 8. | Flute P |
| x | 9. | Flute (high) 4' |
| x | 10. | Flute (deep) 16' |
| | 11. | Trumpet |
| | 12. | Clarinet |
| x | 13. | Oboe |
| x | 14. | Vox Humana |

ACCEPTED

FOR _____

JUL 22 1909

HORACE TRUMBauer

MANUAL II
(Duplication of Manual I)

- 15. Diapason
- 16. String F
- 17. String F (vibrato)
- 18. String P
- 19. String P (mixture)
- 20. String PP
- 21. Flute F
- 22. Flute P
- 23. Flute (high) 4'
- 24. Flute (deep) 16'
- 25. Trumpet
- 26. Clarinet
- 27. Oboe
- 28. Vox Humana

PEDAL

- 29. Flute (deep) 16' F
- 30. Flute (deep) 16' P (from No. 10)
- 31. Bassoon (deep) 16' F

PERCUSSION INSTRUMENTS

- 32. Harp (augmented) 61 Notes
 (Playable from either Manual I or II)
- 33. Chimes 20 Notes
 (Playable from either Manual I or II)

ACCEPTED

For _____

JUL 22 1909

HORACE TRUMBAUER

COUPLERS

- 34. Manual II to Manual I
- 35. Manual II to Manual I Octaves
- 36. Manual II Octaves
- 37. Manual II Sub Octaves
- 38. Manual II to Pedal
- 39. Manual II Unison Release
- 40. Manual I Octaves
- 41. Manual I Sub Octaves
- 42. Manual I Unison Release
- 43. Manual I to Pedal

COMBINATION PISTONS

- 44. Manual I Forte
- 45. Manual I Mezzo
- 46. Manual I Piano
- 47. Manual I Harp
- 48. Manual I Release
- 49. Manual II Forte
- 50. Manual II Mezzo
- 51. Manual II Piano
- 52. Manual II Vox Humana
- 53. Manual II Release

See next

ACCESSORIES

- 54. Tonal Pedal
- 55. Sforzando Pedal
- 56. Expression Pedal *including Pedal Stops*
- 57. Manual I to Pedal (reversing pedal)
- 58. Tremolo
- 59. Tremolo (drawn only with Vox Humana)

ACCEPTED

For _____

JUL 22 1909

HORACE TRUMBAUER

AEOLIENNE

- | | | | |
|-----|-------------------------|---|------------------------------------|
| 60. | Normal |) | |
| | |) | |
| 61. | Reverse |) | Aeolienne Control, 116-note music. |
| | |) | |
| 62. | Unison |) | |
| 63. | Control, 58-note Music. | | |
| 64. | Pedal Release | | |
| 65. | Aeolian Ventil | | |
| 66. | Aeolian Tempo | | |
| 67. | Aeolian Reroll | | |

ACCEPTED

For _____

JUL 22 1909

HORACE TRUMBAUER

DETAILS OF CONSTRUCTION

- These dimensions changed as per July 22 plan*
- a. LOCATION: Organ to be located in a specially prepared room 12 ft. 6 in. wide and 7 ft. deep with height varying from 14 ft. to 10 ft. except over lavatory which is to be 18 ft. in height. Also additional space above dome 8 ft. wide and 7 ft. deep with height varying from 8 ft. 6 in. to 4 ft. 6 in. is to be provided.

Aside from a shaft 2 ft. square in one corner, this Organ space is in the clear and unencumbered with pipes or other obstructions.

Perforations for exit of tone are to be provided over dome, at side of dome, and in ceiling behind arch in section where console is located. Perforations shall also be provided in cove of Van Dyke gallery.

- b. CASEWORK for Organ and console is not included but any display pipes (undecorated) required for treatment in case design are included.
- c. CONSOLE containing keyboards and Aeolianes for music-roll playing to be detached and located at side of Organ.

ACCEPTED

FOR _____

JUL 22 1909

HORACE TRUMBAUER

DETAILS OF CONSTRUCTION (Cont'd)

- d. BLOWING APPARATUS to be located in basement fully equipped with an efficient electric motor as well as motor generator, said motors to be constructed for the local current available.

A chase 4 in. by 16 in. to be provided in wall to carry wind tube from blowing apparatus to Organ. Provision is also to be made for a 4 in. wind tube from Organ to console.

- e. WIRING from main to motors and from motors to starting switch at console, as well as wiring for lighting purposes (three lights in Organ and two lights on console) are not herewith included.

ACCEPTED

For _____

JUL 22 1909

HORACE TRUMBAUER

CONTRACT

We hereby agree to build an Aeolian Pipe Organ as per the foregoing Specification and Details of Construction, which are hereby made a part of this contract, of the highest attainable standard of quality in both workmanship and materials throughout, and to deliver and instal the same ready for use in the residence of Mr. P. A. B. Widener, Elkins Park, Pa., on or about October 15th, 1909, for and in consideration of the sum of Sixteen Thousand Dollars, (\$16,000.), payable in cash upon completion of instrument in position.

Organ to be at purchaser's risk by fire on and after arrival on his premises.

The Aeolian Company.

A. A.
.....
Pipe Organ Department.

Accepted by,

P. A. B. Widener
.....

This *Twenty-second* day of *July*.....1909.

PHILADELPHIA, July 22, 1909

The above organ complete ready for successful operation including key board. No casing around key board included. For the sum of \$ 12,000.00. Organ to be completed by November 1st, 1909

ACCEPTED

FOR 12000⁰⁰

JUL 22 1909

HORACE TRUMBAUER

Aeolian Company
per Frank Papt