

THE AUSTIN ORGAN

Christ Chapel THE RIVERSIDE CHURCH New York City

THE SPECIFICATIONS

55 speaking stops, 41 ranks, 2,598 pipes

GREAT ORGAN	Sifflöte 1' 61 pipes
(Unenclosed)	Cornet Nuptiale 8' 36 pipes
Quintaten 16' 61 pipes	Krummhorn 8' 68 pipes
Principal 8' 61 pipes	Harp 61 bars
Gemshorn 8' 61 pipes	Tremulant
Hohlflöte 8' 61 pipes	Tremaium.
Octave 4' 61 pipes	
Flute Couverte 4' 61 pipes	PEDAL ORGAN
Twelfth	Contra Bourdon 32' 12 pipes
Fifteenth 2' 61 pipes	Principal 16' 32 pipes
Fourniture (19-22-26) III Rks. 183 pipes	Quintaten (Great) 16'
French Horn (Enclosed) 8' 56 pipes	Rohrflöte (Swell) 16'
Cymbelstern 6 bells	Principal 8' 12 pipes
	Rohrflöte (Swell) 8'
Chimes (Enclosed) 25 tubes Tremulant	
Tremulant	Choral Bass 4' 12 pipes
	Rauschquint (19-22) .II Rks. 64 pipes
War w	Bombarde 16' 32 pipes
SWELL ORGAN	English Horn (Swell) . 16'
Rohrflöte 16' 12 pipes	Bombarde 8' 12 pipes
Rohrflöte 8' 68 pipes	Clarion 4' 12 pipes
Viole de Gambe 8' 68 pipes	Krummhorn (Choir) 4'
Viole Celeste 8' 68 pipes	
Octave Geigen 4' 68 pipes	COMBINATIONS
Koppelflöte 4' 68 pipes	
Nazard $2\frac{2}{3}$ 61 pipes	Great — 8 Adjustable pistons
Spillflöte 2' 61 pipes	Swell — 8 Adjustable pistons
Plein Jeu (22-26-29) III Rks. 183 pipes	Choir — 8 Adjustable pistons
English Horn 16' 12 pipes	Pedal — 6 Adjustable pistons
Trompette 8' 68 pipes	General — 14 pistons and toe studs
English Horn 8' 68 pipes	
Vox Humana 8' 61 pipes	COUPLERS
Hautbois 4' 68 pipes	
Tremulant	Great to Great 16 4
	Great Unison Off
	Swell to Great 16 8 4 $2\frac{2}{3}$
CHOIR ORGAN	Choir to Great 16 8 4
	Swell to Swell 16 4
Nason Flute 8' 68 pipes	Swell Unison Off
Flauto Dolce 8' 68 pipes	61 . 6 11
	Choir to Swell 8
Flute Celeste 8' 56 pipes	Choir to Choir 16 4
Prestant 4' 68 pipes	Choir to Choir 16 4 Choir Unison Off
Prestant 4′ 68 pipes Nachthorn 4′ 68 pipes	Choir to Choir 16 4 Choir Unison Off Swell to Choir 16 8 4
Prestant	Choir to Choir 16 4 Choir Unison Off Swell to Choir 16 8 4 Great to Choir 8 4
Prestant	Choir to Choir 16 4 Choir Unison Off Swell to Choir 16 8 4 Great to Choir 8 4 Great to Pedal 8 4
Prestant	Choir to Choir 16 4 Choir Unison Off Swell to Choir 16 8 4 Great to Choir 8 4 Great to Pedal 8 4 Swell to Pedal 8 4
Prestant	Choir to Choir 16 4 Choir Unison Off Swell to Choir 16 8 4 Great to Choir 8 4 Great to Pedal 8 4

ACCESSORIES

*Swell to Pedal Reversible Piston and Toe Stud

*Great to Pedal Reversible Piston and Toe Stud

*Choir to Pedal Reversible Piston and Toe Stud

Swell to Choir Reversible Piston

Choir to Great Reversible Piston

Swell to Great Reversible Piston

*Great to Choir Reversible Piston

32' Bourdon Reversible

Sforzando Reversible Piston and Toe Stud with Indicator Light

Piston Retainer

General Cancel Piston

Canceller bars over each group of registers

*These reversibles to cancel corresponding 4' coupler when they go off


MECHANICALS

Swell Expression
Choir Expression
Crescendo Pedal with Indicator
Orchestral Crescendo Piston with Indicator Light, Reversible
Tremulant Cancel Piston with Indicator Light
Celeste Cancel Piston with Indicator Light
Current Indicator Light
P and F pistons for Harp Volume
Selective Control, Pedal Stops to any Manual Piston by Special Adjuster

The many unusual and varied couplers, controls, and console facilities provide the flexibility of an instrument much larger than the tonal resources listed. Many of these have been specially designed for this particular installation.



THE CHRIST CHAPEL organ was designed for the many varied services held in the Chapel. It is placed behind the handsome casework on the west wall above the entrance. The light oak console is located on the main floor of the Chapel in a stone alcove to the left of the pulpit. It remains there out of sight for services, but for recital purposes the moveable platform upon which the console rests may be moved to several locations in full view of the congregation.



built by Austin Organs Incorporated ORGAN ARCHITECTS AND BUILDERS HARTFORD, CONNECTICUT