

as their interests may appear.

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductors between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and undertakings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Wherenf we have hereunto set our hands and seals this day and year first above written.

WITNESS		(SEAL)
	Party of the first part.	
	C. A. Westman	(SEAL)
	Arthur C, Westergren	(SEAL)
	Albert Dahlstrom	(SEAL)
		(SEAL)
	Party of the second part.	

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

For	rgan No Zion Lu		urch, Cadillac, Mich.
	Electri		Console_De tached
Casing NoPlain sawed golden oak stain		sawed gol	
		banda goz	
Decorations			Motor Electric
Width	of Key-be	d	Stop Controls Stop Keys
No. Manuals Two			Wind Pressure 5"
To be	completed	July 30,	1929 Blower pipe furnished by hurch
			SPECIFICATIONS .
	Omeron of	hamban he	
	A-440	namber by	church, grille only by organ factory. GREAT ORGAN
	1	81	Open Diapason42 scale-wood bass61 Pipes
	2	81	Dulciana
	3	81	Clarabella Flute85
	4	81	Viola d'Gamba58 scale73 "
	5	41	Flute Traverso From #373 Notes
	6	41	Dulcet " 273 "
	7		Chimes (Silent Stop)
			Tremolo
			SWELL ORGAN
	8	161	Bourdon
	9	81	Open Diapason44 scale-wood bass73
	10	81	Stopped Diapason From #873 Notes
	11	81	Salicional60 scale73 Pipes
	12	41	Flute d'AmourFrom #873 Notes
	13	21	Piccolo " 861 "
	14	41	Wieline # 11 61 #
	15	81	Voix Celeste (Silent Stop)
	16	81	Oboe73 Pipes
	17	81	Vox HumanaS.S.B
			Tremolo
	All und	er expres	
			PEDAL ORGAN
	18	161	Bourdon44 Pipes
	19	161	Violone20 from #1wood bass.12.Pipes32 Notes
	20	16'	Lieblich GedecktFrom #832 Notes
	21	81	Dolce Mute " 832 "
	22	81	Bass Flute" 18,32 " COUPLERS
	23		Great to Great 4' 29 Swell to Swell 16'
	24		Great to Great 16' 30 Swell to Pedal
	25		Swell to Great 4' 31 Great to Pedal
	26		Swell to Great 8' 32 Swell Unison Off)
	27		Swell to Great 16' 33 Great Unison Off) by switches in
	28		Swell to Great 16' 33 Great Unison Off) by switches in Swell to Swell 4'
	34		Crescendo Indicator (Bylight) ADJUSTABLE COMBINATIONS
		(h-ara	ted by pistons placed under respective manuals)
	D:		3-4 Affecting Swell & Pedal Stops

Pistons No. 1-2-3-4 Affecting Swell & Pedal Stops Pistons No. 1-2-3-4 Affecting Sreat and Pedal Stops Pistons No. 1-2-3) Affecting Full Organ