

M. P. MÖLLER Organ Factory

3-26

Pipe Organ No. 10005 Date June 9, 1964
 For FIRST LUTHERAN CHURCH, STOUGHTON, WISCONSIN
 Action Moller's Pitman Electro-Pneu. Console Detached. Electro-Pneumatic
 Casing No. None Finish As Per Sample
 Decorations None Motor 3 H.P. Style 3-P-3027
 Width of Key-bed Standard Stop Controls Draw Knob Type
 No. Manuals THREE with gang switches. Wind Pressure Gt. 3-1/4, Sw. & Ch. 3-3/4",
English ivory keys. Ped. 3-3/4" & 4".
 To be Completed October 1, 1965 Blower Pipe furnished by Purchaser
 PITCH: A-440 SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock or assembled instrument.

GREAT ORGAN (Unenclosed and Displayed) 8

1.	8'	Principal.....48.....18-1/2.....12 Zinc S.M....61 Pipes
2.	8'	Bourdon.....54.....20-1/2.....12 Zinc S.M....61 Pipes
3.	4'	Octave.....60.....19-1/2.....S.M....61 Pipes
4.	2'	Spitzfloete.....70-2/3..18-1/2.....S.M....61 Pipes
5.	IV Rks.	Fourniture.....Formula "A" 18-1/2.....S.M....244 Pipes
6.		Chimes..(..... ,)
7.		Tremolo Present Deagan Class "K" tubes & electric actions. New transformer, action relays, volume control switch, volume control relay, etc. A to F, #22 to #42, locate in Choir Expression box... 21 Tubes

SWELL ORGAN (Enclosed) 9

8.	8'	Rohrfloete.....54.....21-1/2.....12 Zinc S.M....61 Pipes
9.	8'	Viola.....52.....18-1/2.....12 Zinc S.M....61 Pipes
10.	4'	Spitzprinzipal...58-3/4..18-1/2.....S.M....61 Pipes
11.	2'	Harmonic Piccolo..72.....Har. Flt.....S.M....61 Pipes
12.	III Rks.	Plein Jeu.....Formula "B" 18-1/2.....S.M....183 Pipes
13.	8'	Trumpet (full toned) CC 3"..TC 2-1/16..42-1/2.....61 Pipes
14.	4'	Trichter Regal....2-1/2"...Funnel Top.....61 Pipes
15.		Tremolo

CHOIR ORGAN (Enclosed) 6

16.	8'	Nasongedeckt.....Artiste Scale Gedeckt Wood.....61 Pipes
17.	8'	Gemshorn Celeste II Rks. Unison 54-1/3 Celeste 56-1/3 17-1/2.....12 Zinc S.M....110 Pipes
18.	4'	Koppelfloete.....64.....20-1/2.....S.M....61 Pipes
19.	2'	Doublette.....72.....19-1/2.....S.M....61 Pipes
20.	1-1/3'	Larigot.....78-2/3..20-1/2.....S.M....61 Pipes
21.		Tremolo

PEDAL ORGAN (Unenclosed and Displayed) 3

22.	16'	Violone....CCC 38..CC 48...18-1/2.....29 Zinc S.M.... ⁵⁶ Pipes
23.	16'	Rohrbourdon....L.M.B.....12 pipes from #8.....32 Notes
24.	8'	Geigen Prinzipal.....from #22.....32 Notes
25.	8'	Rohrfloete.....from #8.....32 Notes
26.	4'	Geigen Octave....from #22.....32 Notes
27.	4'	Rohrfloete.....from #8.....32 Notes
28.	II Rks.	Rauschquinte....Formula "C"..17-1/2.....S.M.....64 Pipes
29.	16'	Double Trumpet..CCC 6" CC 3" 12 pipes, 20 from #13..4"W 32 Notes
30.	4'	Clarion.....from #13.....32 Notes

COUPLERS

31.	Great to Pedal 8'	40.	Choir to Great 8'
32.	Swell to Great 16'	41.	Choir to Great 4'
33.	Swell to Great 8'	42.	Choir 16'
34.	Swell to Great 4'	43.	Choir 4'
35.	Swell 16'	44.	Choir to Pedal 8'
36.	Swell Unison Off	45.	Swell to Choir 16'
37.	Swell 4'	46.	Swell to Choir 8'
38.	Swell to Pedal 8'	47.	Swell to Choir 4'
39.	Choir to Great 16'	48.	Great 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4	Affecting Great organ
Pistons No. 1-2-3-4	Affecting Swell organ
Pistons No. 1-2-3-4	Affecting Choir organ
Toe Studs No. 1-2-3-4	Affecting Pedal organ, at right
Pistons No. 1-2-3-4-5-6	General, affecting entire organ
(No. 4-5-6 duplicated to pedal, at left)	
General Cancel Piston	

ACCESSORIES

Swell expression pedal *One signal light (white jewel) + signal button labelled: Ushers*
 Choir expression pedal *One signal light (white jewel) + signal button labelled: Sacristy*
 Crescendo pedal for entire organ, with 3 indicator lights *Pedal light.*
 Great to Pedal Reversible piston, duplicated to pedal
 Tutti Reversible piston, duplicated to pedal, with indicator light
 Tremolo-Celeste-Chimes cut-out for Tutti and Crescendo
 Station cut-out switches for main chests
 Circuit breakers for organ action protection, 15 ampere maximum per circuit
 Swell box partitions, shade actions with separate reservoir wind supply, as required. These shall be in standard materials painted to sample.
 Castlelight for music rack
 Heavy bevelled English ivory manual keys.
 Static blower reservoir, blow pipe from blower to organ, flexible wind line to console (church to provide any necessary cutting of partitions and floors for installation.)
 Electric motor, steel slow speed Kinetic blower, organectra action current rectifier, of ample capacity.

MIXTURE FORMULAS

GREAT ORGAN
IV Fourniture Formula "A"

19	15	12	8	8
22	19	15	12	12
26	22	19	15	15
29	26	22	19	15
1-12	13-24	25-36	37-48	49-61

Unison 49 @ 8' CC 18-1/2 1/4 mouth S.M.
 Quint 50 @ 8' CC 18-1/2 1/4 mouth S.M.

SWELL ORGAN
III Rk. Plein Jeu Formula "B"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-18	19-30	31-42	43-54	55-61

Unison 49 @ 8' CC 18-1/2 1/4 mouth S.M.
 Quint 50 @ 8' CC 18-1/2 1/4 mouth S.M.

PEDAL ORGAN

II Rk. Rauschquinte Formula "C"
 2-2/3' 66 scale 17-1/2 2/9 mouth S.M.
 2' 70 scale 17-1/2 1/4 mouth S.M.