

M. P. MÖLLER Organ Factory

3-23

Pipe Organ No. 9219 Date February 24, 1958
 For WAYZATA COMMUNITY CHURCH, WAYZATA, MINNESOTA
 Action Electro-pneumatic Console Detached
 Casing No. None Finish As per sample
 Decorations None Motor 5 H.P. - Style 3-P-3328
 Width of Key-bed Standard - Imported English Keys Stops and intra-manual couplers draw knobs.
 No. Manuals Three Stop Controls Inter-manual couplers by
tilting tablets.
 To be Completed As soon as possible Wind Pressure 4"
 Blower Pipe furnished by Purchaser

PITCH: A=440

SPECIFICATIONS

GREAT ORGAN

6

1.	8'	Diapason.....	42.....	17½.....	12 zinc..S.M..	61 pipes
2.	8'	Hohlfloste...Open Mel Bass..Reg. Hohlfloste Treble	1-7/12 inc. LMB Sc.		W.&M..	61 pipes
3.	8'	Erzähler.....	52-1/4.....	17½.....	12 zinc..S.M..	61 pipes
4.	4'	Octave.....	56.....	17½.....	S.M..	61 pipes
5.	II Rks.	Rauschquint..2 A Formula..12th 64..15th 68...	17½.....		S.M..	122 pipes
6.		Chimes.....	prepared for with 25 note switch			
7.		Tremulant				

SWELL ORGAN

10

97

8.	16'	Flute Conique (Unit).....	38-2/3.....	18½.....	24 zinc..S.M..	80 pipes
9.	8'	Gedeckt...L.M.B. Bass...Reg. Stopped Flute Treble	1-7/12 inc. LMB Sc.		W.&M..	80 pipes
10.	8'	Flute Conique.....	from #8.....		68 notes	
11.	8'	Viole de Gambe.....	56.....	17½.....	12 zinc..S.M..	68 pipes
12.	8'	Viole Celeste..T.C.....	60.....	17½.....	S.M..	56 pipes
13.	4'	Principal.....	60.....	17½.....	S.M..	68 pipes
14.	4'	Flute.....	from #9.....		68 notes	
15.	2-2/3'	Nazard.....	from #8.....		61 notes	
16.	2'	Flautino.....	from #8.....		61 notes	
17.	III Rks.	Plein Jeu.....	3-P.....	17½.....	S.M..	183 pipes
18.	8'	Trumpet.....	3-3/4".....	Reg.....	68 pipes	
19.	8'	Hautbois.....	3".....		80 pipes	
20.	4'	Hautbois.....	from #19.....		68 notes	
21.		Tremulant				

CHOIR ORGAN

6

22.	8'	Koppelfloste...1-12 Extra Large Stopped Bass..#13..58..20½...	12 wood..S.M..	68 pipes			
23.	8'	Spitzfloste.....	52-2/3.....	18½.....	12 zinc..S.M..	68 pipes	
24.	8'	Undamaris...T.C...56 @ 8' CC.....	17½.....		S.M..	56 pipes	
25.	4'	Nachthorn.....	60.....	20½.....	S.M..	73 pipes	
26.	2-2/3'	Nasat.....	68.....	20½.....	capped.....	S.M..	61 pipes
27.	2'	Nachthorn.....	from #25.....		61 notes		
28.	1-3/5'	Terz.....	75-1/3.....	19½.....	S.M..	61 pipes	
29.		Tremulant					

PEDAL ORGAN

30.	32'	Resultant.....Unison from #31...Quint from #32 & #232 notes
31.	16'	Contrebasse...1-12 wood.10" x 7 $\frac{1}{4}$ " I.D..#13.42.19 $\frac{1}{2}$..17 zinc.S.M..56 pipes
32.	16'	Bourdon....#2 Ped. Bdn...12 pipes...20 from #232 notes
33.	16'	Flute Conique.....from #8.....32 notes
34.	8'	Principal.....from #31.....32 notes
35.	8'	Bourdon.....from #232 notes
36.	4'	Choral Bass.....from #31.....32 notes
37.	4'	Flute.....from #232 notes

COUPLERS

38.	Swell to Great	16'	51.	Choir to Pedal	8'
39.	Swell to Great	8'	52.	Swell to Swell	16'
40.	Swell to Great	4'	53.	Swell Unison Off	
41.	Choir to Great	16'	54.	Swell to Swell	4'
42.	Choir to Great	8'	55.	Choir to Choir	16'
43.	Choir to Great	4'	56.	Choir Unison Off	
44.	Swell to Choir	16'	57.	Choir to Choir	4'
45.	Swell to Choir	8'	58.	Great to Great	16'
46.	Swell to Choir	4'	59.	Great Unison Off	
47.	Swell to Pedal	8'	60.	Great to Great	4'
48.	Swell to Pedal	4'			
49.	Great to Pedal	8'			
50.	Great to Pedal	4'			

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5	Affecting Swell Stops
Pistons No. 1-2-3-4-5	Affecting Great Stops
Pistons No. 1-2-3-4-5	Affecting Choir Stops
Pistons No. 1-2-3-4-5	Affecting Pedal Stops (toe studs on right)
Pistons No. 1-2-3-4-5	Affecting Full Organ
General Cancel	

PEDAL MOVEMENTS

Great to Pedal Reversible (duplicated by manual piston)
 Swell to Pedal Reversible (duplicated by manual piston)
 Balanced Expression Pedal for Swell Organ
 Balanced Expression Pedal for Choir Organ
 Balanced Expression Pedal for Great Organ
 All Swells to Swell reversible (duplicated by manual piston)
 Balanced Crescendo Pedal
 Sforzando Pedal Reversible (duplicated by manual piston)

ACCESSORIES

Crescendo Indicator light

Sforzando Indicator light

Castle light for music desk

Radiating, concave pedal clavier

Organ bench with music shelf

Electric motor, blower and action current supply of ample capacity