

MÖLLER ORGAN FACTORY

3/28-35

Pipe Organ No. 11827 Date February 7, 1990
 For SECOND BAPTIST CHURCH, SAN ANTONIO, TEXAS
 Action Electro-Pneumatic Console Movable - No Rolltop
 Casing None Finish Per Customer's Sample
 Decoration None Motor 3 HP Ventus 8835.22
 Width of Key-bed Standard Tracker Touch Yes X No
 Keys to be Bone/Walnut Stop Controls Walnut Draw Knobs and
Maple Tilting Tablet
 No. Manuals THREE AND PEDAL Wind Pressure See Scale Sheet
 To be Completed December 1, 1991 Blower Pipe Furnished by Purchaser

A-440 @ 70° F.

SPECIFICATIONS

GREAT ORGAN - Unenclosed Manual II "

1.	16	Violone.....	73	pipe
2.	8	Principal.....	61	pipe
3.	8	Bourdon.....	61	pipe
4.	8	Viola..... from #1.....	61	note
5.	4	Octave.....	61	pipe
6.	4	Koppelflöte.....	61	pipe
7.	2	Super Octave.....	61	pipe
8.	IV	Fourniture.....	244	pipe
9.	8	Trumpet.....	61	pipe

SWELL ORGAN - Enclosed Manual III "

10.	16	Rohrbass.....	73	pipe
11.	8	Viola.....	61	pipe
12.	8	Viola Celeste.....	61	pipe
13.	8	Rohrflöte..... from #10.....	61	note
14.	4	Principal.....	61	pipe
15.	4	Flute.....	61	pipe
16.	2 2/3	Nazard.....	61	pipe
17.	2	Blockflöte.....	61	pipe
18.	1 3/5	Teirce.....	61	pipe
19.	IV	Plein Jeu.....	244	pipe
20.	16	Basson.....	73	pipe
21.	8	Trompette.....	73	pipe
22.	8	Hautbois..... from #20.....	61	note
23.	4	Clairon..... from #21.....	61	note
24.		Tremulant		

ib
u
1

FANFARE ¹

Manual I

25.	8	Trompette en Chamade.....	61	pi
26.		Chimes....Mayland bells, action, transformer, relay & volume control; G to G, #20-44.....	25	ba

16#
W
4

ANTIPHONAL ORGAN (prepared for) +7

Manual I

27.	8	Principal
28.	8	Bourdon
29.	8	Erzähler
30.	8	Erzähler Celeste
31.	4	Octave
32.	4	Flute
33.	2	Principal
34.	III	Mixture
35.		Tremulant

16
W
4

ANTIPHONAL PEDAL (prepared for)

36.	16	Bourdon
-----	----	---------

PEDAL ORGAN ²

37.	32	Resulant.....	from #38.....	32	no
38.	16	Subbass.....		56	pi
39.	16	Violone.....	from #1.....	32	no
40.	16	Rohrbass.....	from #10.....	32	no
41.	8	Principal.....		68	pi
42.	8	Bass Flute.....	from #38.....	32	no
43.	8	Viola.....	from #1.....	32	no
44.	8	Rohrflöte.....	from #10.....	32	no
45.	4	Octave.....	from #41.....	32	no
46.	4	Flute.....	from #38.....	32	no
47.	III	Mixture.....	from #41.....	32	no
48.	32	Reed Cornet.....	from #1,38,49 & 9.....	32	no
49.	16	Contra Trumpet.....	12 pipes; 20 from #9.....	32	no
50.	16	Basson.....	from #20.....	32	no
51.	8	Trumpet.....	from #9.....	32	no
52.	4	Hautbois.....	from #20.....	32	no

COUPLERS

53.	Great to Pedal	65.	Great to Fanfare
54.	Swell to Pedal	66.	Swell to Fanfare
55.	Swell to Pedal 4	67.	Swell to Fanfare 4
56.	Antiphonal to Pedal	68.	Swell 16
57.	Fanfare to Pedal	69.	Swell Unison Off
58.	Fanfare to Pedal 4	70.	Swell 4
59.	Swell to Great 16	71.	Antiphonal 16
60.	Swell to Great	72.	Antiphonal Unison Off
61.	Swell to Great 4	73.	Antiphonal 4
62.	Antiphonal to Great	74.	Fanfare 16
63.	Antiphonal to Great 4	75.	Fanfare Unison Off
64.	Fanfare to Great	76.	Fanfare 4

ADJUSTABLE COMBINATIONS

Solid State - Four Memories

Pistons No. 1-2-3-4-5-6	Affecting Great
Pistons No. 1-2-3-4-5-6	Affecting Swell
Pistons No. 1-2-3	Affecting Antiphonal
Pistons No. 1-2-3	Affecting Fanfare
Toe Studs No. 1-2-3-4-5-6	Affecting Pedal
Pistons No. 1-2-3-4-5-6-7-8-9-10	Affecting Full Organ
	(duplicated by toe studs)
General Cancel	
Combination Adjustor	
Combination Lock	
Memory Selector (one open, three key lock)	

REVERSIBLES

Great to Pedal - manual piston and toe stud
 Swell to Pedal - manual piston and toe stud (removes 4' in off motion)
 Antiphonal to Pedal - manual piston and toe stud
 Fanfare to Pedal - manual piston and toe stud (removes 4' in off motion)
 Tutti - manual piston and toe stud with indicator light
 32 Resultant - toe stud
 32 Reed Cornet - toe stud
 Antiphonal Cut Out - toe stud with indicator light

PEDAL MOVEMENTS

Balanced Expression Pedal - Swell Organ
 Balanced Expression Pedal - Antiphonal Organ
 Balanced Crescendo Pedal with indicator light

ACCESSORIES

Cancave, radiating pedal clavier
Organ bench with music shelf
Bench adjustment blocks
Transparent music rack with light
Pedal light
Motor, blower and action power unit of ample capacity
Key operated motro switch with indicator light
Movable console with built-in castors

GENERAL

Facade pipes and supports provided by M. P. Möller, Inc.
Swell box shutters to open toward Chancel and Nave.

Salesman: William E. Gray, Jr.

dmm
7-31-91
9-6-91