

M. P. MÖLLER Organ Factory

3-20/27

Pipe Organ No. 9086 Date February 1, 1957
 For FIRST BAPTIST CHURCH, LUMBERTON, N. C.
 Action Electro-pneumatic Console Detached
 Casing No. None Finish As per sample
 Decorations None Motor 5 H.P. - Style 3-P-3328
 Width of Key-bed Standard Stops & intra-manual couplers draw-knobs.
 Stop Controls Inter-manual tilting tablets.
 No. Manuals Three Wind Pressure 5"
 To be Completed April 15, 1958 Blower Pipe furnished by Purchaser

PITCH: A=440

SPECIFICATIONS

GENERAL: The church at its expense to make preparations in the building for the organ, from plans by M. P. Moller, Inc. The organ to be the distinctive work of the builder, not an assembled product. All freight and drayage charges are included in our proposal.

GREAT ORGAN (Enclosed with Choir)

7+1

1.	8'	Diapason.....	44.....	17½.....	12 zinc...	S.M..61 pipes
2.	8'	Flute Harmonic.....	48-58.....	12 zinc...	S.M..61 pipes	
3.	4'	Octave.....	57.....	18½.....	S.M..61 pipes	
4.	2-2/3'	Twelfth.....	Console only			
5.	2'	Fifteenth.....	70.....	18½.....	S.M..61 pipes	
6.	III Rks.	Furniture.....	Formula "A".....	18½.....	S.M.183 pipes	
7.		Chimes.....	Console only			
8.		Tremolo				

SWELL ORGAN (Enclosed)

7+4

9.	8'	Viole-de-Gambe.....	54.....	17½.....	12 zinc...	S.M..61 pipes
10.	8'	Viole-Celaste..T.C.....	56.....	17½.....	S.M..49 pipes	
11.	8'	Rohrflöte.....	54.....	20½.....	12 zinc...	S.M..61 pipes
12.	4'	Gemshorn.....	56-2/3.....	19½.....	S.M..61 pipes	
13.	4'	Octave Geigen.....	58.....	18½.....	S.M..61 pipes	
14.	III Rks.	Plein Jeu.....	Console only			
15.	8'	Trompette.....	3".....		61 pipes	
16.	4'	Oboe.....	Console only			
17.	8'	Vox Humana (Separate Box)...	1½".....		61 pipes	
18.		Tremolo				

CHOIR ORGAN (Enclosed)

4+2

19.	8'	Nachthorn.....	48.....	20½.....	12 zinc...	S.M..61 pipes
20.	8'	Dolcan.....	56-5/4.....	17½.....	12 zinc...	S.M..61 pipes
21.	8'	Dolcan Celeste..T.C.....	Console only			
22.	4'	Koppelflöte.....	64.....	20½.....	S.M..61 pipes	
23.	2-2/3'	Nasat.....	66-2/3.....	20½.....	S.M..61 pipes	
24.	2'	Blockflöte.....	Console only			
25.		Chimes.....	Console only			
26.		Tremolo				

PEDAL ORGAN

2

27.	16'	Subbass.....Large Pedal Bdn.....Low Lip...Large Ears.....	44 pipes
28.	16'	Rohrbourdon.....42.....20 $\frac{1}{2}$12 pipes...20 from #11.....	32 notes
29.	8'	Principal.....42.....18 $\frac{1}{2}$17 Zinc..C.M.....	44 pipes
30.	8'	Subbass.....from #27.....	32 notes
31.	8'	Rohrflöte.....from #11.....	32 notes
32.	4'	Rohrflöte.....from #11.....	32 notes
33.	4'	Super Octave.....from #29.....	32 notes
34.	16'	Sub Trompette....CCC 7"....CC 3"....12 pipes..20 from #15.....	32 notes
35.	8'	Trompette.....from #15.....	32 notes
36.	4'	Clarion.....from #15.....	32 notes
37.		Chimes.....Console only	

COUPLERS

38.	Great to Pedal	8'	53.	Swell	16'
39.	Great to Pedal	4'	54.	Swell	4'
			55.	Swell Unison Off	
40.	Swell to Pedal	8'	56.	Great	16'
41.	Swell to Pedal	4'	57.	Great	4'
42.	Choir to Pedal	8'	58.	Great Unison Off	
43.	Choir to Pedal	4'			
44.	Swell to Great	16'	59.	Choir	16'
45.	Swell to Great	8'	60.	Choir	4'
46.	Swell to Great	4'	61.	Choir Unison Off	
47.	Choir to Great	16'			
48.	Choir to Great	8'			
49.	Choir to Great	4'			
50.	Swell to Choir	16'			
51.	Swell to Choir	8'			
52.	Swell to Choir	4'			

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Cancel Piston

Affecting stops of Swell Organ
Affecting stops of Great Organ
Affecting stops of Choir Organ
Affecting stops of Pedal Organ
Affecting stops and couplers of Full Organ

PEDAL MOVEMENTS

Swell Expression Pedal with indicator light
 Choir - Great Expression Pedal with indicator light
 Crescendo Pedal with indicator light
 Sforzando Pedal (Reversible) with indicator light (duplicated by manual piston)
 Great to Pedal (Reversible) (duplicated by manual piston)
 Swell to Pedal (Reversible) (duplicated by manual piston)
 Choir to Pedal (Reversible) (duplicated by manual piston)

ACCESSORIES

Organ bench with music shelf
 Concave and radiating Pedal Clavier
 Castlight - console light
 Slow speed electric motor, action power unit and blower in steel housing, of ample capacity
 NAVE SHADES - ON-OFF SWITCH

GREAT III RK. FOURNITUREFormula "A"

19	15	12	8
22	19	15	12
26	22	19	15
1-24	25-36	37-48	49-61

Unison	46	@	8'	CC	1/4	Mouth	18 $\frac{1}{2}$	S.M.
Quint	47	@	8'	CC	2/9	Mouth	18 $\frac{1}{2}$	S.M.