

M. P. MÖLLER Organ Factory

2-23

Pipe Organ No. 10375 Date October 13, 1966
 For FIRST METHODIST CHURCH, MARYSVILLE, TENNESSEE
 Action Moller's Electro-Pneumatic Console Detached
 Casing No. None Finish As Per Sample
 Decorations None Motor 2 H.P. Style 3-P-3025
 Width of Key-bed Standard Stop Controls Tilting Tablets
 No. Manuals TWO Imported Ivory Keys Wind Pressure 4"
 To be Completed August 1, 1968 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN (Unenclosed) 8

1.	8'	Principal....47....18-1/2..new chest and pipes..12 Zinc S.M...61 pipes
2.	8'	Rohrflöte....54....21-1/2 new chest and pipes..12 Zinc S.M...61 pipes
3.	8'	Dulciana.....56....17-1/2..new chest, pres. pipes 12 Zinc H.M...61 pipes
4.	4'	Octave.....58....18-1/2..new chest and pipes.....S.M...61 pipes
5.	2'	Doublette....73....19-1/2..new chest and pipes.....S.M...61 pipes
6.	II-IV Rks.	Mixture..Formula "A" 18-1/2 new chest and pipes.....S.M...208 pipes
7.		Chimes.....new action, pres. bells, A to F #22 to #42.....21 bells
8.		Tremulant

SWELL ORGAN 12

9.	16'	Gedeckt..CCC 5-7/8" x 4-15/16" CC 3-3/4" x 2-13/16" I.D. pres. chest and pipes.....Wood.....85 pipes
10.	8'	Gedeckt.....from #9.....73 notes
11.	8'	Salicional..CC 60..TC 70..17-1/2, pres. chest and pipes 12 Zinc S.M...73 pipes
12.	8'	Voix Celeste T.C...60 @ 8' CC..17-1/2 pres. chest and pipes.....S.M...61 pipes
13.	4'	Principal....59....18-1/2..pres. Swell Diap. chest, new pipes.....S.M...73 pipes
14.	4'	Koppelflöte..64....20-1/2..pres. Melodia chest, new pipes.....S.M...73 pipes
15.	2'	Blockflöte...68-3/4...20-1/2...pres. Dulciana chest, new pipes.....S.M...61 pipes
16.	III Rks.	Plein Jeu....Formula "B" 18-1/2..pres. Great Diapason chest, new pipes.....S.M...183 pipes
17.	8'	Trompette....2-3/4...42-1/2...pres. Oboe chest, new pipes.....73 pipes
18.	8'	Singend Regale...CC .365 diam. Reg., new chest and pipes.....73 pipes
19.	4'	Hautbois.....3" @ 8' CC pres. Vox Humana chest, new pipes.....61 pipes
20.		Tremulant

PEDAL ORGAN 3

21.	16'	Bourdon...CCC 9-9/16" x 7-3/4"...CC 6" x 4-7/16" I.D. pres. chest and pipes.....Wood..... ⁴⁴ pipes
22.	16'	Gedeckt.....from #9.....32 notes
23.	8'	Principal....44....17-1/2....new chest, pres. Swell Diapason pipes, 1-12 new Zinc, 5 pres. Zinc H.M.....56 pipes
24.	8'	Bourdon.....from #21.....32 notes
25.	8'	Gedeckt.....from #9.....32 notes
26.	4'	Octave.....from #23.....32 notes
27.	4'	Gedeckt.....from #9.....32 notes
28.	2'	Octavin.....from #23.....32 notes
29.	16'	Fagot..1/2 length..3-1/2" ..new chest and pipes.....56 pipes
30.	8'	Fagot.....from #29.....32 notes
31.	4'	Fagot.....from #29.....32 notes

COUPLERS

32.	Great to Pedal 8'
33.	Swell to Pedal 8'
34.	Swell to Pedal 4'
35.	Swell to Great 16'
36.	Swell to Great 8'
37.	Swell to Great 4'
38.	Great 16'
39.	Great Unison Off
40.	Great 4'
41.	Swell 16'
42.	Swell Unison Off
43.	Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4	Affecting Great Organ
Pistons No. 1-2-3-4	Affecting Swell Organ
Toe Studs No. 1-2-3-4	Affecting Pedal Organ
Pistons No. 1-2-3-4-5	Affecting Full Organ (duplicated by toe studs)
General Cancel	

PEDAL MOVEMENTS

Great to Pedal Reversible (duplicated by manual piston)
 Swell to Pedal Reversible (duplicated by manual piston)
 Sforzando Reversible (duplicated by manual piston)
 Balanced Expression Pedal - Swell Organ
 Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
 Organ bench with music shelf
 Crescendo indicator light
 Sforzando indicator light
 Light for music rack
 Light for pedal board
 Motor, blower and action power unit of ample capacity
 Motor starter switch with pilot light mounted in console
~~M. P. Moller, Inc. to supply magnetic starter switch~~

JHH/mr
 12/12/67
 Salesman:Bradberry

MIXTURE FORMULASGREAT ORGAN

II-IV Rks. Mixture Formula "A"

	19	15	12	8	1
	22	19	15	12	8
		22	19	15	12
			22	19	15
	1- 2 12	13-24	25-36	37-48	49-51
Unison	47	@ 8' CC	18-1/2	1/4 mouth	S.M.
Quint	49	@ 8' CC	18-1/2	1/4 mouth	S.M.

SWELL ORGAN

III Rk. Plein Jeu Formula "B"

	15	12	8		
	19	15	12		
	22	19	15		
	1-42	43-54	55-61		
Unison	48	@ 8' CC	18-1/2	1/4 mouth	S.M.
Quint	50	@ 8' CC	18-1/2	1/4 mouth	S.M.

REBUILD SPECIFICATIONS

- CONSOLE:** Install new two manual electro-pneumatic detached tilting tablet console, pedal key and bench.
- MANUAL CHEST:** Releather 481 manual pipe pouches.
 Releather two 73 note primary stations and install new valves.
 Install 487 new stop action checks and eyelets.
 Rework present chests to delete duplex action.
 Releather 7 note stop action primary.
 Install 153 new magnet plugs and armatures.
- OFFSET CHEST:** Releather 85 note 16' Bourdon action, 44 new valves.
 Releather 61 note Vox Humana action.
 Releather 6 note Mixture action.
 Install 152 new magnet plugs and armatures.
- CONTACT BOX:** Releather 73 note Swell contact box and install new silver wire contact blocks.
- SWITCHES:** Install the following new switches with stop actions -
- | | | |
|----------|------------|----------|
| 16' | Gedeckt | 73 notes |
| 8' | Gedeckt | 73 notes |
| III Rks. | Mixture | 6 notes |
| 4' | Hautbois | 61 notes |
| | Primary #2 | 73 notes |
| | Chimes | 21 notes |
- GREAT ORGAN:** Install new Chime action (use present bells)
- PEDAL ORGAN:** Releather 44 note 16' Bourdon action.
 Install 44 new magnet plugs and armatures.
 Install new 56 note 8' Pedal Principal action.
- RESERVOIR:** Releather one 2'-6" x 4'-0" reservoir.
 Releather one Pedal Bourdon reservoir.
 Releather one expression reservoir.
- EXPRESSION:** Install approximately 70 sq.ft. of shades and action-Swell Organ
 Install new swell box partition.
- TREMULO:** Install new Moller standard electro-pneumatic tremolo.
- PIPES:** Install the following new pipes on present action -
- | | | |
|----------|--------------------------------------|-----------|
| 4' | Principal | 73 pipes |
| 4' | Koppelflöte | 73 pipes |
| 2' | Blockflöte | 61 pipes |
| III Rks. | Plein Jeu
(new toe and top board) | 183 pipes |
| 8' | Trompette | 73 pipes |
| 4' | Hautbois | 61 pipes |

ORGAN NO. 10375

FIRST METHODIST CHURCH, MARYSVILLE, TENNESSEE

CABLE: Install necessary new organ cable between console and Swell Organ.

BLOWER: Install new 2 H.P. Kinetic blower, Style 3-P-3025

ORGELECTRA: Install new 10-15 Volt, 30 Ampere Orgelectra organ power unit.

GREAT ORGAN: Install new Great Organ as specified.

PEDAL ORGAN: Install new Pedal Organ as specified.

Present Pedal pipes to be thoroughly reconditioned or replaced as necessary.

no 5127

1928