ORGAN

#4177

Memorandum of Agreement, Made this. 20th
day of NovemberA. D., 1924., by and between M. P. MOLLER, Inc., of Hagerstown,
Maryland, party of the first part, and the
Macon Auditorium Commission
of the second part.
Witnesseth: That the party of the first part hereby agrees to build an organ after and
according to the annexed specifications and plans to be hereafter approved by party of second
part, and to erect it inThe. Macon. Auditorium,
Corner of First and Cherry Streets, Macon, Ga.
ready for use on or before thefirstday ofSeptemberA. D., 1925,
or as soon thereafter as possible in the event of delays beyond his control.
2. The party of the first part agrees that the organ when completed shall be first class, free from
defects in material or workmanship, and that the party of the second part may have it examined,
immediately on completion, in the presence of representative of first party, by a competent and
disinterested expert, and if said examination shows that the organ does not conform with this
agreement the party of the first part agrees to remedy defects at his own expense.
3. The party of the first part guarantees the action and construction of the organ for a term of
ene years from date of completion and agrees to correct defects in material or workmanship that
may be brought to his attention within that time, without cost to the party of the second part.
This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed
by the manufacturers for one year).
4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc.,
or order, the sum of Thirty. Thou sand. (\$30,000.00). Dollars
AS FOLLOWS: upon.complete.installation.and.acceptance.of.the
organ by the party of the second part.
5. The party of the second part also agrees that the building will be in proper condition for the
installation of the organeightweeks previous to date of completion; that they
will allow, free from interruption, suitable convenience and opportunity for the installation in the
building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning
of the instrument, and necessary light, heat and power.
6. The party of the second part also agrees to insure the organ or its parts against loss by fire,
water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto,
as their interests may appear. 6a. Party of the first part guarantees that this instrument

will equal or surpass in workmanship, material and tonal quality any instrument of similar size in the United States.

M. P. MÖLLER Organ Factory

Pipe Organ No. 4177 Date	Nov. 2, 1924.							
For Municipal Auditorium, Macon, Georgia								
Action Electric	Console Detached & Movable 50!							
Casing of	Finish							
Decorations Dull bronze gold	_MotorFlectric							
Width of Key-bed	Stop keys in circle Stop Controls console like Bir-							
No. Manuals four	Wind Pressure_See Spec							
To be completed Sept. 1, 1925.	Blower pipe furnished by_Us							
Pitch - A-440 SPECIFICA	ATIONS: All Chests - 73 Notes							
	ORGAN (All 7" except #4,14 & 15 12"							
1 16' fouble Open Diapason 2 8' First Open Diapason 3 8' Second Diapason 4 8'4 Gross Flute 5 8' Claribel Flute 6 8' Doppel Flute 7 8' Gemshorn 8 8' Violoncello 9 4' Octave 10 4' Flute Traverso 11 2-2/3' Twelfth 12 2' Tifteenth 13 3 Rhs. Diapason Mixture 14 16' Bass Trombone 15 8' French Trumpet 16 8' Trombone 17 4' Clarion 18 Chimes 19 Tremulant (All enclosed with Commendation	Scale 42 at 8'							
20 16' Bourdon	ORGAN (All on 7" wind) Reg. Man							

M. P. MÖLLER Organ Factory

		CHOIR ORGAN (All on 7" wind)
38	16"	Contra Camba Scale 48 73 Pipes
39	8,	English Open DispasenScale 44
40 41 42 45 44 45 46 47 48 49 50 51	81	Unda Maris
41	84	Company Water
42	82	West at Combons Scale 58 73
44	200mm (2000)	
45 2	2/3	Nagard Tep ered pipes 61 "
46		NazardTapered pipes
47	8*	
48	4"	Harp
49	81	Harp Tenor C From 7 45 61 Mc ves
50		Snare Drum
51		Tremmlant SOLO ORGAN (All on 12" wind)
- 60	81	Scale 36 51 Pipes
53	81	DhilamalaTibis Flena Scales
54	at	
55	87	Santa Santa Ba. Pura Tin 70 "
56	81	Contra Contra T. C. Scale Do. Fure Ulis. Ca
57	47	Water William #7 General Scotler
58	8,	Cor Anglaide
	81	French Horn
60	26'	Tubs
61	ORDER-SHOWING	The same of the sa
52	42	Tanar Canala Chucks Tanar Cassesses 23 Delle
80		Manufactor Stroke Tenor Co 45 MOVES
52 53 54 55 56 57 58 60 61 62 63 64 65 66		Chimes From file 25
66		· · · · · · · · · · · · · · · · · · ·
		worms omprise operat (Playable from all manuals)
(Sto	ps #56	.59 & 64 on 7" wind, Stops #60,61,62 & 63 on 12")
67	81	
68	80	Salicional GeleateScale 6073 Tiole d'OrchestreScale 66Pure Tin73 Tiole d'OrchestreScale 66Pure Tin73
69	81	Viole d'Orchestre Celeste Sc. 64 Pure Tin 73
69 70 71	81	
71	81	
72	81	Vox FumansS.S.B
74	•	Trapulant
	1000	PEDAL ORGAN (All pipes on 7" wiml) 32 Notes
75	321	Resultant. 32 Notes First Open Dispasen. Extra barge Scale. 44 Pipes Second Open Dispasen. From fl. 32 Notes Second Open Dispasen. 44 Pipes
76 77	26*	First Open Dispassing From fl 32 Notes
77	161	Second Open Dispason. From Ti. 44 Pipes Bourdon. Large Scale. 44
78	161	
79	36*	Molone.Old 187ge From #20 32 Notes
90	16"	Contra GasbeFrom #3832 Contra GasbeFrom #432 Cross FlutsFrom #432 Dolce FlutsFrom #7832
88	81	Gross FlutsFrom #4
83	81	Dolco Flute
84	80	UCCAYUS CATALOGUE AND
85	81	Violongello From #14 32
78 79 80 81 83 84 85 86 87 88	161	Trombo Miss 32
87	16	Contra Fagotta. From #60. 32 " Tuba. 32 "
88	161	Tubaccon From #80
89	89	Dasa Deum Stroke
90	100	Boss Drive Roll
91	39/4/	Snare Drum Stroke
93	1000	Snere Drum Roll
94		Cyrabel

```
mir formation of 1977
                                               - 3 -
                                    COUPLERS
       95
           Solo to Great
                                           113 Great to Sole
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
106
 107
108
109
111
112
131 Solo Unison Separation) 132 Swell Unison Separation) 133 Great Unison Separation 166
134 Choir Unison Separation) Operated by On and Off
piston switches placed in left key jambs.
135 String to Solo )
136 String to Swell) Operated by On and Off
137 String to Great) piston switches placed
138 String to Choir) in right key jamba.
139 Choir to Great Interchangeals
                                  ADJUSTABLE @ MBINATIONS
(Operated by pistons placed under respective manuals, moving steps)
Pistons No. 1-2-3-4-5-6 Affecting Solo Steps
Pistons No. 1-2-3-4-5-6 Affecting Swell Steps
Pistons No. 1-2-3-4-5-6 Affecting Great Steps
Pistons No. 1-2-3-4-5-6 Affecting Choir Steps
Pistons No. 1-2-3-4-5-6 Affecting Pedal Steps under Gt. Man'l
Pistons No. 1-2-3-4 Affecting Full Organ under Ch. Man'l.
Last pistenffor each division to be canceller.
Corresponding Pedal Pistons to Manual Pistons (under each manual)
Corresponding Manual Pistons to Great Pistons (under Great manual)
PEDAL MOVEMENTS
           Great to Pedal Reversible
Balanced Expression Pedal, Solo Organ
         Balanced Expression Pedal, Swell Organ
```

```
2 Belanced Expression Pedal, Solo Organ
3 Belanced Expression Pedal, Swell Organ
4 Belanced Expression Pedal, String Organ
5 Belanced Expression Pedal, Great & Choir Organs
6 Grant Crescendo Pedal
7 Sforzando Pedal
8 All Expression Pedal to Swell Organ Pedal
Organ Bench with Music Shelf.
Concave Pedal, Acc.O. Model.
Electric Motor, Blower, and Generator of ample capacity
```

NOTE- ALL WOOD PIPES TO BE FREE FROM KNOTS AND DEFECTS.
Explanation of 'Choir and Great Interchangeable'.
When stop key so engraved is pressed, Great plays from Choir and Choir from Great.
ALL DIAPASONS MUST BE EXTRA HEAVY.
ALL RESERVOIRSTO BE AT LEAST 25% LARGER THAN STANDARD AND ALL TO HAVE SPECIALLY REINFORCED, BUSHED, AND EXTRA LARGE VALVES AND TO HAVE 'V' SHAPED SPRINGS WITH SPRING RAILS.
HIGH PRESSURE TREMOLOS TO BE WURLITZER TYPE WITH FELT MUSTLERS.

MACON, GEORGIA, PAGE

CONSOLE JAMBS TO BE ONE AND THREE QUARTERS INCHES (1-3/4") WIDE. BIGH PRESSURE WIND CHESTS TO HAVE EXTRA HEAVY PIPE BOARDS.

THE FOLLOWING PIPES ARE TO BE SO ARRANGED AS NOT TO BE

AFFECTED BY TREMULANTS,

			G C	7.00	t Orga		era della sa			
Stop		287	Double Open Diapaso					100		
-005	2	8*	Bret Onen Dispeson	-	Enttr	e Stop	S. S. S.	1002		
**	3	81	Second Open Diapaso	n .	Pipes	1-12	inclu	170 -	80	00%
	Ā	81	Gross Plute			1-13		-	84	
	18	164	Same Bass Trombon			1-24		16*&	81	
	15		French Frump 65			1-12			8,	
			CALL TO BAST LOSS TO SE	_	1 Orga					27.28
~	-	-			Pipes		Quality.		361	00t.
Stop	200		Bourdon Open Dispason		-4	1-12			81	
344	33		Contra Tagotta			1-12			16	F 11
	34		Cornop san			1-12		1.	8	
eranak M	00		-Or moh one	C 500	DIR ORG	TANE			16	
										0.4
Stop	#38	16*	Contra Gamba		Pipe		THEIR	STAS -	-	~ ·
				201	lo Orga					
Stop	#52	8			Pipes	1-12	inclu	sive -		Oct
	53		Philomela			1-12		-	8.	
	54		Tibia Clausa			1-12		-	88	"
	59	1 8	French Horn			1-12			83	
	60	16*	Tuba			1-24	ALCOHOL:	1678	84	
		联节点程 了			1 Orga		or contacts	AND SHORT OF		
Stop	#76	161	First Open Diapason		Intir	e Stop				
	78		Bourdon		Phtir	e Stop			-	
	79	16*	Wolone	-	Bhtar	e Stop				

DATE THE RESERVE

Mirry C. BETRAN

Singer Auchengus

by S. J. Borner, Ships

H. W. Woller

O. E. Perns, Sepija

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary to furnish and install all wind conductor between and party of the second part agrees blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second parts.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto. Letter attached hereto regarding material and construction is hereby made part of this contract. H. H.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

M. P. Moller (SEAL)

Party of the first part

Macon Auditorium (SEAL)

Commission (SEAL)

by B. J. Dorbor, ChriseAL)

G. E. Parne, Sec.y. (SEAL)

Party of the second part



NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and hear interest at 6% from date.

H. H. - G. E. P.