

1859  
THE REUTER ORGAN COMPANY

LAWRENCE, KANSAS

PROPOSES A TWO MANUAL AND PEDAL PIPE ORGAN

FOR

SAM JONES METHODIST CHURCH

CARTERVILLE, GEORGIA

JUNE 14, 1973

Manley-Stiner Company, District Representatives  
P. O. Box 28306, Atlanta, Georgia 30328

THE *Reuter* ORGAN COMPANY

## GENERAL SPECIFICATIONS

MANUALS	Compass CC to C4, 61 notes.
PEDAL	Compass CCC to G, 32 notes.
ACTION	Reuter's pitman, electro-pneumatic.
REGISTRATION	Controlled by stopkeys.
CONSOLE	Detached.
PITCH	A-440.
CASEWORK	None except case for console. Such casework as may be desired to enclose the mechanical portions of the exposed pipework to be furnished by the purchaser.
ORGAN CHAMBER	Suitable, finished chamber to be furnished by the purchaser. Such structural supports as may be required for the exposed cantilevered sections are also to be furnished by the purchaser.

GREAT ORGAN (Exposed)

1.	8' Principal	61 pipes.
2.	8' Bourdon	61 pipes.
3.	4' Octave	61 pipes.
4.	4' Spillflöte	61 pipes.
5.	2' Fifteenth	61 pipes.
6.	III Mixture	183 pipes.

Chimes (Console Preparation)

Couplers to Great:

Great to Great 16'

Great Unison Off

Great to Great 4'

Swell to Great 16'

Swell to Great 8'

Swell to Great 4'

SWELL ORGAN

7.	8'	Rohrflöte	61 pipes.
8.	8'	Viole de Gambe	61 pipes.
9.	8'	Viole Celeste (TC)	49 pipes.
10.	4'	Principal	61 pipes.
11.	4'	Hohlflöte	61 pipes.
12.	2 2/3'	Nasard	61 pipes.
13.	2'	Blockflöte	61 pipes.
14.	1 3/5'	Tierce	61 pipes.
15.	8'	Trumpet	61 pipes.
16.	8'	Oboe	61 pipes.

Tremolo

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

PEDAL ORGAN

17.	16'	Subbass	32 pipes.
18.	16'	Gedeckt	56 pipes.
19.	8'	Octave	44 pipes.
20.	8'	Gedeckt	
21.	4'	Super Octave	
22.	4'	Gedeckt	
23.	16'	Trumpet	12 pipes.
24.	8'	(Sw) Trumpet	

Couplers to Pedal:

Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

### ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals. Adjustable at keyboard and visibly affecting stop controls.

Four thumb pistons affecting the Great organ and its couplers.

Four thumb pistons affecting the Swell organ and its couplers.

Four toe pistons affecting the Pedal stops and Pedal couplers.

Four thumb pistons acting on all stops and couplers of the entire organ, duplicated on toe pistons.

General cancel thumb piston.

### PEDAL MOVEMENTS

Register Crescendo Pedal.

Swell Shutter Pedal.

### REVERSIBLES

Great to Pedal duplicate thumb and toe pistons.

Swell to Pedal duplicate thumb and toe pistons.

Full Organ duplicate thumb and toe pistons.

### ACCESSORIES

*written in items, see addendum*

Current Indicator Light.

Crescendo Indicator Light.

Full Organ Indicator Light.

*Revis. Glass*  
Music rack with fluorescent light at base.

Organist's bench with blocks for height adjustment.

*with back rest*

A.G.O. standard pedal keyboard.

Organ blower and motor of ample capacity.

Action current power unit.

Static reservoir on blower.

Pedal board light.

*Clock*

THE *Reuter* ORGAN COMPANY