

1119  
REVISED

SPECIFICATIONS

FOR A

REUTER PIPE ORGAN

FOR

THE ST. ANDREW'S EVANGELICAL LUTHERAN CHURCH

CHICAGO, ILLINOIS

TWO MANUAL AND PEDAL

THE REUTER ORGAN COMPANY  
LAWRENCE, KANSAS

JUNE 17, 1954

Frank C. Wichlac  
District Representative

3051 North Menard Ave.  
Chicago, Illinois

GENERAL SPECIFICATIONS

MANUALS	Compass CC to C4, 61 Notes.
PEDALS	Compass CCC to G, 32 Notes.
ACTION	Reuter's Electro-Pneumatic.
REGISTRATION	Controlled by Stop Keys.
CONSOLE	Detached, placed to suit purchaser.
CASEWORK OR GRILLE	None except console case.
DISPLAY PIPES	None.
ORGAN CHAMBERS	Suitable, finished chambers to be furnished by the purchaser.

GREAT ORGAN

1.	8 ft.	Diapason	Metal	73 pipes.
2.	8 ft.	Hohl Flute	Wood	73 pipes.
3.	8 ft.	Dulciana	Metal	73 pipes.
4.	8 ft.	Unda Maris (T.C.)	Metal	61 pipes.
5.	4 ft.	Octave	Metal	73 pipes.
6.	2 ft.	Fifteenth	Metal	61 pipes.
7.		Tremolo		

Couplers to Great:

8. Great to Great 4 ft.
9. Great Unison Off.
10. Great to Great 16 ft.
11. Swell to Great 4 ft.
12. Swell to Great 8 ft.
13. Swell to Great 16 ft.

14.	16 ft.	Lieblich Gedeckt	From #15 and #29	73 notes
15.	8 ft.	Rohr Flute	W & M	85 pipes
16.	8 ft.	Viole de Gambe	Metal	73 pipes
17.	8 ft.	Viole Celeste (T.C.)	Metal	61 pipes
18.	4 ft.	Spitz Principal	Metal	73 pipes
19.	4 ft.	Rohr Flute	From #15	73 notes
20.	2 2/3 ft.	Nasard	From #15	61 notes
21.	2 ft.	Flautino	From #15	61 notes
22.	8 ft.	Trumpet	Metal, reeds	73 pipes
22A	8 ft.	Oboe	Synthetic	73 notes
23.		Chimes	Console Preparation only for 25 notes.	
24.		Tremolo		

Couplers to Swell:

- 25. Swell to Swell 4 ft.
- 26. Swell to Swell 16 ft.
- 27. Swell Unison Off.

PEDAL ORGAN

28.	16 ft.	Bourdon	Wood	32 pipes
29.	16 ft.	Lieblich Gedeckt	Wood, extension # 15	12 pipes
29A	8 ft.	Octave	From Great #1	32 notes
30.	8 ft.	Bourdon	Wood, extension #28	12 pipes
31.	8 ft.	Rohr Flute	From Swell #15	32 notes
31A	4 ft.	Choral Bass	From Great #1	32 notes
32.	4 ft.	Rohr Flute	From Swell #15	32 notes

Couplers to Pedal:

- 33. Great to Pedal 8 ft.
- 34. Great to Pedal 4 ft.
- 35. Swell to Pedal 8 ft.
- 36. Swell to Pedal 4 ft.

### ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.  
Adjustable at Keyboard and visibly affecting Stop Keys.

- 37-40. Four, acting on Great & Pedal Organs and their Couplers.
- 41-44. Four, acting on Swell & Pedal Organs and their Couplers.
- 45-48. Four General Pistons acting on Entire Organ.

### PEDAL MOVEMENTS

- 49. Balanced Expression Pedal, Great Division.
- 50. Balanced Expression Pedal, Swell Division.
- 51. Balanced Register Crescendo & Diminuendo Pedal

### ACCESSORIES

- 52. Great to Pedal Reversible, Toe Piston.
- 53. Crescendo Indicator, Light.
- 54. Current Indicator, Light.
- 55. OrganBlower and Motor of ample capacity.
- 56. Action Current Power Unit.
- 57. Organist's Bench.
- 58. Concave Radiating Pedal Keyboard, A.G.O. Model.
- 59. Music Rack.
- 60. Fluorescent Music Rack Light.
- 61. Static Control Reservoir for Blower.
- 62. Remote Control Starter Switch for Blower.