

#1946

THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

PROPOSES A TWO MANUAL AND PEDAL PIPE ORGAN

FOR

2/19

FLINT HILL BAPTIST CHURCH
BOILING SPRINGS, NORTH CAROLINA

(Shelby)

MARCH 31, 1977

Mr. D. Michael Sessom, Representative
3216 West Grace Street, Richmond, Virginia 23230

2/784
U S

THE Reuter ORGAN COMPANY

GENERAL SPECIFICATIONS

MANUALS

Compass CC to C4, 61 notes.
Simulated tracker touch.

PEDAL

Compass CCC to G, 32 notes.

ACTION

Reuter's pitman, electro-pneumatic.

REGISTRATION

Controlled by tilting tablets.

CONSOLE

Detached.

PITCH

A-440.

CASEWORK

None, except case for console.
Such casework as may be desired
to enclose the mechanical portions
of the exposed pipework to be furnished
by the purchaser.

ORGAN CHAMBER

Suitable, finished chamber to be
furnished by the purchaser.

GREAT ORGAN (Exposed)

- | | | |
|----|-----------------|------------|
| 1. | 8' Principal | 61 pipes. |
| 2. | 8' Bourdon | 61 pipes. |
| 3. | 4' Octave | 61 pipes. |
| 4. | 4' Spillflöte | 61 pipes. |
| 5. | 2' Fifteenth | 61 pipes. |
| 6. | III Mixture | 183 pipes. |
| 7. | 8' (Sw) Fagotto | |

Couplers to Great:

Great to Great 16'

Great Unison Off

Great to Great 4'

Swell to Great 16'

Swell to Great 8'

Swell to Great 4'

SWELL ORGAN

8.	8'	Gedeckt	61 pipes.
9.	8'	Viola da Gamba	61 pipes.
10.	8'	Viola Celeste (TC)	49 pipes.
11.	4'	Hohlflöte	61 pipes.
12.	2 2/3'	Nasard	61 pipes.
13.	2'	Flachflöte	61 pipes.
14.	1 3/5'	Tierce	61 pipes.
15.	16'	Fagotto	73 pipes.
16.	8'	Fagotto	

Tremolo

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

PEDAL ORGAN

17.	32'	Resultant	
18.	16'	Principal	44 pipes.
19.	16'	Subbass	44 pipes.
20.	8'	Octave	
21.	8'	Bourdon	
22.	4'	Choral Bass	32 pipes.
23.	4'	(Sw) Hohlflöte	
24.	16'	(Sw) Fagotto	
25.	8'	(Sw) Fagotto	
26.	4'	(Sw) Fagotto	

Couplers to Pedal:

Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals.
Adjustable at keyboard and visibly affecting stop controls.

Six, thumb pistons affecting the Great stops and intramanual couplers.

Six, thumb pistons affecting the Swell stops and intramanual couplers.

Six, toe pistons affecting the Pedal stops only.

Ten, thumb pistons affecting all stops and couplers of the entire organ,
duplicated on toe pistons.

General Cancel thumb piston.

Setter thumb piston.

REVERSIBLES

Great to Pedal, thumb and toe pistons.

Swell to Pedal, thumb and toe pistons.

Full Organ, thumb and toe pistons.

PEDAL MOVEMENTS

Register Crescendo Pedal.

Balanced Shutter Pedal, Swell Organ.

ACCESSORIES

Current Indicator Light.

Crescendo Indicator Light.

Full Organ Indicator Light.

Music rack with fluorescent light at base.

Organist's bench with blocks for height adjustment.

A.G.O. standard pedal keyboard.

Organ blower and motor of ample capacity.

Action current power unit.

Static reservoir on blower.

Pedal board light.