

M. P. MÖLLER Organ Factory

4956

Pipe Organ No. 4956 Date Feb. 23, 1927
 For Bethel Baptist Church, Detroit, Mich.,
 Action Elec. Console Detached 15'
 Casing No. _____ Finish Elec.
 Decorations _____ Motor _____
 Width of Key-bed _____ Stop Controls 5"
 No. Manuals Two Wind Pressure _____
 To be completed June 15, 1927 Blower pipe furnished by Church

A-440

SPECIFICATIONS

ORGAN CHAMBER ENCLOSED BY CHURCH

NO CASING, DISPLAY PIPES OR GRILLE TO BE FURNISHED BY ORGAN FACTORY.

GREAT ORGAN 73 Chest

1	8'	Open Diapason.....42 scale.....	73 Pipes
2	8'	Doppel Floete.....	73 "
3	8'	Melodia.....	73 "
4	8'	Viola D'Gamba.....	73 "
5	8'	Dulciana.....	73 "
6	4'	Principal.....from #10.....	61 Notes
7	4'	Flute Traverso.....from #3.....	61 "
8		Chimes.....	20 Bells

SWELL ORGAN

9	16'	Bourdon.....unit.....	97 Pipes
10	8'	Open Diapason.....44 scale.....	73 "
11	8'	Stopped Diapason.....from #9.....	73 Notes
12	4'	Flute D'Amour.....from #9.....	73 "
13	2'	Flautina.....from #9.....	61 "
14	8'	Salicional.....	73 Pipes
15	8'	Dolce..(Almost Aeoline)..from #5.....	73 Notes
16	8'	Violin.....from #4.....	73 "
17	4'	Violina.....from #14.....	61 "
18	8'	Oboe.....	73 Pipes
19	8'	Vox Celeste.....Tenor C.....	61 "
20	8'	Vox Humana.....S.S.B.....	61 "

PEDAL ORGAN

21	16'	Double Open Diapason..20 from #1..	
		12 42 Pipes.....	32 Notes
22	16'	Bourdon.....large scale.....	44 Pipes
23	16'	Lieblich Gedeckt....from #9.....	32 Notes
24	8'	Bass Flute.....from #22.....	32 "
25	8'	Dolce Flute.....from #9.....	32 "
26	8'	Diapason.....from #1.....	32 "
27	8'	Cello.....from #4.....	32 "

COUPLERS

28	Great to Great 4'	33	Swell to Swell 4'
29	Great to Great 16'	34	Swell to Swell 16'
30	Swell to Great 4'	35	Swell to Pedal
31	Swell to Great 8'	36	Great to Pedal
32	Swell to Great 16'	37	Swell Unison Off
		38	Great Unison Off

MECHANICALS

39

Tremulant
Crescendo Indicator

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals

Pistons (1) (2) (3) (4) & Cancel Affecting Great & Pedal Stops
Pistons (1) (2) (3) (4) & Cancel Affecting Swell & Pedal Stops
Pistons (1) (2) (3) Affecting Full Organ

PEDAL MOVEMENTS

1 Sforzando Pedal
2 Great to Pedal Reversible
3 Balanced Swell Pedal
4 Grand Crescendo Pedal
Concave Radiating Pedals

FURNISHED WITH ORGAN

Organ Bench with music shelf, electric motor,
blower and generator freight and drayage
from factory to church and installation.

3/16/27

ACZ

Checked by *A. B. J. H. L. R.* date *3/24/27*

4956

M. P. MÖLLER ORGAN WORKS

HAGERSTOWN, MD.

Organ No. 4956 Contract Rec'd Feb. 23, 1927 To be Completed June 15, 1927
Name of Bethel Baptist Church Street No Mack & Iroquois Sts.
City Detroit State Mich. County _____
Address Correspondence to Mr. John R. Green Street No. 11820 Bush St. Highland
Park, Detroit, Mich
Ship Organ to _____ Freight Station _____
Route Organ Via _____ Request of _____
Railroads on which located and rates { Per 110-3885-3
Wrote _____ For Freight Station _____ O. K. _____

No casing.

CASING AND DISPLAY PIPES

Casing console made of Plum oak Sample to market 4/5/27
Grille made of None
Front pipes decorated in None O. K. _____
Wrote 7-8R For sample of wood and decorations 4/1/27

ELECTRIC MOTOR AND BLOWER

Blue print, showing size blower sent to Green Date 5/12/27 Approved _____
Motor Elec. Date Spec. sent to Kinetic for size of motor March 24, 1927
Kinetic advise us of 2 H. P. motor. Cond. pipe furnished by Church
Date blower ordered 5/4/27 To reach destination June 15, 1927 Date shipped 6/27/27
Electric Current { A. C. { Ford 12 H. P. Phase Single Cycles 60 Volts 240
 D. C. {
Wrote _____ to have Electric blank filled up _____ O. K. _____

REED PIPES

Reeds ordered from See cont. Erie Date ordered 5/4/27 Pitch A-440
Date to reach destination June 15, 1927 Wind Pressure 5" Date shipped 6/21/27

OTHER INFORMATION

Action of Organ Elec. Stops controlled by Stop Keys
Organ to be voiced on 5" No. Manuals 2 No. Stops 39
Organ shipped 7/31/27 Is church old or new New
Do we get any old Organ None To be shipped to _____
NO. 4956 PLACE XX BETHLEHEM DETROIT, MICH.

Plans Attached to Every
Set of Plans
TO BE ATTACHED TO CUSTOMERS COPIES

Name of Institution Bethel Baptist Church
City Detroit
State Mich County _____

Correct measurements of organ space are absolutely necessary with contract.

checked plans mailed to you direct from Detroit March 2, 1927

Where is the most convenient place for electric cables to enter organ chambers?
Enter organ front right hand corner

Give exact size of doors through which organ parts are to pass 30" x 6' 6"

Are there any obstructions near doors, short turns, etc.? no

Give length of cable from place it enters organ chamber to place for console 15'

Where is best location for blower? Immediately under organ

Give size of room for blower Will be built as per your measurements

Give size of doors through which blower has to pass same as above

Give distance from blower to organ chamber 20'

Kind of wood to be used for case or console and sample. If oak, state if plain or quartered Will mail us sample in a few days

Do we furnish any case? no Do we furnish any grille? no

Do we furnish any front pipes? no Decoration for front pipes none

Is console attached or detached? Detached How many feet of cable required from console to organ? 15'

If detached, how far, and in what direction from organ? See plan

If console movable, how much flexible air hose do we furnish? none

Is organ divided or not? no

Is organ all enclosed? Yes If not, state how much is out _____

If all enclosed, who builds organ chambers? Church

Describe position of main auditorium to organ Organ in left corner of Church, see plans

Give size of auditorium See plans Seating capacity _____

Give style of panels desired in case of console see plans

If door to be in case, is it for choir entrance? _____

Kind of stop controls? stop keys Kind of coupler controls? stop keys

Color of stop controls? Standard

Is the organ to have tubular or electric action? Electric Style of console? Standard

Is the building old or new? New Church almost finished

If organ case is built by church, we must have templet giving exact size for pipe _____

Does case go on inside, between or outside of arch? _____

Give thickness of arch or openings _____

Have organ plans been made by us? _____ If approved, state when and by whom _____ Return copy _____

Street address of the church Mack & Iroquois Sts. Detroit, Mich.

Name of organist and street address Mr. John R. Green, 11820-26 Bush St. Highland Park, Detroit, Mich.

Give name of nearest freight station to church for carload as well as less carload shipments _____

If we get old organ, we must have complete specifications and measurements, name of maker, also how old and present condition _____

Remarks: _____

Answer these questions and do not merely refer to factory plans.

Order No. 4956 Blower No. P74B Style 2TYM.

For M. P. Moller

Epithel Baptist Ch.

City Detroit State Mich.

H. P. 2 Volts 220 Speed 1165 Ph. 1 Cy. 60

Generator Amperes 15 Generator Volts 10

Low Pressure Cap. 1400 @ 5 Outlet 12

High Pressure Cap. @ Outlet


Largest section of blower taken apart will pass through opening

21 x 24 1/2

KINETIC ENGINEERING CO.

Union and Stewart Aves.

LANSLOWNE, PA.



Hagerstown, Md., 3/24/27

4956

Detroit, Mich., #4956.

#20 Stop Keys white engraved in black block letters.

Open Diapason 8'	Doppel Flöte 8'	Melodia 8'
Viole D'Gamba 8'	Dulciana 8'	Principal 4'
Flute Traverso 4'	Bourdon 16'	Open Diapason 8'
Stopped Diapason 8'	Flute D'Amour 4'	Flautina 2'
Salicional 8'	Dolce 8'	Violin 8'
Violina 4'	Oboe 8'	Vox Celeste 8'
Vox Humana 8'	Double Open Diapason 16'	Bourdon 16'
Liedlich Gedeckt 16'	Bass Flute 8'	Dolce Flute 8'
Diapason 8'	Cello 3'	Swell to Great
Swell to Pedal	Great to Pedal	

#20 Stop Keys white engraved in red block letters.

Chimes	Great to Great 4'	Great to Great 16'
Swell to Great 4'	Swell to Great 16'	Swell to Swell 4'
Swell to Swell 16'	Swell Unison Separation	
Great Unison Separation	Tremulant	

Battle Creek Mich
July 23^d 1927.

M. R. Moller.
Hagerstown Md.

4956

Dear Sir.

I have left the organ at Bethlem Baptiste church Letroit Mich ready for wind, expect they will get blower pipe in by the end of next week. The finish on the console does not match the other wood work it is to light, and the committel is picking a bout it.

I wish, you would send me the sample they sent you so I can take it back with me.

If, it is factory mistake what are we going to do a bout it?

Recised your telegram Willard This organ had not arrived but expect it will be there so I can start Monday.

Of the St. Pauls English Luthuan Church you wrote me a bout some time ago I found nothing, seriously wrong, more than action needing regulation The main trouble they had a organ man who seemed to spend considerable time doing nothing

It is their own fault as I ask them to
notify me when the organ needed attention.

Yours. Very Truly.

J. A. Mc Bride

Battle Creek Mich

70. Cleveland St.

P.S.

Send low G. melodia pipe. and pipe foot
for low F[♯] to Bethel Baptiste Church.
Detroit Mich.

mark D. Croquis Sts

S Geist

ORGAN No. 4956

FOR Bethel Bapt Ch Detroit Mich
PRR

Loaded by

L L T


Date

7-2-27

Car No.

12637

No. of Parts	MATERIAL	Weight
1	crate contacts	310
1	" Sw front	150
1	" "	105
1	" Relay	230
1	" Blinds	130
1	" "	140
1	" Action	136
1	" Joe Hummer	165
1	" Reservoir	115
1	" Chest	365
14 2	" Reservoirs	196
1	" Action	530
1	" "	500
1	" "	485
1	" Red pipes	115
1	" "	210
1	" "	220
1	" Wood "	280
1	" Pal "	305
1	" "	435
1	" Manual basses	315
2	" Wood pipes	740
1	" "	426
1	" Pal "	415
1	" Reservoir	135
1	" Ped keys	145
1	" Console	650
1	" Chest	370
1	Bdl frame ladder	60
1	Box zinc pipes	265
1	" "	500
1	" Soft "	360
1	" "	140
1	" Chime Action	85
1	" Bells	105
1	" Weights	115
38	Parts	10150 12000
	36' bar	
	Entered 7-2-27	




EVERY JOB AN ADVERTISEMENT
EST. 1909

JOHN E. GREEN


PLUMBING, STEAM AND HOT WATER
HEATING

SHOP AND RESIDENCE
181 TENNYSON, CORNER BRUSH
HIGHLAND PARK
ARLINGTON 0356

SHOW ROOMS AND OFFICE
WOODWARD AVENUE, AT
TEN MILE ROAD
ROYAL OAK 1133



Bife will have 2 sls 90 degree each



April 28, 1927.

4956

Ford & Reynolds,
Chicago, Ill.

Gentlemen:

In reference to the matter of blower room for organ we are building for the Beth El Baptist Church, Detroit, Mich., from the plans you returned it will be absolutely impossible to get a blower constructed to go in the space allotted for the blower, and will simply have to make other arrangements for the blower location.

As we stated before the blower will be 6' 4" long, 3' 2" wide, and 4' 1-1/2" high, with a 12" outlet off the top of the blower.

On the corrected blue prints which you returned here, you marked the total length of the blower room 7' 10", but of course that was only 2' wide at one point, running back 2' 1" and by taking off the 2' 1" from the 7' 10", that leaves 5' 9", and it will be simply impossible to get the ~~organ~~ ^{blower} constructed to go in that space.

It is of course true that you will get more in width, but that is only a matter of 6", and will not be sufficient to get the blower in.

Kindly take up this matter immediately with the church, and get another location for the blower. ~~Whether~~ ^{Whether} matter has been raised and that is whether they could get the blower down the steps, and turn so as to enter the blower room, as designated on the blue print which you returned.

Kindly give this your prompt attention, and hope that you will be successful in getting a satisfactory location and advise us.

Yours very truly,

M. P. MOLLER.

ABZ:G
2

By.

April 28, 1927.

4956

Kinetic Engineering Co.,
Lansdowne, Pa.

Gentlemen:

Referring further to the matter of blower for the
Bethel Baptist Church, Detroit, Mich., #4956, a matter about
which we have had some correspondence.

We have just received information that the blower
room will only be 5' 9" long, and 10" wide, and you specified
that the blower for this organ would be 6' 4" long, 3' 2" wide,
4' 1-1/2" high, and from the description you gave us sometime
ago, there is no possibility from our interpretations that you
can construct the blower to go in that space.

We are taking the matter up with our Chicago office,
advising them to insist on the church securing another location
for the blower, and you will hear further from us a little later.

Yours very truly,

M. P. MOLLER.

ABZ:G

By.