#4303

Memorandum of Agreement, Made this 21st
day ofMarchA. D., 192.5, by and between M. P. MOLLER, Inc., of Hagerstown, Maryland, party of the first part, and
North Woodward Avenue Congregational Church, Detroit, Mich of the second part.
Witnesseth: That the party of the first part hereby agrees to build an organ after and
according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it inNorth.CongregationalChurch,.located.at Corner.of.Blains.and.Woodward.Ave, Detroit, MichA.D., 192.5., or as soon thereafter as possible in the event of delays beyond his control. 2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense. 3. The party of the first part guarantees the action and construction of the organ for a term of year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed
by the manufacturers for one year).
4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of
6. The party of the second part also agrees to insure the organ or its parts against loss by fire,

as their interests may appear.

water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto,

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. Instant automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second

part.

When organ chambers are so located that organ must be hoisted by skids, block and tackle
or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto are an integral part of this contract.

In Witness Wherenf we have hereunto set our hands and seals this day and year

first above written.

WITNESS

Party of the first part

North Woodward Avenuscal)

Leonard F. Nelson

Congregational Chireseal)

Ford & Reynolds

Reynolds

(SEAL)

.....(SEAL)

Party of the second part

ATTEST:

McComas G. Long Sec'y. Bd. of Trustees.

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

Pipe Org	an No	4303	Date	March 21	, 1925.	49.5
or		Woodward Ave. Cor	ngregational Church, Det	croit, Mi	ch.	1 100
Action _	Electr	ic	Console	eDet	ached	
Casing o	fN	one	Finish	Quar.	0ak	40
Decoratio	ons		Motor		· A C B · A · A · A · A · A · A · A · A · A ·	
Width of	Key-be	d	Stop (Controls_	Knobs & Ta	ablets'
No. Man	nuals	Four	Wind	Pressure_	See Spec	e, o to
To be completed_		Sept. 1, 1925.	Blowe		nished by_	
Pitch A-435		enclosed by	SPECIFICATIONS:	Old Org	an 4" win	all Choir
church		encrosed by	SI Dell'Ientitorie			Solo 10",
1			GREAT ORGAN	new Ech		
1	161	Open Diapason		old 61	Pipes	
2	81	First Open Diapas	on	new 73	n n	
3 4	81	Second Open Diape	ason	old 61	11	
	16'					
5	81					
2	2-2/31					
6 7 8	2-2/31	Flautina		new 61	"	
9	1-3/51	Tiercena		new 61	11	
10	81	Philomela	(Solo)	new 73	Pipes	
11	8!	Dolce		old 61	11	
12	81	Viole D'Gamba		old 61	tt.	
14	81	Doppel Floete		old 61	"	
15	41	Flouto Prayerso	······	old 61	"	
16	41		· · · · · · · · · · · · · · · · · · ·			
17	AND THE					
18			from Echo			
			SWELL ORGAN			
19	16'	Bourdon	on	old 73	Pipes	
21	81		son		n	
22	81	Stopped Diapason.		old 73	11	
23	41	Flute Harmonic		old 73		
24	21	Flautina		old 61	11	
25	41				n	
26	81	Aeoline		:.old 73	in .	
27	81	Viole D'Orchestre		old.73		
29	81	Vox Celeste		old 61		
30	16'	Perana-		old 73		
31	81	Correren		new 73		
32	81	Vox Humana		old 73	11	
			CHOIR ORGAN			
33	81	Open Diapason		new 73	Pipes	
34	81	Geigen Principal.	*******************	old 61	Ti Ti	
35 36	81	Melodia		cld 61	u	
37	81	Dulciana		old 61		
38	81		••••••••••••		n n	
39	81		·····		11	
60	41	Flute D'Amour	* * * * * * * * * * * * * * * * * * *	new 61		THE PARTY OF
11	21				tr	
53			from Great			
The same			011 01000	How 45	110000	

SOLO ORGAN - All New T51 Ophiclaide..... 81 Pubs.....)85 Pipes 45 41 Charion..... 46 81 47 81 Gross Gamba.....73 48 81 Gamba.Celeste......61 49 81 Gross Flute.....73 50 4: ECHO ORGAN - All New (Played from Solo Manual) 8: 51 52 8: 53 4: Flute......61 Notes Viole Celeste. 6! Pipes Vox Angelica. 61 " Vox Humana. 61 " 54 81 55 8: 56 31 Chimes.....20 Bells ECHO PEDAL - New 58 161 Bourdon PEDAL ORGAN 321 Contra Bourdon..12 pipes extension on #52 new 32 Notes 59 321 Open Diapeson...lowest quinted....new 22 60 First Double Open Diapason new 44 Pipes 161 61 161 62 63 54 161 Lieblich Gedeckt... from #19....old 33 Notes Opheclaide........from #43....aow 22 " 167 65 161 161 65 Violome......old 20 Pipes 67 39 70 81 71 161 72 Chimes......new 20 COUPLERS 73 Swell to Creat 91 Swell to Choir 41 74 Swell to Chair 92 93 Evell to Choir 16' 75 Choir to Great Choir to Choir 4' 94 Choir to Choir 161 Solo to Great 76 95 77 Chair to Great 4! Solo to Choir 95 78 Chair to Grant 16' Solo to Swell 79 Great to Sole Solo to Solo 15: Swell Unison Off - in jambs right side 38 80 Swell to Pedel 81 Great to Pedal 100 Solo to Great 41 101 Solo to Great 161 Choir to Pecal 82 102 Great to Great 161 103 Great to Great 161 104 Enho "On" Solo "Off" 83 Solo to Pedal 41 84 85 Solo to Pedal 4! Swell to Pedal 4! 104 Enho "On" Solo "O Swell to Swell 4! 105 Echo to Solo Swell to Swell 13! 106 Solo Unicon Orf) Swell to Great 4! 107 Great Unicon Orf) Swell to Great 16! 108 Choir Unicon Orf) 86 Swell to Pedal 41 27 Swell to Swell 4' Solo Unison Off) Great Unison Off) in jambs right side 88 89 Swell to Great 16'

(Operated by pistons placed under respective manuals and moving draw knobs)

1-2-3-4-5-6-7-8 and Cancel Great 1-2-3-4-5-6-7-8 and Cancel Choir 1-2-3-4-5-6-7-8 and Cancel Solo 1-2-3-4-5-6-7-8 and Cancel Echo 1-2-3-4-5 and Cancel Pedal 1-2-3-4-5-6-7-8 and Cancel General 1-2-3-4-5 Also duplicated by Pedal Studs. Cancel on Pistons on each Manual Pedal to Manuals "On and Off" Pistons - Jambs right side Master Piston connecting all Swells to the Swell Pedal "On and Off" Switch

| MECHANICALS | 109 | Great Tremulant | 110 | Swell Tremulant | 111 | Choir Tremulant | 112 | Solo Tremulant | 113 | Echo Tremulant | Crescendo Indicator | 115 | Crescendo Indicator | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 11

PEDAL MOVEMENTS

1	Solo to Great Reversible					
2 3	Swell to Pedal Reversible					
	Choir to Pedal Reversible					
4	Solo to Pedal Reversible					
5	Great to Pedal Reversible					
6	Balanced Swell Pedal on Great & Choir Organ					
7	Balanced Swell Pedal on Swell Organ					
8	Balanced Swell Pedal on Solo Organ					
9	Balanced Swell Pedal on Echo Organ					
10	Crescendo Pedal on entire organ					
11	Sforzando & Mezzo Pedals on Entire Organ					
12	Adjustable electric motor & Blower & Generator					
	of ample capacity					
13	Pedal Board Concave & Radiating					
14	Sforzando by stud & Light indicator duplicated by manual piston.					
	Organ Benck with Music Shelf.					

DESCRIPTION OF THE RE-BUILDING OF THE PRESENT ORGAN INSTALLED IN NORTH CONGREGATIONAL CHURCH AT BLAINE & WOODWARD AVENUE, DETROIT, MICH.

A: In the re-building of the present organ, installed in North Congregational Church, Elaine & Woodward Ave., Detroit, Midh., M. P. Moller, Inc. agrees:

- 1. To furnish a 4-manual Console, new throughout and containing all the stops and couplers contained in the present instrument, also all the added stops in each division of the present instrument and the stops and couplers for sole and echo organ, all as shown in attached specification.
- 2. To install new cable and wiring throughout present organ, new magnets throughout, and replace all present valves, primaries and membranes throughout.
- 3. To correct voicing and tuning and "brighten up" the present instrument by increasing the air pressure as much as possible without impairing the tone quality of the present instrument.
- 4- To furnish new blowing plant adequate to take care of the present organ and all additions that may later be made as shown on attached specifications.

On all stops marked new, we now only furnish fonsole and blower preparation.

...

354/

M. P. MÖLLER ORGAN WORKS

HAGERSTOWN, MD.

	Rec'd To be Completed
Name of North Woodward As	re. Cong. Church, Street No.
CityDetroit,	State County motor in Co.
Address Correspondence to	melton Sibbetto 90 Parkend moter car la.,
Ship Organ to	Freight Station
Route Organ Via	Request of
Railroads on which located and rates	
Wrote	For Freight Station O. K.
No Casing.	CASING AND DISPLAY PIPES
Casing, console made of	Sample to # 1. 8. 7/22/
Grille made of	
Front Pipes decorated in	О. К
Wrote	For sample of wood and decorations
λ,	ELECTRIC MOTOR AND BLOWER 1478"
	Date Spec. sent to Kinetic for size of motor 1925
Kinetic advise use of	H. P. motor. Cond. Pipe furnishde by
Date blower ordered July 1619	To reach destination ang 11,1921 Date shipped
Electric Current { d. C. }	Phase 3 Cycles 60 Votts 220
Wrote how to	have Electric blank filled up 5 16 3 O. K
	REED PIPES
Reeds orderde from	Date ordered Pitch
	OTHER INFORMATION
	Stops controlled by Knobs & Tablets
	No. Stops No. St
	ls Church Old or New
	To be Shipped to
NOPLACE	DETROIT, MICH.
FILE NO.	