

M. P. MÖLLER Organ Factory

2/19

Pipe Organ No. 10862 Date April 24, 1972
 For FIRST UNITED METHODIST CHURCH, HARVARD, ILLINOIS
 Action Moller's Pitman Electro-Pneu. Console Detached. All Electric operation
With roll top
 Casing No. None Finish As Per Sample
 Decorations None Motor Meldinger 120-7 1.6 H.P. Knife Style
Meldinger #1004 1.8 HP 2 H.P. motor
 Width of Key-bed Standard Stop Controls Tablet Type
 No. Manuals TWO Heavycut English Ivory Wind Pressure 2-3/4"
Keys.
 To be Completed December 15, 1972 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

GREAT ORGAN (unenclosed)

- | | | |
|----|----------|---|
| 1. | 8' | Principal.....45.....17-1/2.....12 Zinc S.M...61 pipes |
| 2. | 8' | Flauto Dolce.....48-2/3...18-1/2.....12 Zinc S.M...61 pipes |
| 3. | 4' | Octave.....58.....17-1/2.....S.M...61 pipes |
| 4. | 2' | Hohlfloete.....68.....19-1/2.....S.M...61 pipes |
| 5. | III Rks. | Mixture.....Formula "A" 17-1/2.....S.M..183 pipes |
| 6. | | Chimes.....(console only, with switch) |

SWELL ORGAN (enclosed)

- | | | |
|-----|----------|--|
| 7. | 8' | Holzgedeckt...Reg. Stopped Flute..Bass & Treble..Wood.....61 pipes |
| 8. | 8' | Salicional (tapered)..54-3/4...17-1/2.....12 Zinc S.M...61 pipes |
| 9. | 4' | Flachfloete.....56-2/3...18-1/2.....S.M...61 pipes |
| 10. | 2' | Prinzipal.....71.....17-1/2.....S.M...61 pipes |
| 11. | III Rks. | Scharf.....Formula "B"..17-1/2.....S.M..183 pipes |
| 12. | 8' | Trompette.....3".....42-1/2.....61 pipes |
| 13. | | Tremolo |

PEDAL ORGAN (unenclosed)

- | | | |
|-----|-----|--|
| 14. | 16' | Sub Bass.....#2 Ped. Bdn.....Wood.....32 pipes |
| 15. | 8' | Principal.....44.....17-1/2.....12 Zinc S.M...32 pipes |
| 16. | 4' | Nachthorn.....53.....18-1/2.....S.M...32 pipes |
| 17. | 16' | Fagot.....3-3/4"...1-44 half length Tpt. Patt.....56 pipes |
| 18. | 4' | Hautbois.....from #17.....32 notes |

COUPLERS

- | | | | |
|-----|--------------------|-----|-------------------|
| 19. | Great to Pedal 8' | 24. | Swell to Pedal 8' |
| 20. | Swell to Great 16' | 25. | Swell to Pedal 4' |
| 21. | Swell to Great 8' | 26. | Swell 16' |
| 22. | Swell to Great 4' | 27. | Swell 4' |
| 23. | Great 4' | | |

ADJUSTABLE COMBINATIONS
(Capture Type)

General Pistons No. 1-2-3-4-5-6-7-8

Affecting Entire Organ

Adjuster Piston

ACCESSORIES

Crescendo Pedal for entire organ, with indicator light, Chimes-Tremolo cut out switch.

Great to Pedal Reversible piston, duplicated to pedal

Swell to Pedal Reversible piston, duplicated to pedal

Swell Pedal, Swell Box Partitions and Shade Actions (with 90 degree opening) as required.

Solid wood music rack with Castlight; light for pedal board

Circuit breakers for organ action protection, 15 ampere maximum per circuit

Heavycut, English ivory manual keys

Action current unit of ample capacity

Electric motor, blower with static reservoir, as required

Starter buttons mounted in console

GENERAL

The organ shall be assembled and tested at the factory, then delivered, installed and finished (receive final voicing) in the Church by Moller staff, ready for use.

JHH/mr

5/3/72

Salesman: Beard

#10862

FIRST UNITED METHODIST CHURCH, HARVARD, ILLINOIS

SPECIAL MIXTURE FORMULAS

GREAT ORGAN

III Rks. Mixture Formula "A"

15	12	8
19	15	12
22	19	15
1-42	43-54	55-61

Unison	47	@ 8' CC	17-1/2	1/4 mouth	S.M.
Quint	48	@ 8' CC	17-1/2	2/9 mouth	S.M.

SWELL ORGAN

III Rks. Scharf Formula "B"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-18	19-36	37-49	50-56	57-61

Unison	48	@ 8' CC	17-1/2	1/4 mouth	S.M.
Quint	49	@ 8' CC	17-1/2	2/9 mouth	S.M.