

M. P. MÖLLER Organ Factory

3-23

Pipe Organ No. 10013 Date June 26, 1964
 For WEBSTER GROVES CHRISTIAN CHURCH, GLENDALE, MISSOURI
 Action Moller's Electro-Pneumatic Console Detached. Roll top with lock
 Casing No. None Finish As Per Sample
 Decorations None Motor 5 H.P. Style 3-P-3328
 Width of Key-bed Standard Speaking stops & intra-manual couplers
 No. Manuals THREE Stop Controls by draw knobs. Inter-manual
 To be Completed August 13, 1965 couplers by tilting tablets.
 Wind Pressure Gt. 3-3/4" Sw. & Ch. 4" Ped. 4"
 Blower Pipe furnished by Purchaser

PITCH: A-440 @ 70°F

SPECIFICATIONS

GREAT ORGAN (Unenclosed)

7

1. 8' Principal.....47.....18-1/2.....12 Zinc S.M.....61 Pipes
2. 8' Holzbordun...Reg. Stopped Bass...Reg. Stopped Flt. Treble
Wood.....61 Pipes
3. 4' Octave.....58.....18-1/2.....S.M.....61 Pipes
4. Blank knob
5. IV Rks. Fourniture.....Formula "A"..17-1/2.....S.M.....244 Pipes
6. Chimes.....present bells and action (install by Brummer) *20 tubes*

SWELL ORGAN

7

7. 16' Rohrbourdon..CCC 44..CC 54...20-1/2.....24 Zinc S.M.....73 Pipes
8. 8' Spitzviol.....54-3/4.....18-1/2.....12 Zinc S.M.....61 Pipes
9. 8' Spitzviol Celeste T.C...56-3/4...18-1/2.....S.M.....49 Pipes
10. 8' Rohrflöte.....from #7.....61 Notes
11. 4' Koppelflöte.....64.....20.....S.M.....61 Pipes
12. 2' Zauberflöte.....64.....20.....S.M.....61 Pipes
13. Blank knob
14. 8' Trompette CC 2-1/4" TC 1-7/8" 42-1/2 1-12 half length 61 Pipes
15. 4' Oboe Clarion.....2-1/16"...Open Oboe.....61 Pipes
16. Tremulant

CHOIR ORGAN

7

17. 8' Gedackt.....56.....20-1/2.....12 Zinc S.M.....61 Pipes
 18. 8' Dolcan.....54-5/4..17-1/2.....12 Zinc S.M.....61 Pipes
 19. 8' Dolcan Celeste T.C. 56-5/4..17-1/2.....S.M.....49 Pipes
 20. 4' Rohrquintadena...65.....20-1/2.....S.M.....61 Pipes
 21. 2' Prinzipal.....71.....17-1/2.....S.M.....61 Pipes
 22. 1-1/3' Kleinquint.....80-2/3..19-1/2.....S.M.....61 Pipes
 23. 8' Schalmel.....3".....Lifting Lid.....61 Pipes
 24. ~~Blank knob~~ *Blank knob*
 25. Tremulant
- 25A. *Blank knob*

24076

1320 W. Lockwood Ave.
St Louis, Mo 63122

PEDAL ORGAN

2

26.	16'	Principal.....CCC 38..CC 48...17-1/2...29 Zinc S.M...56 Pipes
27.	16'	Subbass.....Large Pedal Bdn.....Wood.....56 Pipes
28.	16'	Rohrbass.....from #7.....32 Notes
29.	8'	Geigen.....from #26.....32 Notes
30.	8'	Bourdon.....from #27.....32 Notes
31.	8'	Rohrflöte.....from #7.....32 Notes
32.	4'	Geigenoctave.....from #26.....32 Notes
33.	4'	Bourdon.....from #27.....32 Notes
34.		Blank Knob
35.	16'	Trumpet Bass (1/2 length) CCC 3½" CC 2¼", 12 pipes 20 from #14.....32 Notes
36.	4'	Clarion.....from #14.....32 Notes

36A. *Blank knob*COUPLERS

37.	Great to Pedal	48.	Choir to Great
38.	Swell to Pedal	49.	Choir to Great 4'
39.	Swell to Pedal 4'	50.	Choir 16'
40.	Choir to Pedal	51.	Choir 4'
41.	Choir to Pedal 4'	52.	Choir Unison Off
42.	Great 4'	53.	Swell to Choir 16'
43.	Great Unison Off	54.	Swell to Choir
44.	Swell to Great 16'	55.	Swell to Choir 4'
45.	Swell to Great	56.	Swell 16'
46.	Swell to Great 4'	57.	Swell 4'
47.	Choir to Great 16'	58.	Swell Unison Off

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4	Affecting Great stops
Pistons No. 1-2-3-4	Affecting Swell stops
Pistons No. 1-2-3-4	Affecting Choir stops
Pistons No. 1-2-3-4-5	Generals, affecting all stops
General Cancel Piston	

PEDAL MOVEMENTS

Toe Pistons No. 1-2-3-4	Affecting Pedal Stops
Expression Pedal to Swell Organ	
Expression Pedal to Choir Organ	
Balanced Crescendo Pedal	
Great to Pedal Reversible, duplicated by manual piston	
Swell to Pedal Reversible, duplicated by manual piston	
Choir to Pedal Reversible, duplicated by manual piston	
Tutti Reversible, duplicated by manual piston	
Toe Pistons No. 1-2-3-4-5, duplicating Generals	
<i>Zimbelstern (4 Bells) reversible (toe stud only)</i>	

ACCESSORIES

Crescendo indicator light
Tutti indicator light
Fluorescent music light
Signal light - console only
Signal button - console only
Pedal clavier AGO
Organ bench with music shelf
Roll top with lock
Kinetic steel blower with motor
Action current Orgelectra

SPECIAL CONDITIONS

W. A. Brummer will prepare organ chamber, prepare blower pipe as required, wire the motor to power and starting switches, prepare the grilled area to be added around the cross above the baptistry (details and design of this grille to be worked out with a committee of the church) and do all hoisting.

JHH/mr
3/25/65
Salesman: Brummer

SPECIAL MIXTURE FORMULAS

GREAT ORGAN
IV Rks. Fourniture Formula "A"

19	15	12	8	8
22	19	15	12	12
26	22	19	15	15
29	26	22	19	15
1-12	13-24	25-36	37-48	49-61

Unison	47	@ 8' CC	17-1/2	1/4 mouth	S.M.
Quint	48	@ 8' CC	17-1/2	1/4 mouth	S.M.