

PROPOSED  
SPECIFICATIONS

FOR A

REUTER PIPE ORGAN

FOR

THE ST. ROSE OF LIMA PRIORY

DUBUQUE, IOWA

*moved to  
all Saints Catholic Church  
Cedar Rapids, Ia 720 29th St NE S2A  
Sept 1983 21018  
US*

THREE MANUAL AND PEDAL

THE REUTER ORGAN COMPANY  
LAWRENCE, KANSAS

FEBRUARY 20, 1956

R. W. Dirksen  
District Representative

225 West Cleveland  
Freeport, Illinois

GENERAL SPECIFICATIONS

MANUALS

Compass CC to C<sub>4</sub>, 61 Notes.

PEDAL

Compass CCC to G, 32 Notes.

ACTION

Electro-Pneumatic.

REGISTRATION

Controlled by Draw Knobs. The intra-manual couplers are controlled by knobs placed with their respective stop groups, and the inter-manual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.

PITCH

A-440.

CONSOLE

Detached.

CASEWORK OR GRILLE

None, except case for console.

ORGAN CHAMBERS

Suitable, finished chambers to be furnished by the purchaser.

GREAT ORGAN

1.	8 ft.	Principal	Metal	61 pipes.
2.	8 ft.	Bourdon	Metal	61 pipes.
3.	8 ft.	Flauto Dolce	Metal	61 pipes.
4.	8 ft.	Flute Celeste (T.C.)	Metal	49 pipes.
5.	4 ft.	Octave	Metal	61 pipes.
6.	II rks.	Grave Mixture	Metal	122 pipes.

Couplers to Great:

Great to Great Super.

Great Unison Off.

Great to Great Sub.

Swell to Great Super.

Swell to Great Unison.

Swell to Great Sub.

Choir to Great Super.

Choir to Great Unison.

Choir to Great Sub.

SWELL ORGAN

7.	8 ft.	Traversflöte	Wood	68 pipes.
8.	8 ft.	Viola	Metal	68 pipes.
9.	8 ft.	Viole Celeste (T.C.)	Metal	56 pipes.
10.	4 ft.	Fugara	Metal	68 pipes.
11.	III rks.	Cymbale	Metal	183 pipes.
12.	16 ft.	Clarinet	Metal, reeds	68 pipes.
13.	8 ft.	Trompette	Metal, reeds	68 pipes.
14.	4 ft.	Hautbois	Metal, reeds	68 pipes.
		Tremolo		

Couplers to Swell:

Swell to Swell Super.

Swell Unison Off.

Swell to Swell Sub.

CHOIR ORGAN

15.	8 ft.	Rohrgedeckt	Wood	61 pipes.
16.	8 ft.	Gemshorn	Metal	61 pipes.
17.	4 ft.	Spillflöte	Metal	61 pipes.
18.	2 2/3 ft.	Nasard	W & M	61 pipes.
19.	2 ft.	Blockflöte	Metal	61 pipes.
20.	1 3/5 ft.	Tierce	Metal	61 pipes.

Tremolo

Couplers to Choir:

Choir to Choir Super.

Choir Unison Off.

Choir to Choir Sub.

*Just to Choir Unison*  
Swell to Choir Super.

Swell to Choir Unison.

Swell to Choir Sub.

PEDAL ORGAN

21.	16 ft.	Subbass	Wood	32 pipes.
22.	16 ft.	Viola	Metal, extension #8	12 pipes.
23.	16 ft.	Bourdon	Metal, extension #2	12 pipes.
24.	8 ft.	Principal	Metal	32 pipes.
25.	8 ft.	(Gt) Bourdon	From #2	32 notes.
26.	4 ft.	Principal	Metal, extension #24	12 pipes.
27.	16 ft.	(Sw) Clarinet	From #12	32 notes.
28.	8 ft.	(Sw) Clarinet	From #12	32 notes.
29.	4 ft.	(Sw) Clarinet	From #12	32 notes.

Couplers to Pedal:

1528

Great to Pedal Super.

Great to Pedal Unison.

Swell to Pedal Super.

Swell to Pedal Unison.

Choir to Pedal Super.

Choir to Pedal Unison.

## ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.  
Adjustable at Keyboard & visibly affecting Stop Controls.

Six, thumb pistons affecting Great stops and intra-manual couplers.

• Eight, thumb pistons affecting Swell stops and intra-manual couplers.

Six, thumb pistons affecting Choir stops and intra-manual couplers.

Five, toe pistons affecting the Pedal stops only.

Eight, thumb pistons affecting all stops & couplers of the entire organ, *duplicate on toe pistons.*

General Cancel thumb piston.

## COMBINATION COUPLERS

Pedal Combinations to Great Pistons, On & Off.

Pedal Combinations to Swell Pistons, On & Off.

Pedal Combinations to Choir Pistons, On & Off.

## REVERSIBLES

Great to Pedal, duplicate toe and thumb pistons.

Swell to Pedal, duplicate toe and thumb pistons.

Choir to Pedal, duplicate toe and thumb pistons.

Sforzando, duplicate toe and thumb pistons.

## PEDAL MOVEMENTS

Swell Expression Pedal.

Great-Choir Expression Pedal.

Register Crescendo Pedal.

## ACCESSORIES

Sforzando Indicator Light.

Register Crescendo Indicator Light.

Music Rack.

Music Rack Fluorescent Light.

Organist's Bench with curved front.

Blower and Motor of ample capacity.

Concave Radiating Pedal Keyboard, A.G.O. Model.

Action Current Power Unit.

Static Pressure Control Reservoir on Blower.

Back Rest on Organ Bench.

Tremolo and Celeste Stops cut-off on Crescendo.  
Pedal and Sforzando pistons.