OF A

REUTER PIPE ORGAN

1952

THE FIRST PRESBYTERIAN CHURCH, SOUTH BEND, INDIANA

THREE MANUAL & PEDAL

MANUALS

Compass CC to Ch, 61 Notes.

PEDAL

Compass CCC to G, 32 Notes.

ACTION

Electro-Pneumatic.

REGISTRATION

Controlled by Stop Keys.

Draw Hambs, as preferred.

CONSOLE

Detached, placed to suit

purchaser.

CASEWORK OR GRILLE

None, except console case.

DISPLAY PIPES

None.

ORGAN CHAMBERS

Suitable, finished chambers to be provided by the purchaser.

			GRI	EAT ORGAN 7		
1.	16 ft.	Gemshorn		Metal	73	pipes.
2.	8 ft.	Diapason		Metal	61	pipes.
3.	8 ft.	Hohl Flute		Wood	73	pipes.
4.	8 ft.	Gemshorn		Metal From #1	61	notes.
5.	4 ft.	Octave		Metal	61	pipes.
6.	4 ft.	Flute		W & M From #3	61	notes.
7.	3 rks.	Mixture (12-15-19)		Metal	183	pipes.
8.		Tremolo				
88		Couplers to Great:		Emade Preferation.		

- 9. Great to Great 4 ft.
- 10. Great to Great 16 ft.
- 11. Great Unison Off.
- 12. Swell to Great 4 ft.
- 13. Swell to Great 8 ft.
- 14. Swell to Great 16 ft.
- 15. Choir to Great 4 ft.
- 16. Choir to Great 8 ft.
- 17. Choir to Great 16 ft.

	_	7.0			,
7	•	*1 T OT	Jeaeckt	W &c M	65 pipes.
15	•	8 ft.	Geigen Diapason	Wetal	85 pipes.
20	•	8 ft.	Chimney Flute	W & M From #18	73 notes.
2	•	8 ft.	Viole de Gamba	Wetal	73 pipes.
22	o:	8 ft.	Wiolg Geleste (Tenor C)	Metal D. A.	61 pipes.
33	*	4 ft.		Metal Pudention #19	73 notes.
ਨ	•	4 ft.	Flute Harmonique	Wetal	73 pipes.
25).¢	4 rks.	Plein Jeu (15-19-22-26)	Wetal	244 pipes.
26	•	16 ft.	Contra Fagotto	Reeds	85 pipes.
27		8 ft.	Trumpet	Reeds	73 pipes.
28		8 ft.	Fagotto	Reeds From #26	73 notes.
53		8 ft.	Vox Humana	Reeds	61 pipes.
3	• .	4 ft.	Clarion	Reeds	73 pipes.
33	٠		Tremolo		

Couplers to Swell:

32. Swell to Swell h ft.

33. Swell to Swell 16 ft.

34. Swell Unison Off.

CHOIR ORGAN

35.	8 ft.	Viola (Broad Scale)	Metal	73 pipes.
36.		Concert Flute	Wood	73 pipes.
37.		Dulciana	Metal	73 pipes.
38.		Unda Maris (Tenor C)	Wetal	61 pipes.
39.	4 ft.	Rohr Flute	Metal	73 pipes.
10.	2 2/3 ft.	Nazard	Wetal	61 pipes.
47	2 ft.	Piccolo	Metal From #39	61 notes.
42.	42. 13/5 ft.	Tierce	Wetal	61 pipes.
143.	8 ft.	Clarinet	Reeds	73 pipes.
.		Tremolo		

to Choir 8 ft.

Swell

149.

Swell to Choir 16

8

Swell to Choir 4

148.

Choir Unison Off.

47.

Choir to Choir 16

146.

Choir to Choir

45.

Couplers to Chair:

PEDAL ORGAN

					M Market			
1	51.	32	ft.	Resultant			32	notes.
Ţ	52.	16	ft.	Diapason	Wood	Extension Gt. #2	12	pipes.
į	53.	16	ft.	Bourdon	Wood		44	pipes.
Ī	54.	16	ft.	Gemshorn	Metal	From Gt. #1	32	notes.
į	55.	16	ft.	Gedeckt	W & M	From Sw. #18	32	notes.
!	56.	8	ft.	Octave	Metal		44	pipes.
. !	57.	8	ft.	Flute	Wood	From #53	32	notes.
	58.	8	ft.	Flauto Dolce	W & M	From Sw. #18	32	notes.
!	59•	4	ft.	Super Octave	Metal	From #56	32	notes.
	60.	4	ft.	Flute	W & M	From Sw. #18	32	notes.
(61.	16	ft.	Trombone	Reeds	Extension Sw. #27	12	pipes.
	62.	16	ft.	Fagotto	Reeds	From Sw. #26	32	notes.

Couplers to Pedal:

- 63. Great to Pedal 8 ft.
- 64. Great to Pedal 4 ft.
- 65. Swell to Pedal 8 ft.
- 66. Swell to Pedal 4 ft.
- 67. Choir to Pedal 8 ft.
- 68. Choir to Pedal 4 ft.

ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.
Adjustable at Keyboard and visibly affecting Stop Controls.

- 69-74. Six, acting on Great Organ and its Couplers.
- 75-80. Six, acting on Swell Organ and its Couplers.
- 81-86. Six, acting on Choir Organ and its Couplers.
- 87-92. Six, acting on Pedal Organ and its Couplers, (Toe Pistons).
- 93-98. Six, General Pistons, acting on entire organ.
 - 99. General Cancel Piston.

COMBINATION COUPLERS

- 100. Pedal Combinations to Great Pistons, On & Off.
- 101. Pedal Combinations to Swell Pistons, On & Off.
- 102. Pedal Combinations to Choir Pistons, On & Off.

PEDAL MOVEMENTS

- 103. Balanced Expression Pedal, Great and Choir Divisions.
- 104. Balanced Expression Pedal, Swell Division.
- 105. Balanced Crescendo & Diminuendo Pedal.

TOE PISTONS

- 106. Great to Pedal Reversible.
- 107. Sforzando Reversible, duplicated on Thumb Piston.
- 108. Six Toe Pistons, duplicating General Pistons, #93-98.

ACCESSORIES

- 109. Crescendo Indicator.
- 110. Sforzando Indicator.
- 111. Spencer Steel Orgoblo of ample capacity, 5 H.P.
- 112. Action Current Power Unit.
- 113. Organist's Bench.
- 11h. Concave Radiating Pedal Keyboard, A.G.C. Model. 11b. Music Rack dur type. 115. Fluorescent Music Rack Light.

- 116. Pedal Keyboard Light.
- 117. Static Elimination Reservoir for blower.

If the draw knob type console is used, the intra-manual couplers will be controlled by draw knebs placed with their respective stop groups, and will be affected by the pistons of that division. The inter-manual and manual-to-pedal couplers will be controlled by tilting tablets placed on one row above the Swell manual and will be affected by the General Pistons only.