

50298
(875)
50298

THE REUTER ORGAN COMPANY

LAWRENCE, KANSAS

PROPOSES A NEW REUTER CONSOLE

FOR

FIRST PRESBYTERIAN CHURCH

CASPER, WYOMING

JANUARY 25, 2006

(2-6-06 Edited with Changes)

Peter Duys - Reuter Representative
P. O. Box 368, Northfield, MN 55057

GENERAL SPECIFICATIONS

CONSOLE	Detached, with curved bench seat with crank for adjustment, safety glass music rack with fluorescent light at base, and roll top with lock.
MANUALS - 3	Compass CC to C4, 61 notes. Bone naturals, rosewood sharps. Simulated tracker touch.
PEDAL	Compass CCC to G, 32 notes, American Guild of Organists standard measurements, with light.
REGISTRATION	Controlled by Drawknobs. The intramanual couplers are controlled by knobs placed with their respective groups, and the intermanual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.
SWITCHING SYSTEM	New Matters solid state system to control the entire organ.
WIND AND POWER	An action power unit of ample capacity to operate the console, with current indicator light in the console, will be provided. The existing blower and rectifier will be activated by an on/off switch in the console, provided by Reuter.
TRANSPORTATION	All transportation of the completed console to the Purchaser's installation site will be provided by the Reuter Organ Company representative.
INSTALLATION	Installation to be completed by the Reuter Organ Company representative.
WARRANTY	The Reuter Organ Company warranty (specimen attached) will apply.

Reuter
Fine Pipe Organs

GREAT ORGAN

16' Quintadena

8' Principal

8' *Gemshorn*

8' Rohrflöte

4' Octave

4' Spitzflöte

III Cornet

2' Octave

IV Mixture

8' Trumpet

Chimes

Zimbelstern

Couplers to Great:

Great to Great 16'

Great Unison Off

Great to Great 4'

Swell to Great 16'

Swell to Great 8'

Swell to Great 4'

Positiv to Great 16'

Positiv to Great 8

Positiv to Great 4'

SWELL ORGAN

16' Rohr Bourdon

8' Rohr Bourdon

8' Salicional

8' Celeste

8' Erzähler

8' Erzähler Celeste

4' Principal

4' Flöte

2²/₃ Nazard

2' Waldflöte

1³/₅ Tierce

III Scharff

16' Cromorne

8' Trumpet

Tremulant

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

Positiv to Swell 8'

POSITIV ORGAN

8' Gedeckt
4' Principal
4' Koppelflöte
2' Octave
1 1/3' Quint
III Zimbel
8' Cromorne

Tremulant

Couplers to Positiv:

Positiv to Positiv 16'

Positiv Unison Off

Positiv to Positiv 4'

Swell to Positiv 16'

Swell to Positiv 8'

Swell to Positiv 4'

PEDAL ORGAN

- 16' Principal
- 16' Rohr Bourdon
- 16' Subbass
- 8' Octave
- 8' Gedeckt
- 8' Rohr Bourdon
- 4' Choral Bass
- 4' Gedeckt
- III Mixture
- 16' Fagott
- 8' Trumpet
- 4' Schalmey

Couplers to Pedal:

Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

Positiv to Pedal 8'

Positiv to Pedal 4'

ADJUSTABLE COMBINATIONS

Pistons adjustable at the keyboard and visibly affecting stop controls, with 36 memory levels, minimum.

Six thumb pistons affecting the Great stops and intramanual couplers.

Six thumb pistons affecting the Swell stops and intramanual couplers.

Six thumb pistons affecting the Positiv stops and intramanual couplers.

Six, toe pistons affecting the Pedal stops only.

Twelve thumb pistons affecting all stops and couplers of the entire organ, duplicated on toe pistons.

General Cancel thumb piston.

Setter thumb piston.

Indicator thumb piston.

REVERSIBLES

Great to Pedal, thumb and toe pistons.

Swell to Pedal, thumb and toe pistons.

Positiv to Pedal, thumb and toe pistons.

Full Organ, thumb and toe pistons, programmable, multi-level with indicator light.

Zimbelstern, toe piston and existing speed control dial.

PEDAL MOVEMENTS

Register Crescendo Pedal, programmable, multi-level, with indicator light and numeric display.

Balanced Shutter Pedal, Swell Organ.

ACCESSORIES

LCD Display Panel.

Transposer Up, thumb piston, 7 steps.

Transposer Down, thumb piston, 7 steps.

Memory Up, thumb piston.

Memory Down, thumb piston.

Player piston.

Pedal to Great, thumb piston.

Great/Positiv Transfer, thumb piston.