

M. P. MÖLLER Organ Factory

3-32/43

Pipe Organ No. 11693 Date November 27, 1984
 For CATHEDRAL OF THE ANNUNCIATION, STOCKTON, CALIFORNIA
 Action Moller's Electro-Pneumatic Console Detached - with roll top
 Casing No. None Finish As Per Sample
 Decorations None Motor Present 3 H.P., Style 3-P-3027
 Width of Key-bed Standard Stop Controls Draw Knobs & Tilting Tablets
 No. Manuals THREE - Tracker Touch Wind Pressure 3-1/2"
 To be Completed August 25, 1985 Blower Pipe furnished by Purchaser

SPECIFICATIONS

GREAT ORGAN # Unenclosed

1.	16'	Gemshorn.....	40/48-1/3.....	17-1/2.....	29	Zinc S.M.....	73	pipes
2.	8'	Principal.....	44.....	17-1/2.....	17	Zinc S.M.....	61	pipes
3.	8'	Hohlflote.....	54.....	21-1/2.....	17	Zinc S.M.....	61	pipes
4.	8'	Gemshorn	from #1.....				61	notes
5.	4'	Octave.....	57.....	18-1/2.....	5	Zinc S.M.....	61	pipes
6.	4'	Spitzflote.....	60-2/3.....	19-1/2.....	5	Zinc C.M.....	61	pipes
7.	2'	Super Octave.....	69.....	17-1/2.....		S.M.....	61	pipes
8.	III-IV	Mixture.....	Formula "A"			S.M.....	204	pipes
9.	8'	Trompete.....	3"	30-1/2.....		Zinc & S.M.....	61	pipes

SWELL ORGAN

10.	8'	Rohrflote.....	54.....	21-1/2.....	17	Zinc C.M.....	61	pipes
11.	8'	Salicional.....	52.....	18-1/2.....	17	Zinc S.M.....	61	pipes
12.	8'	Vox Celeste T.C....	52.....	18-1/2.....	5	Zinc S.M.....	49	pipes
13.	4'	Principal.....	56-2/3.....	17-1/2.....	5	Zinc S.M.....	61	pipes
14.	4'	Koppelflote.....	55/64.....	17-1/2.....	12	Zinc S.M.....	61	pipes
15.	2-2/3'	Nasat.....	62.....	17-1/2.....		S.M.....	61	pipes
16.	2'	Blockflote.....	65-3/4.....	17-1/2.....		S.M.....	61	pipes
17.	1-3/5'	Terz	70.....	17-1/2.....		S.M.....	61	pipes
18.	III-IV	Scharf.....	Formula "B"				204	pipes
19.	8'	Trumpet.....	3"	42-1/2.....		Zinc & S.M.....	61	pipes
20.	4'	Schalmei.....	2-3/4.....	Open Oboe.....		Zinc & S.M.....	61	pipes
21.		Blank						
22.		Blank						
23.		Tremulant						

POSITIV ORGAN *added 1988*

24.	8'	Holzgedeckt	61	prepared for
* 25.	4'	Principal	61	prepared for
26.	4'	Rohrflöte	61	prepared for
27.	2'	Nachthorn	61	prepared for
28.	1-1/3'	Quinte	61	prepared for
29.	1'	Klein Octav	24 61	prepared for (from #25)
30.	II Rks.	Sesquialtera TC	98	prepared for
31.	III Rks.	Zimbel	183	prepared for
32.	8'	Krummhorn	61	prepared for
33.		Tremulant		

PEDAL ORGAN 7

* 34.	16'	Principal.....	33/43.....	17-1/2.....	29 Zinc S.M.....	44 pipes
35.	16'	Subbass....	#1-24 #2 Bdn, #25...64...	21-1/2...24	Wood	
					5 Zinc C.M.....	56 pipes
36.	16'	Gemshorn.....	from #1.....			32 notes
37.	10-2/3'	Gemshorn Quint....	from #1.....			32 notes
38.	8'	Octave.....	from #34.....			32 notes
39.	8'	Bassflöte.....	from #35.....			32 notes
40.	8'	Gemshorn.....	from #1.....			32 notes
41.	5-1/3'	Gemshorn Quint....	from #1.....			32 notes
42.	4'	Choralbass.....	56	17-1/2.....	5 Zinc S.M.....	32 pipes
43.	4'	Flute.....	from #35.....			32 notes
44.	III Rks.	Mixture.....	Formula "C".....		S.M.....	96 pipes
45.	16'	Contre Trumpet..	CCC 6"	42-1/2.....	Zinc & S.M.....	56 pipes
46.	8'	Trumpet.....	from #45.....			32 notes
47.	4'	Klarine.....	from #45.....			32 notes
48.		Blank				

(*) Exposed

COUPLERS

49.	Swell to Pedal 8'
50.	Swell to Pedal 4'
51.	Great to Pedal 8'
52.	Positiv to Pedal 8'
53.	Swell 16'
54.	Swell Unison Off
55.	Swell 4'
56.	Swell to Great 16'
57.	Swell to Great 8'
58.	Swell to Great 4'
59.	Swell to Positiv 8'
60.	Positiv 16'
61.	Positiv Unison Off
62.	Positiv 4'
63.	Positiv to Swell 8'
64.	Positiv to Great 16'
65.	Positiv to Great 8'
66.	Great 4'

ADJUSTABLE COMBINATIONS

Solid State

Pistons No. 1-2-3-4-5-6	Affecting Swell Organ
Pistons No. 1-2-3-4-5-6	Affecting Great Organ
Pistons No. 1-2-3-4-5-6	Affecting Positiv Organ
Toe Studs No. 1-2-3-4-5-6	Affecting Pedal Organ
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ (duplicated by toe studs)
General Cancel	
Memory Selector A B C D	
Setter Piston	
Combination Lock	

PEDAL MOVEMENTS

Great to Pedal, reversible (duplicated by manual piston)
Swell to Pedal, reversible (duplicated by manual piston)
Positiv to Pedal, reversible (duplicated by manual piston)
Sforzando, reversible with indicator light (duplicated by manual piston)
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal with three (3) indicator lights

ACCESSORIES

Organ bench with music shelf
Concave, radiating pedal clavier
Transparent music rack with light
Light for pedal keys
Organ action current unit of ample capacity
Organ blower motor switch with indicator light on console

NOTAM

Organ blower by purchaser (Kinetic 3 HP previously supplied and credit allowed in this Agreement for same).

DMG/mr
11/20/85

GREAT ORGAN

III-IV Rks. Mixture Formula "A" 204 pipes S.M. 3-1/2'

22	19	15	12	12	12	12
26	22	19	15	15	15	
29	26	22	19	19		
	29	26	22			

1-18	19-30	31-42	43-49	50-54	55-58	59-61
------	-------	-------	-------	-------	-------	-------

Unison	46 Sc. @ 8'	17-1/2	1/4
Quint	49 Sc. @ 8'	17-1/2	1/4

SWELL ORGAN

III-IV Rks. Scharf Formula "B" 204 pipes S.M. 3-1/2'

19	15	12	8	8	12	15
22	19	15	12	12	15	
26	22	19	15	15		
	26	22	19			

1-18	19-30	31-42	43-49	50-54	55-58	59-61
------	-------	-------	-------	-------	-------	-------

Unison	48 Sc. @ 8'	17-1/2	1/4
Quint	51 Sc. @ 8'	17-1/2	1/4

PEDAL ORGAN

III Rks. Mixture Formula "C" 96 pipes S.M. 3-1'

15
19
22

1-32

Unison	45 Sc. @ 8'	17-1/2	1/4
Quint	48 Sc. @ 8'	17-1/2	1/4