

Memorandum of Agreement, Made this 28th

day of June A. D., 1928, by and between **M. P. MOLLER, Inc.**, of Hagerstown, Maryland, party of the first part, and

First M. E. Church

of the second part,

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in First M. E. Church, VanDyke & Willard Sts.,
Detroit, Mich.
 ready for use on or before the 25th day of Sept. A. D., 1928
 or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of \$2,700.00

AS FOLLOWS \$1,000.00 when organ is installed and accepted.
Balance in three equal notes due 12 - 24 and 36 months
from date of acceptance, bearing interest at 6%.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ 4 weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

The purchaser may pay all cash on acceptance or all or any part of notes in advance of date due.

M. P. MOLLER Organ Factory

Pipe Organ No. 5349 Date June 26, 1928
 For First M.E. Church, Detroit, Mich.
 Action Electric Console Attached
 Casing No. _____ Finish _____
 Decorations Gilt Motor Electric
 Width of Key-bed _____ Stop Controls Stop Keys
 No. Manuals Two Wind Pressure 5"
 To be completed Sept. 25, 1928 Blower pipe furnished by Church

SPECIFICATIONS

Organ chamber by church

Console Attached.

A-440

GREAT ORGAN

1	8'	Open Diapason....42 scale	zinc bass.....73 Pipes
2	8'	Dulciana.....56 "73 "
3	8'	Gedeckt.....From #6.....	73 Notes
4	4'	Rohr Flute....." 6.....	61 "
Tremulant			
6	16'	Bourdon.....unit.....	92 Pipes
7	8'	Stopped Diapason..From #6.....	73 Notes
8	4'	Flute d'Amour....." 6.....	61 "
9	8'	Open Diapason....44 scale	zinc bass.....73 Pipes
10	8'	Salicional.....60 scale.....	73 "
11	8'	Vox Celeste.....62 scale.....T.C.....	61 "
12	8'	Oboe.....(Synthetic).2-2/3 from #6	Draws #10 & 11...73 Notes
13		Tremulant	

PEDAL ORGAN

14	16'	Bourdon.....Large scale.....	32 Pipes
15	16'	Lieblich Gedeckt...From #6.....	32 Notes

COUPLERS

16	Swell to Pedal	22	Great to Great 4'
17	Swell Great to Pedal	23	Swell to Swell 16'
18	Swell to Great	24	Swell to Swell 4'
19	Swell to Great 16'		Swell Unison
20	Swell to Great 4'		
21	Great to Great 16'		

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3) Affecting Great and Pedal Stops

Pistons No. 1-2-3) Affecting Swell and Pedal Stops

MECHANICALS

- Balanced Swell Shades
- Balanced Crescendo Pedal
- Sforzando Pedal
- Great to Pedal Reversible
- Wind Indicator
- Crescendo Indicator
- Generator Indicator

Organ Bench with Music Shelf

Concave Pedal

Electric Blower of ample capacity

AIM 7/9/28

Checked by.....date.....

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that ~~automatic remote control motor starter~~, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. ~~When organ chambers are so located that organ must be hoisted by slide, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.~~

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

----- (SEAL)

Party of the first part

.. Howard J. Hescutt, .. (SEAL)
for the

First Methodist .. (SEAL)

Ford & Reynolds

Protestant Church

----- (SEAL)

----- (SEAL)

Party of the second part

NOTE—If terms other than “cash on completion” are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

5349

5349 - Detroit, Mich.

Hagerstown, Md. 7/18/28

#20 Stop Keys white engraved in black block letters.

Open Diapason 8'	Dulciana 8'	Gedeckt 8'
Rohr Flute 4'	Bourdon 16'	Stopped Diapason 8'
Flute d'Amour 4'	Open Diapason 8'	Salicional 8'
Vox Celeste 8'	Oboe 8'	Bourdon 16'
Lieblich Gedeckt 16'	Swell to Pedal	Great to Pedal
Swell to Great		

#20 Stop Keys white engraved in red block letters.

Tremulant	Tremulant	Swell to Great 16'
Swell to Great 4'	Great to Great 16'	Great to Great 4'
Swell to Swell 16'	Swell to Swell 4'	Swell Unison Separation

THIS QUESTIONNAIRE TO BE ATTACHED TO EVERY FACTORY AND LOCAL COPIES OF CONTRACTS

NOT TO BE ATTACHED TO CUSTOMERS COPIES

Organ No.

Name of Institution.

..... First M. E. Church

City. Detroit State Mich.

- (1) Correct measurements of organ space are absolutely necessary with contract. See pencil sketch
- (2) Send sketch of floor plan of church showing location of organ, choir, pulpit and console.
- (3) Where is the most convenient place for electric cables to enter organ chambers?..... Any position in front of organ chamber
- (4) Where is the most convenient place for blower pipe to enter organ chambers?..... Blower under the Choir directly in front of organ. Height 5ft. Space 10' x 20'
- (5) Give exact size of doors through which organ parts are to pass. Double-doors
- (6) Are there any obstructions near doors, short turns, etc? No
- (7) Where is best location for blower? ~~5ft. high 10' x 20'~~ Under Choir in front of organ
- (8) Give size of room for blower. 10ft. 5ft. high 10' x 20'
- (9) Give size of doors through which blower has to pass. 30"
- (10) Give distance from blower to organ chamber. 10ft.
- (11) Kind of wood to be used for (console) (case) (grille) Not decided and samples. If oak, state if plain or quartered
- (12) Do we furnish any case? Yes
- (13) Do we furnish any grille. Combination grille to be finished same as case or console? Yes
- (14) If we furnish grille for arches we must have templets.
- (15) Does case go on inside, between or outside of arch?
- (16) Give thickness of arch or openings.
- (17) Give style of panels desired in case or console.
- (18) If door to be in case, is it for choir entrance? Yes
- (19) If organ case is built by church, we must have templet giving exact size for pipes.
- (20) Do we furnish front pipes? Yes (20a) Decoration for front pipes Gilt
- (21) Is console attached or detached? Attached
- (22) How many feet of cable required from console to organ? None
- (23) If console movable, how much flexible air hose do we furnish? Not moveable
- (24) Is organ divided or not? No
- (25) Is organ all enclosed? Yes (25a) If not, state how much is out.
- (26) Do we make swell box around chest? No
- (27) If all enclosed, who builds organ chambers? Church
- (28) Give dimensions of auditorium (Height) (Width) (Depth) (Auditorium) 250 seats (28a) Seating capacity (Gallery)
- (29) Kind of stop controls? Stop keys (29a) Kind of coupler controls? Stop keys
- (30) Color of Stop controls? Standard
- (31) Is the organ to have tubular or electric action? Electro-pneu (31a) Style of console?
- (32) Is the building old or new? New
- (33) Have organ plans been made by us? (33a) If approved, state when and by whom?
- (33b) Return copy.
- (34) Street address of church VanDyke & Willard (34a) (County)
- (35) Name of organist and street address.
- (36) Name of architect and street address.
- (37) Name of party organ is to be shipped to and street address Rev. Howard Hescott 4816 Vandyke Ave
- (38) Give name of nearest freight station to church for carload as well as less carload shipments. Pennsylvania
- (39) If we get old organ, we must have complete specifications and measurements, name of maker, also how old, and present condition when contract is mailed.

Remarks:

Answer these questions and do not merely refer factory to plans.