

M. P. MÖLLER Organ Factory

2/17

Pipe Organ No. 11197 Date September 3, 1976
 For FIRST CHURCH OF THE BRETHREN, HARRISONBURG, VIRGINIA
 Action Moller's electro-pneumatic Console Detached - All Electric
 Casing No. ~~11197~~ Casework & organ display by M.P.M. Inc. Finish As Per Sample
 Decorations None Motor 1.1 H.P. Weidinger #1405
 Width of Key-bed Standard Stops and couplers controlled by tilting tablets
 No. Manuals Two 4 oz. key touch Stop Controls Stop Controls
 To be Completed August 1, 1977 Wind Pressure 3"
 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN Unenclosed

1.	8'	Principal.....47.....18-1/2.....19	Zinc S.M.....61 pipes
2.	8'	Gedackt.....Reg. St. Flute.....	Wood.....61 pipes
3.	8'	Genshorn.....from #9.....	61 notes
4.	4'	Octave58.....18-1/2.....7	Zinc S.M.....61 pipes
5.	2'	Flute66-2/3.....17-1/2.....	S.M.....61 pipes
6.	III-IV	Mixture.....Formula "A".....	S.M.....220 pipes
7.		Chimes <u>present Deagan "D" A to E tubes, new top F, new Mayland electric action, volume control, transformer and action and volume control relays - A to F, #22 to #42 - - -</u>	21 tubes

SWELL ORGAN Expressive

8.	8'	Rohrfloste54.....21-1/2.....17	Zinc S.M.....73 pipes
9.	8'	Genshorn52-1/2.....17-1/2.....17	Zinc S.M.....61 pipes
10.	8'	Genshorn Celeste....60/66.....17-1/2.....19	Zinc S.M.....61 pipes
11.	4'	Rohrgedackt.....from #8.....	61 notes
12.	2'	Principal.....70.....17-1/2.....	S.M.....61 pipes
13.	1-1/3'	Quintfloste.....77.....17-1/2.....	S.M.....61 pipes
14.	8'	Trompette.....3"42.....	Zinc & S.M.....61 pipes
15.		Tremulant	

PEDAL ORGAN

16.	16'	Principal.....33/45.....17-1/2..... ³¹ 21	Zinc S.M.....56 pipes
17.	16'	Subbass#2 Ped. Bdn.....	Wood.....44 pipes
18.	8'	Octave.....from #16	32 notes
19.	8'	Gedackt.....from #17	32 notes
20.	4'	Choralbassfrom #16	32 notes
21.	16'	Posaune.....1/2 L6"42-1/2.....	Zinc & S.M.....32 pipes

COUPLERS

- 22. Great to Pedal 8'
- 23. Swell to Pedal 8'
- 24. Swell to Pedal 4'
- 25. Swell to Great 16'
- 26. Swell to Great 8'
- 27. Swell to Great 4'
- 28. Great 4'
- 29. Swell 16'
- 30. Swell Unison Off
- 31. Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5
General Cancel

Affecting Full Organ

PEDAL MOVEMENTS

Tutti Reversible
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf
Crescendo indicator light
Tutti indicator light
Light for music rack
Light for pedal clavier
Low profile console without rolltop
Motor, blower and action power unit of ample capacity
Key lock starter switch

DMG/mr

Salesman: Ronald Ellis

2/1/77

ORGAN NO. 11197

FIRST CHURCH OF THE BRETHREN, HARRISONBURG, VIRGINIA

MIXTURE FORMULA

GREAT ORGAN

III-IV Rks. Mixture Formula "A" 220 pipes S.M. 3"

22	19	15	12	12	8
26	22	19	15	15	12
29	26	22	19	19	15
	29	26	22		

1-14	15-24	25-39	40-51	52-56	57-61
------	-------	-------	-------	-------	-------

Unison	50 Sc. @ 8' C	17-1/2	1/4 mouth
Quint	51 Sc. @ 8' C	17-1/2	1/4 mouth