COPY.

# Memorandum of Agreement, Made this 20th town, Maryland, party of the first part, and Garman American Ebenezer Baptist Church, of Detroit, Mich. party of the second part. Withirgseth:- That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in ... German American Ebenezer Baptist Church, .... Detroit, Mich. ready for use on or before the ... 23rd ... ... ... ... day of . November ... ... A. D., 1921, or as soon thereafter as possible in the event of delays beyond his control. 2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense. 3. The party of the first part guarantees the action and construction of the organ for a term of one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year). 4. In consideration of the above, the party of the second part agrees to pay to M. P. Moller, Inc., or order, the sum of ..... Five Thousand \$5,000.00 Dollars ..... AS FOLLOWS:.... Cash on completion ..... 5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ....three ...... weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power. 6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as

Peninsular State Bank.

their interests may appear.

Church to get, 6% int. on \$1,007.50 paid 7/18/21 up to time organ is completed.

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor from blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to furnished by party of second part.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Wherent we have hereunto set our hands and seals this day and year first above written.

WITNESS

Party of the first part

. E. E. Staub German American-Ebenezer Baptist (SEAL)
Church (SEAL)
. Edw. Glanz (SEAL)

Pres. Bd. of Trustees
.................(SEAL)
Party of the second part

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

Pipe	Organ No	. 3212 Date	June 20, 1921
For_	German Ame	rican Meneser Bepti	st Church, Detroit, Mich.
	onTu	<b>州部中部</b>	Console
Casi	ng of		Finish
		236AL 1073	Motor Blace
	orations		
Wid	th of Key-l	bed	Stop Controls Stop Keys
110.	Manuals		Wind Pressure3-3/4*
To	be complete	ed Nov. 23, 1921	Blower pipe furnished by
	Provide at 1787 19 19 SERBOURN	plex Chest.	
Tre.			
		SPECIFIC	ATIONS:
			P ORGAN
2	8.		73 Pipes
2	8.		
4	80	Comb Caracas and Comb Caracas and Caracas	
5	40	Octaves	61 Notes
6	48	Muts D'Amur	73 Pipes
7	8.		
		SME	LL ORGAN
8	26*		
9	84	Wolin Dispason	61 Pipes
10	38		61 n
22	88		61 Notes
12	8.		
14	49		
15	28	Flauting	***************************************
16	8.	Vox Coleste	
17	8.	Oboe	
18	8.	VOE Numerica	······ 61 Pipes
		28	DAL ORGAN
29	16.	Bourdon	
20	16*	Lieblich Gedeakt.	** 32 Motes
		001029	LERS
21		Swall to Great	
22		Swall to Great 49	
23		Swell to Great 16	
24		Swell 48 Great 49	
26		Great to Pedal	
27		Swell to Pedal	
28		Swell 169	
29		Tremal surt	ANICALS
177 THE WORLD BY		THE PERSON NAMED IN COLUMN TWO PARTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN T	

Crescando Indicator

# KINETIC ENGINEERING COMPANY PHILADELPHIA



ALL ORDERS ARE ACCEPTED CONTINGENT UPON STRIKES, FIRES, ACCIDENTS, DELAYS OF CARRIERS, OR OTHER CAUSES BEYOND OUR CONTROL.

#### ACKNOWLEDGMENT OF ORDER

N. P. Wallow			W. constant	Tra		
From M.P. Moller						
Date 11-22-12 Your		ter	Our Order No	J-423		
For Ebenezer Ger. Amer. Bap.	Church					
For	Theatre	City or Town Detroit, Mich.				
For	Residence					
Style Blower 2 HYM	Valve	No	Make of Moto	r Century		
H. P. 1 Speed 1165 Vol	ts 220 Cy	rcles 60	Phase 1	No		
Size Wind Trunk 200 1011	Shipping Weigh	it 790	Pou	nds.		
Blower Dimensions—Length 4 7"	Width	2	'10" Height	31611		
	( at		inch	es pressure.		
Cubic Feet of air per minute 1000	at		4 inch	es pressure.		
	on		inch	es suction.		
Organ Action Tubular	Chest	No.	Stops 20	Couplers		
Extra Shaft	ower Pulley		Size Generator P	ulley		
Shipping Directions M.P. Moll	er					
Care Herbert K	oppin					
Ebenezer	German Amer	ican Bap	tist Church			
Detroit,	Mich.					
Approximate Shipping Date at on	ce	Route	freig	ht .		
Remarks						
<i>H</i>						

KINETIC ENGINEERING COMPANY.

2585

ORAGE

LATION

RSAND

93

We upderstand that you will supply power for the Ebenezer Eaptist

Church Chirage Church, in Detroit, Mich. City, and respectfully request that you send Mr. M. P. Moller, Hagerstown, Maryland, the voltage 

At P. Motor or the voltage and cycles. 6.0.

It is hereby agreed that the above information is correct and final, and that Mr. M. P. Moller is not to be held responsible for any change made in the current available as above set forth.

Signed The Advance City.

City.

City.

City.

Inly 18/1921

Your letter of July 20 came to hand this morning.

The sample of finish was mailed you a day or two ago, and is, no doubt, in your hands by now.

In regard to the decorating of the front pipes of the organ want to say that we will abide by your decision in this matter, and have these pipes finished in the plain gilt.

Enclosed you will find blank which you mailed me a few days ago, and which the Detroit Edison Co. has filled out. This will give you, we believe, the information desired in order to obtain proper motor equipment for the organ.

Yours very truly

HERBERT W. KOPPIN
Herbert W. Koppin

marked up.





GENERAL COLD STORAGE
CONSTRUCTION
CORKBOARD INSULATION
A SPECIALTY
MEMBERS OF BUILDERS AND
TRADERS EXCHANGE
PHONE WALNUT 93

2645 WARREN AVENUE WEST

DETROIT, MICH. June 6, 1921

2583

M. P. Moller Co.

Hagerstown, Md.

Gentlemen

Re: Ebenezer Bapt. Church, Detroit, Mich.

We are returning herewith blue print which you submitted to us a short time  ${\tt ago}\, {\color{blue} \bullet}$ 

We have made a few notation on this blue print to which we want to call your attention, and we kindly request that you furnish us with a re-vised blue print as soon as possible.

- 1. In view of the fact that we intend to cut out that part of the platform where the organ is to set, and have the organ set on the main floor line level, the lower part of organ casing shown on blue print (elevation A-A) will not be exposed, and consequently the panneling would have to be arranged to conform with the platform height, which is approximately 2'6" above the main floor level.
- 2. We find that we will not have 16'9" in height as you had designated on your blue print. After allowing 2'6" the height of our platform we find that we will have only 16'8" in the front part of organ chamber and only 15'11" in the rear. We have shown these dimensions on the enclose blue print.
- 3. When the rolling door, which separates our main auditorium from the Sunday School room, is opened a portion of the organ, approximately 4°0" is exposed and we think to make that part look right, and in order to have same conform with the front and side elevations, that part ought to be finished with panelling below and pipes above same as the other fronts.

Trusting this will give all the information you need in order to prepare re-vised blue print, I am,

Yours very truly

HERBERT W. KOPPIN

#### SPECIFICATIONS

OF

# TWO MANUAL PIFE ORGAN

MANUALS: Compass CC to C, Sl Notes.

PERMIS: Compass CCC to G, 38 Notes.

ACPICN: Moller's Patent-Tubular-Fremmatic throughout.

Stops controlled by stop keys.

Casing to be made of........

Eront pipes to be decorated in.......

Dupler Chest.

## GREAT ORGAN

1 2 3 4 5 6 7	29 81 81 41 40	Open Diapason
8 9 10 11 12 13 14 15 15	16' 8' 8' 8' 8' 4' 2' 8'	Benrion
18	79, 19,	Bonrien
20 21 22 23 24 25 26 27		Swell to Great 4' Swell to Great 4' Smell to Great 16' Smell 4' Great to Tedal Swell to Pedal Swell 16'

## MEGHANIGALS

28 Translant Greecendo Indicator

ATHERTAPIC CAMBINATIONS.
(Operated by pistons placed under respective marmals)

Piston Piston Piston	No.	2)	Aff	eoting	Smell	<b>5</b> :	Pedal	Stops.
Pieton Pieton Pieton	Line	3)	AC	ecting	Great	ش	Pedal	Stopm-






REFRIGERATORS
AND BUILDERS OF
COLD STORAGE ROOMS

2645 WARREN AVENUE WEST

GENERAL COLD STORAGE
CONSTRUCTION
CORKBOARD INSULATION
A SPECIALTY
MEMBERS OF BUILDERS AND
TRADERS EXCHANGE

PHONE WALNUT 93

DETROIT, MICH. May 31, 1921



M. P. Moller Co.

Hagerstown, Md.

Gentlemen

Your letter of recent date has come to hand.

We are ready to close the contract covering our organ and if you will send revised contract we will have same signed by our trustees and returned to you.

We have decided to use the Tubular Pneumatic action in our organ; also to have the Salicional Stop added, therefore, as your latest price was \$4850.00 and having deducted \$250.00 for useing Tubular Pneumatic Action and attached console, and adding \$400.00 for the Salicional Stop brings the price to \$5000.00.

Of course, there are some details to be arranged regarding the design of this organ, which the writer will take up with you at an early date, and which you will take care of as per your previous letter.

We cannot state positively, at this time, whether we will pay in cash the total amount of contract when the organ is installed, but we understand from your contract submitted recently that you will accept a note (or notes) for part of the amount.

Yours very truly

HERBERT W. KOPPIN





GENERAL COLD STORAGE
CONSTRUCTION
CORKBOARD INSULATION
A SPECIALTY
MEMBERS OF BUILDERS AND
TRADERS EXCHANGE
PHONE WALNILL 93

DETROIT, MICH. 0ct. 30, 1920

2585

M. P. Moller

Hagerstown, Md.

Dear Sir

Your letter of October 13, enclosing specifications for an organ for the Ebenezer German Baptist Church, this city, was received some time ago, but on account of the writer's absence from the city, this matter was delayed.

We have noticed that you specify the Action of this organ as follows: "Moller's Patent-Tubular-Pneumatic throughout" No doubt where organ and console are attached this action is very satisfactory, however, this will not be in our church, that is, the console will be detacked from the organ.

The organ will have to be placed in a room, or chamber, directly above the platform, which is occupied by choir and minister. The console will, or should be placed on main floor of church auditorium, directly in front of platform. Therefore, it will be necessary to have electro-pneumatic action.

Please advise us by return mail what your price would be on an organ, such as you quoted us on under date of October 13, equipped with the electro-pneumatic action, and arranged with detached console as mentioned above.

In view of the fact that our committee wants to get together soon regarding this matter, we are sending this letter by "special delivery" and would kindly request that you let us hear from you at the earliest date possible.

Yours very truly

HERBERT W. KOPPIN