THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

3/32 1975

PROPOSES A THREE MANUAL AND PEDAL PIPE ORGAN
"SPECIFICATION A"

FOR

FIRST UNITED METHODIST CHURCH CAMDEN, ARKANSAS

OCTOBER 26, 1973

Mr. R. A. Geisler, District Representative 3629 Lynndale Place, Fort Worth, Texas 76133

THE Reuter ORGA

GENERAL SPECIFICATIONS

MANUALS

Compass CC to C4, 61 notes. Simulated tracker

touch.

PEDAL

Compass CCC to G, 32 notes.

ACTION

Reuter's pitman, electro-pneumatic.

REGISTRATION

Controlled by drawknobs. The intramanual couplers are controlled by knobs placed with their respectistop groups, and the intermanual and manual to Pedal couplers are controlled by tilting tablets

placed above the top manual.

CONSOLE

Detached.

PITCH

A-440.

CASEWORK

None except case for console. Such casework as may be desired to enclose the mechanical portions of the exposed pipework to be furnished by the

purchaser.

ORGAN CHAMBER

Suitable finished chamber to be furnished by the purchaser. Such structural supports as may be required for the exposed cantilevered sections are also to be furnished by the purchaser.

GREAT ORGAN (Exposed)

1.	8' Princ	cipal	61 pipes.
2.	8' Bourd	lon	61 pipes.
3.	4' Octav	7e	61 pipes.
4.	2' Fifte	eenth	61 pipes.
5.	III Mixtu	ıre	183 pipes.
	Coupl	lers to Great:	
	Gr	eat to Great 16'	
	Gr	ceat Unison Off	
	Gr	eat to Great 4'	
	Sw	ell to Great 16'	
	Sw	ell to Great 8'	
	Sw	ell to Great 4'	
	Ch	oir to Great 16'	•
	Ch	oir to Great 8'	* * * * * * * * * * * * * * * * * * * *
	Ch	oir to Great 4'	

61 pipes.

SWELL ORGAN		
6.	8' Rohrf18te	61 pipes.
7.	8' Viola	61 pipes.
8.	8' Viola Celeste (TC)	49 pipes.
9.	4' Spitzprincipal	61 pipes.
10.	4' Hohlflöte	61 pipes.
11.	2 2/3' Nasard	61 pipes.
12.	2' Blockflöte	61 pipes.
13.	1 3/5' Tierce	61 pipes.
14.	III Scharf	183 pipes.
15.	16' Trompette	61 pipes.
16.	8' Trompette	61 pipes.
17.	4' Hautbois	61 pipes.
17.	Tremulant	
	Couplers to Swell:	,
	Swell to Swell 16'	
	Swell Unison Off	

Swell to Swell 4'

CHOIR ORGAN

18.	81	Gedeckt
19.	8 '	Gemshorn
20.	81	Gemshorn Celeste (TC)
21.	4 1	Nachthorn
22.	2	Principal
23. 1 1/2	31	Larigot
24.	8 '	Krummhorn
		Tremulant
		Couplers to Choir:
		Choir to Choir 16'
		Choir Unison Off
		Choir to Choir 4'
		Swell to Choir 16'
		Swell to Choir 8'
		Swell to Choir 4'

THE Reuter ORGAN CO.

61 pipes.

61 pipes.

49 pipes.

61 pipes.

61 pipes.

61 pipes.

61 pipes.

25.	16'	Bourdon	56	pipes.
26.	16'	(Sw) Rohrf18te	12	2 pipes.
27.	81	Octave	. 33	2 pipes.
28.	8'	Bourdon		
29.	4 7	Choral Bass	3	2 pipes.
30.	41	Bourdon		
31.	16'	Fagotto (Full Length)	5	6 pipes.
32.	81	Fagotto		
33.	41	Fagotto		
		Couplers to Pedal:		
		Great to Pedal 8'		
		Great to Pedal 4'		
		Swell to Pedal 8'		,
		Swell to Pedal 4'		
		Choir to Pedal 8'		
		Choir to Pedal 4'		

PEDAL ORGAN

ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals. Adjustable at keyboard and visibly affecting stop controls.

Five thumb pistons affecting the Great stops and intramanual couplers.

Five thumb pistons affecting the Swell stops and intramanual couplers.

Five thumb pistons affecting the Choir stops and intramanual couplers.

Five toe pistons affecting the Pedal stops.

Five thumb pistons acting on all stops and couplers of the entire organ, duplicated on toe pistons.

General Cancel thumb piston.

PEDAL MOVEMENTS

Register Crescendo Pedal.

Balanced Expression Pedal, Swell Organ.

Balanced Expression Pedal, Choir Organ.

REVERSIBLES

Great to Pedal duplicate thumb and toe pistons.

Swell to Pedal duplicate thumb and toe pistons.

Full Organ duplicate thumb and toe pistons.

ACCESSORIES

Current Indicator Light.

Crescendo Indicator Light.

Full Organ Indicator Light.

Music rack with fluorescent light at base.

Organist's bench with blocks for height adjustment.

A.G.O. standard pedal keyboard.

Organ blower and motor of ample capacity.

Action current power unit.

Static reservoir on blower.

Pedal board light.

Zimbelstern

THE Reuter ORGAN COMPAN