
ORGAN

#5835



day of May A, D., 1930 by and between M. P. MÖLLER, Inc. of Hagerstown,

Maryland, party of the first part, and

Immanuel Evangelical Church, Detroit, Michigan

of the second part,

With pseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part and to erect it in .Imma.nuel Evangelical Church,

Livernois at Morse, Detroit, Mich.

ready for use on or before the .15th ... day of ... November ... A. D., 1930 or as soon thereafter as possible in the event of delays beyond his control.

- 2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.
- 3. The party of the first part guarantees the action and construction of the organ for a term of five one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part.
 This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturer for one year.)
- 4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of \$6,500.00 (Six thousand five hundred dollars)

AS FOLLOWS \$3,500.00 after organ is installed and accepted,
balance in three equal annual notes dated from day of acceptance
and bearing interest at 6%. Purchaser has privilege of paying
all cash or taking up notes anytime in advance of date due.

- 5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ ______ weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.
- 6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

JUN 17 1930

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductors between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto

Ford & Reynolds

Party of the second part.

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

Pipe Organ No	583	Date June 12, 1930.					
-		ical Church, Detroit, Nich.					
	lectric	Console Detached 10' - 0"					
Casing No.	0ak	Finish To Match Church Furniture					
Decorations_	Vasa	Motor Electric					
Width of Key-	had	Stop Controls					
A CONTRACTOR OF THE PROPERTY O							
No. Manuals_	Three						
To be completed November 15th, 1930. Blower pipe furnished by Church SPECIFICATIONS							
Grille by Two corbe		by church.					
10	81	Tuba73 Pipes					
11		Chimeswired 22 to 41 (Deagan)14"20 Tubes					
		SWELL ORGAN					
12 13 14 15 16	16' 8' 4' 8' 4'	Bourdon					
18	81	Voix Celeste					
19	2-2/31	Flautino					
21	81	Oboe					
22 23	81	Cornopean,					
20	0						
24 25 26 27 28 29 30 31	81 81 81 41 21 81	CHOIR ORGAN English Open Diapason. from #2					
32 - 33 34 35 36 37 38	321 161 161 161 81 81	PEDAL ORGAN Diapason Resultant. 32 Notes Double Open Diapason Big 44 Pipes Bourdon Big 32 " Lieblich Gedeckt from #12 32 Notes Dolce Flute from #12 32 " Major Flute from #33 32 " Cello from #5 32 "					

Provisions for seven blank echo staps for future installation on continations (Played from breat thanked) future installation on

39	COUPLERS
40	Swell to Great
41	Swell to Great 41
42	Swell to Great 16'
43	Choir to Great
44	Choir to Great 4T
45	Choir to Great 161
46	Great 41
	Great 16'
47	Swell to Choir Echolo Great Swell to Choir 16! Swell to Choir 16! "ON" "ON"
48	Swell to Choir 41 "old" "old"
49	photi to onoil io.
50	Choir 41
51	Choir 16!
52	Choir to Swell
53	Choir to Swell 41
54	Choir to Swell 16
55	Swell 4!
56	Swell 16'
57	Great to Pedal
58	Great to Pedal 4! .
59	Swell to Pedal
60	Swell to Pedal 41
61	Choir to Pedal
62	Great Unison Separation
63	Swell Unison Separation
64	Choir Unison Separation
65	MECHANICALS Great Tromulant
66	Swell Tromplant
67	
68	Choir Tremulant
	Croscendo Indicator (by light)
	ADJUSTABLE COLDINATIONS
Opera	ted by pistons placed under respective manuals)
115 vons no. 1-2-3-4-5-	b & Cancel affecting Great Ongen
TTO COURS INC. 1-5-0-4-0-	o & Cancal affecting Small Organ
11800HS NO. 1-2-0-4-5-	b & Cancel affecting Choir Organ
Fistons No, 1-2-3-4-5-	5 & Cancel affecting Podal Organ
Pistons No. 1-2-3-4-5-	6 & Cancel affecting Full Organ, duplicated by
	studs on toe board.
Pedal to Hamual "On" a	nd "Off" pistons
	PEDAL HOVELENTS
1	Great to Pedal Reversible
2	Balanced Swell Expression Pedal
1 2 3 4	Belenced Chair & Chart Transaction Policy
4	Balanced Cheir & Great Expression Fedals Swell to Fedal Reversible
5	
	Sforzando Pedal, by stud & light indicator, dupl.
6	by mamual piston.
	Grand Crescendo Pedal
	Concave Radiating Fedals
	FURNISHED WITH ORGAN
	Organ bench with music shelf
*	Electric motor, blower, generator. Freight &
	and the sort, blower, generator, breight &
NOTE If turns off	drayage from factory to bldg. & installation.
TD 6/20/20	drayage from factory to bldg. & installation.
EB - 6/12/30	drayage from factory to bldg. & installation.

M. P. MÖLLER Organ Factory

5835

Pipe Organ N	0	5835	_DateJune 12, 1930.
ForIm	manual E	vangelical Church, Detroit,	, Rich.
ActionE	lectric		ConsoleDetached 10' - 0"
Casing No	(Dak	Finish_ To Match Church Furniture
Decorations_			MotorElectric
Width of Key	-bed		Stop Controls
No. Manuals_		Three	Wind Pressure5"
To be comple	ted	November 15th, 1930.	Blower pipe furnished byChurch
Grille by Two corbei	church. ls of dis	SPECIFICATION OF SPECIFICATION OF SPILOR OF SP	ry.
A-440		GREAT ORGA	
2	81		40 scale, zinc bass73 Pipes n.44 scale-12 zinc spot unit.85
3	81		73
4	81		73 #
5	81		58 scale73 "
6	81		56 scale73 "
7	41		unit
8	41		from #2
9	81		from #2
11	0.		
		SWELL ORG	AN
12	161	Bourdon	Unit small scale
13	81		cale, zinc bass, slots73 "
14	81		from #12
15	81		from #1273 "
16 17	41		60 scale
18	81		from #16
19	2-2/31	Nazard	from #12
20	21		from #12
21	81		73 Pipes
22	81	Cornopean,	73 "
23	81	Vox Humana	S.S.B61 "
04		CHOIR ORG.	
24 25	81		onfrom #273 Notes
26	81		from #4
27	41		from #773
28	21		from #7
29	81		56 scale T.C61 Pipes
30 31	81	Clarinet	
		PEDAL ORG.	AN
32	321		32 Notes
33	161	Double Open Diapaso	n
34	161	Bourdon	
35	161		from #1232 Notes
36 37	81		from #1232 "
38	81		from #33
		0077000000000000000	**************************************

	COUPLERS Swell to Great 4' Swell to Great 16' Choir to Great Choir to Great Swell to Great The provision of the provision of the great to Great The provision of the great to Great to Great to Great
70	Swell to Great (Played from Israel)
39 40	Swell to Great 4!
41	Swell to Great 16' 7 Blank provision
42	Choir to Great
43	Choir to Great 4T
44	Choir to Great 161
45	Great 41
46	Great 16' Swell to Choir
47 48	Swell to Choir 41
49	Swell to Choir 16
50	Choir 41
51	Choir 16!
52	Choir to Swell
53	Choir to Swell 41
54	Choir to Swell 16'
55	Choir to Swell 16' Swell 4' Swell 16' Great to Podal Choir to Swell 16' Swell 16' Great to Podal Choir to Swell 16'
56 57	Great to Podal Like "on" Just off
58	Great to Pedal 41
59	Swell to Pedal
60	Swoll to Podal 41
61	Choir to Podal
62	Great Unison Separation
63	Swell Unison Separation
64	Choir Unison Separation
	MECHANICALS
65	Great Tromulant
66	Swell Tremulant
67	Choir Tremulant
68	Croscondo Indicator (by light)
10	ADJUSTABLE COMBINATIONS
Distance No. 1.2.7.45.6	& Cancol affecting Great Organ we keep of
Pistons No. 1-2-3-4-5-6	& Cancel affecting Swell Organ
	& Cancel affecting Choir Organ
	& Cancel affecting Pedal Organ
Pistons No. 1-2-3-4-5-6	& Cancel affecting Full Organ, duplicated by
	studs on toe board.
Pedal to Hamual "On" and	d "Off" pistons
	PEDAL HOVERENTS
1	Great to Pedal Reversible
	Balanced Swell Expression Pedal
2 3 4	Balancod Choir & Great Expression Fedals
	Swell to Pedal Reversible
5	Sforzando Pedal, by stud & light indicator, dupl.
	by manual piston.
6	Grand Croscondo Pedal
	Concave Radiating Padals
	FURNISHED WITH ORGAN
	TOTAL DIED WITH CHOSE
	Organ bench with music shelf
	Electric motor, blower, generator. Freight &
	drayage from factory to bldg. & installation.

EB - 6/12/30 Checked by...