

M. P. MÖLLER Organ Factory

2/13

Pipe Organ No. 9085 Date February 1, 1957
 For BETHANY EVANGELICAL LUTHERAN CHURCH, CEDAR RAPIDS, IOWA
 Action Electro-pneumatic Console Detached
 Casing No. None Finish As per sample
 Decorations None Motor 1½ H.P. - Style 3-P-2724
 Width of Key-bed Standard Stop Controls Tilting Tablet
 No. Manuals Two Wind Pressure Gt. 3-3/4", Sw. & Ped. 4"
 To be Completed February 1, 1958 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder; a product of his factory, and in no wise an assembled instrument. It shall be erected and tested in the factory prior to shipment, tone regulated and finished in the Church following installation.

GREAT ORGAN (Unenclosed)⁵

1.	8'	Principal.....	46.....	17½.....	12 zinc...	S.M..85	pipes
2.	8'	Rohrflöte.....	54.....	21½.....	12 zinc...	S.M..73	pipes
3.	4'	Octave.....	from #1.....				73 notes
4.	III Rks.	Fourniture.....	Formula "A"...	17½.....		S.M.183	pipes
5.		Tremolo					

SWELL ORGAN ⁷

6.	16'	Quintade.....	44.....	20½.....	24 zinc...	S.M..73	pipes
7.	8'	Gedeckt.....	from #6.....				61 notes
8.	8'	Viola.....	54.....	18½.....	12 zinc...	S.M..61	pipes
9.	4'	Koppelflöte.....	60.....	20½.....		S.M..61	pipes
10.	2'	Blockflöte.....	68½.....	20½.....		S.M..61	pipes
11.	II Rks.	Sesquialtera.....	Formula "B"...	12th 20½..17th.19½.....		S.M.122	pipes
12.	8'	Trompette..(1/2 length).....	2½".....	42½.....			61 pipes
13.		Tremolo					

PEDAL ORGAN (Unenclosed) ¹

14.	16'	Bourdon..(1-20) wood Reg. Ped. Bdn..#21..54..21½..low lip.....					
					large ears.....	44	pipes
15.	16'	Quintade.....	from #6.....				32 notes
16.	8'	Bourdon.....	from #14.....				32 notes
17.	8'	Gedeckt.....	from #15.....				32 notes

COUPLERS

* 18.	Great to Pedal	8'	25.	Swell	16'
* 19.	Great to Pedal	4'	26.	Swell	4'
* 20.	Swell to Pedal	8'	27.	Great	16'
* 21.	Swell to Pedal	4'	28.	Great	4'
22.	Swell to Great	16'			
23.	Swell to Great	8'			
24.	Swell to Great	4'			

* Pedal Couplers playable thru multiple contacts and switches

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4
 Pistons No. 1-2-3-4-5
 Pistons No. 1-2-3-4-5

Affecting Great and Pedal Organs
 Affecting Swell and Pedal Organs
 General, affecting entire Organ

PEDAL MOVEMENTS

Swell expression pedal
 Crescendo pedal with indicator lights
 Great to Pedal Reversible piston, duplicated to pedal, affecting Great to Pedal 4' in
 "off movement" only
 Tutti Reversible piston (Sfz), duplicated to pedal with indicator light

ACCESSORIES

All pipework to be of metal, excepting #1-20 of 16' Bourdon (wood)
 Tremolo cut-out for Tutti and Crescendo
 Starter buttons to be mounted in console
 Castlélite for music rack
 Independent reservoirs for each wind chest. Static blower reservoir
 Independently operated swell shades, with separate reservoir wind supply, as
 required
 Organ bench with music shelf
 Steel slow-speed Kinetic blower, electric motor, Orgelectra action current
 rectifier of ample capacity
 Organ to be delivered, installed and finished by Moller staff
 Signal light (white jewel) with tab engraved "USHERS"
 Signal button with tab engraved "NARTHEX"

ORGAN NO. 9085

BETHANY EVANGELICAL LUTHERAN CHURCH, CEDAR RAPIDS, IOWA

GREAT III RK. FOURNITURE FORMULA "A"

15	12	8
19	15	12
22	19	15
1-36	37-48	49-61

Unison	47	@	8"	CC	1/4	mouth	17 $\frac{1}{2}$	S. M.
Quint	48	@	8"	CC	2/9	mouth	17 $\frac{1}{2}$	S. M.

SWELL II RK. SESQUIALTERA FORMULA "B"

12	10
17	12
1-48	49-61

12th	68	scale	2/9	mouth	20 $\frac{1}{2}$	S.M.
17th	73 $\frac{1}{2}$	scale	1/5	mouth	19 $\frac{1}{2}$	S.M.