

Pipe Organ No. <u>A-10266</u>	Date <u>February 13, 1987</u>
For <u>FIRST BAPTIST CHURCH, ATHENS, TENNESSEE</u>	
Action <u>Electro-Pneumatic</u>	Console <u>Present - Detached</u>
Casing No. <u>Present drapery & valance</u>	Finish <u>No change</u>
Decorations <u>None</u>	Motor Present <u>2HP-Style 3P-3025</u>
Width of Key-bed <u>Standard</u>	Stop Controls <u>Drawknobs and</u>
No. Manuals <u>Two and Pedal</u>	<u>Tilting Tablets</u>
Blower Pipe Furnished by <u>Purchaser</u>	Wind Pressure <u>GT. 3-3/4", SW.4"</u>
To be Completed <u>July 1, 1987</u>	<u>& 6", Ped. 4"</u>

SPECIFICATIONS
for

Changing Tonally and Adding To
Present Moller OPUS 10266 - 1966

CONSOLE	Install new electric drawknobs Install new electric tilting tablets Install new quad memory solid state combination action Install contact rail for Swell Festival Trumpet
PIPES & ACTIONS	Install new pipes and actions as required to carry out additions and changes according to specifications
SWITCHES	Install new electro-pneumatic switches with stop actions and diodes as required
GENERAL	Entire organ to be regulated and tone finished

SPECIFICATIONS
for
CONSOLE AND ORGAN

Note - Present pipes and action unless otherwise specified

GREAT ORGAN - Unenclosed and Exposed ⁹

1.	8	Principal.....	61 pipes
2.	8	Rohrflote.....	61 pipes
3.	8	Erzahler.....	61 pipes
4.	4	Octave.....	61 pipes
5.	2	Super Octave.....	61 pipes
6.	II-IV Rks.	Mixture.....	208 pipes
7.		Chimes Console only	
8.		Tremolo	

SWELL ORGAN - Enclosed ¹⁴

9.	16	Gedeckt.....	73 pipes
10.	8	Gedeckt...from #9.....	61 notes
11.	8	Viole de Gamba.....	61 pipes
12.	8	Viole Celeste TC.....	49 pipes
13.	4	Principal.....	61 pipes

SWELL ORGAN (Continued)

14.	4	Koppelflöte.....	61 pipes
15.	2	Blockflöte.....	61 pipes
16.	II Rks.	Sesquialtera TC new pipes and action.....	98 pipes
17.	III Rks.	Plein Jeu.....	183 pipes
18.	16	Contre Trompette..new from #19 & 31, unify present action.....	61 notes
19.	8	Trompette.....	61 pipes
20.	4	Hautbois.....	61 pipes
21.		Tremolo	
22.*	8	Festival Trumpet new pipes and action.....	61 pipes
		* not to be affected by couplers	

PEDAL ORGAN

23.	32	Untersatz new, from #9 & 24.....	32 notes
24.**	16	Subbass.....	44 pipes
25.	16	Gedeckt...from #9.....	32 notes
26.	8	Principal #1-44 present pipes and action, #45-68 new pipes and action.....	68 pipes
27.	8	Gedeckt...from #9.....	32 notes
28.	4	Octave....from #26.....	32 notes
29.	III Rks.	Mixture...new, from #26.....	32 notes
30.	32	Trompette Cornet III Rks. new, from #9-24-19 & 31	32 notes
31.	16	Contre Trompette 12 pipes, 20 from #19.....	32 notes
32.	8	Trompette from #19.....	32 notes
33.	4	Hautbois..from #21.....	32 notes
		** to play thru slides in console	

COUPLERS

34.	Great to Pedal 8	40.	Great Unison Off
35.	Swell to Pedal 8	41.	Great 4
36.	Swell to Pedal 4	42.	Swell 16
37.	Swell to Great 16	43.	Swell Unison Off
38.	Swell to Great 8	44.	Swell 4'
39.	Swell to Great 4		

ADJUSTABLE COMBINATIONS

(Solid State Capture System - Quad Memory)

Pistons No. 1-2-3-4	Affecting Great Organ
Pistons No. 1-2-3-4	Affecting Swell Organ
Toe Studs No. 1-2-3-4	Affecting Pedal Organ
Pistons No. 1-2-3-4-5	Affecting Full Organ
General Cancel	
Memory Selector	
Combination Adjustor	
Combination Lock	

PEDAL MOVEMENTS (no change)

Great to Pedal Reversible (duplicated by manual piston)
 Swell to Pedal Reversible (duplicated by manual piston)
 Sforzando Reversible (duplicated by manual piston) with indicator light

PEDAL MOVEMENTS (continued)

Balanced Expresson Pedal - Swell Organ
Balanced Crescendo Pedal with indicator light

ACCESSORIES - (present unless noted)

Concave, radiating pedal clavier
Organ bench - Adjustable
Music rack with light
Pedal light
Organ blower and motor of ample capacity
Present DC organ power unit
Auxiliary DC organ power unit

CNG/ch
4-9-87