

M. P. MÖLLER Organ Factory

Pipe Organ No. R-658 Date February 29, 1960
 For CENTRAL PRESBYTERIAN CHURCH, DOWNINGTOWN, PENNSYLVANIA
 Action Electro-Pneumatic Console Present Detached Quartered Oak
 Casing No. Present - No Change Finish No Change
 Decorations Present - No Change Motor New Motor, Blower & DC Organ Power Unit.
 Width of Key-bed Standard Stop Controls Present - No Change
 No. Manuals Two and Pedal Wind Pressure 5"
 To be Completed Soon as Possible Blower Pipe furnished by Present

SPECIFICATIONS

FOR

REBUILDING PRESENT MOLLER ORGAN OPUS 4699 - 1926

CONSOLE Rebuild present console mechanism as required, using present console cabinet, pedal keyboard and organ bench.

MANUAL CHEST Releather 621 manual pipe pouches.
 Install 1059 new stop action checks and eyelets.
 Install 414 new duplex shifters.
 Releather two 73 note primary stations, install new valves and new outside type magnets.
 Releather 15 note stop action primary, install new valves and new outside type magnets.

OFFSET ACTIONS Releather Great 8 Open Diapason action #1 to #6 incl. install new valves and new outside type magnets.
 Releather Swell 16 Bourdon unit action #1 to #97 incl. install new valves and new outside type magnets.
 Releather Swell 8 Open Diapason action #1 to #6 incl. install new valves and new outside type magnets.

CONTACT BOXES Install new 6 note Contact Box for Great 8 Open Diapason #1 to #6.
 Releather present 73 note contact box for Swell Organ and install new silver wire contact blocks.

SWITCHES Install the following new switches with stop actions:

Great		Chimes	21 Notes
Swell	16	Bourdon	73 Notes
Swell	8	Open Diapason	6 Notes
Swell	8	Lieblich Gedeckt	73 Notes
Swell	4	Orchestral Flute	73 Notes
Swell	2-2/3	Flute Twelfth	61 Notes
Swell	2	Flautino	61 Notes

CHIMES Install new 21 note electro-pneumatic action.
 Install new tube for Top F #42.

PEDAL ORGAN Releather 16 Bourdon action #1 to #44 incl., install new valves and new outside type magnets.

EXPRESSION Releather 12 note action, install new valves and new outside type magnets.
Recover 12 shade and bumper pneumatics.
Install 12 new shade motor jack assemblies.

RESERVOIRS Install one new 3'-0" x 3'-0" Blower reservoir.
Recover one 3'-0" x 4'-0" Manual reservoir.
Recover one 16" x 21" Pedal reservoir.

TREMOLO Install one new electro-pneumatic tremolo.

PIPES Revoice Swell 8 Cornopean - 73 pipes
Revoice Swell 8 Oboe - 73 pipes

Install new tuning slides on the following pipes:

Great 8 Open Diapason	#1 to #12 incl.	12 Slides
Great 8 Melodia	#61 to #73 incl.	12 Slides
Great 8 Dulciana	#1 to #12 incl.	12 Slides
Great 8 Salicional	#1 to #12 incl.	12 Slides
Swell 16 Bourdon	#74 to #97 incl.	24 Slides
Swell 8 Open Diapason	#1 to #12 incl.	12 Slides
Swell 8 Aeoline	#1 to #12 incl.	12 Slides
Swell 8 Cornopean	#50 to #73 incl.	24 Slides
Swell 8 Oboe	#50 to #73 incl.	24 Slides

CABLES Install new asbestos covered cables between console and organ.

BLOWER Install new 1-1/2 HP, Style 3-P-2724 Kinetic Blower.

ACTION CURRENT Install new 10-15 Volt, 15 Ampere DC organ power unit.

GENERAL The entire organ returned to factory of M. P. Moller, Inc. at Hagerstown, Maryland for rebuilding as specified above.

SPECIFICATIONS
FOR
CONSOLE AND ORGAN

MANUAL COMPASS CC to C4, 61 notes
PEDAL COMPASS CCC to G, 32 notes
WIND PRESSURE 5"
PITCH A-440 @ 70°F

GREAT ORGAN

1	8	Open Diapason.....present pipes, present action.....	61 Pipes
2	8	Melodia.....present pipes, present action.....	73 Pipes
3	8	Dulciana.....present pipes, present action.....	73 Pipes
4	8	Salicional.....present pipes, present action.....	73 Pipes
5	4	Octave.....from #12.....	61 Notes
6	4	Flute Traverso.....from #2.....	61 Notes
7	8	Cornopean.....from #20.....	73 Notes
8	8	Oboe.....from #21.....	73 Notes
9		Chimes.....present tubes #22 to #41, new tube for top F #42, new action.....	21 Tubes

SWELL ORGAN

10	16	Bourdon (unit).....present pipes, present action.....	97 Pipes
11	8	Lieblich Gedeckt....from #10.....	73 Notes
12	8	Open Diapason.....present pipes, present action.....	73 Pipes
13	8	Dulciana.....from #3.....	73 Notes
14	8	Salicional.....from #4.....	73 Notes
15	8	Vox Celeste TC.....present pipes, present action.....	61 Pipes
16	8	Aeoline.....present pipes, present action.....	61 Pipes
17	4	Orchestral Flute....from #10.....	73 Notes
18	2-2/3	Flute Twelfth.....from #10.....	61 Notes
19	2	Flautino.....from #10.....	61 Notes
20	8	Cornopean.....present pipes, present action.....	73 Pipes
21	8	Oboe.....present pipes, present action.....	73 Pipes
22		Tremolo	

PEDAL ORGAN *

23	16	Bourdon.....present pipes, present action.....	44 Pipes
24	16	Lieblich Gedeckt....from #10.....	32 Notes
25	8	Flute.....from #23.....	32 Notes

COUPLERS

26	Great to Pedal
27	Swell to Pedal
28	Swell to Great 16
29	Swell to Great
30	Swell to Great 4
31	Great 16
32	Great 4
33	Swell 16
34	Swell Unison Off
35	Swell 4

* Playable three slides on console

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4

Affecting Great and Pedal Stops

Pistons No. 1-2-3-4

Affecting Swell and Pedal Stops

PEDAL MOVEMENTS

1 - Great to Pedal Reversible

2 - Balanced Expression Pedal (12 contacts, regular system)

3 - Balanced Crescendo Pedal with indicator

ACCESSORIES

Present concave and raidating pedal keyboard

Present organ bench with music shelf

New 1-1/2 HP Style 3-P-2724 Kinetic Blower

New 10-15 Volt, 15 Ampere DC organ power unit *with air-mercury switch*
(*locate in organ chamber*).