

M. P. MOLLER Organ Factory

2/16

|                                  |                                                    |                                    |                                      |
|----------------------------------|----------------------------------------------------|------------------------------------|--------------------------------------|
| Pipe Organ No.                   | A-10595                                            | Date                               | July 24, 1987                        |
| For                              | ST. JOHN'S LUTHERAN CHURCH, STEELTON, PENNSYLVANIA |                                    |                                      |
| Action                           | Electro-Pneumatic                                  | Console                            | Present-Detached                     |
| Casing                           | Present                                            | Finish                             | No change                            |
| Decorations                      | None                                               | Motor                              | Present 1-1/2 HP-3P-2724             |
| Width of Key-bed                 | Standard                                           | Stop Controls                      | Draw Knobs and<br>Tilting Tablets    |
| No. Manuals                      | TWO AND PEDAL                                      | Wind Pressure                      | Gr 3-1/2", Sw 4",<br>Ped 3-1/2" & 4" |
| To be Completed December 1, 1987 |                                                    | Blower Pipe furnished by Purchaser |                                      |

**SPECIFICATIONS**

FOR

TONAL CHANGES AND ADDITIONS TO PRESENT  
MOLLER ORGAN OPUS 10595 - 1969 39149

|                 |                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------|
| CONSOLE         | Install new draw knobs and toe studs as required by specifications.<br>Install Chimes jamb switch. |
| PIPES & ACTIONS | Install new pipes and action as required to carry out additions.                                   |
| SWITCHES        | Install new electro-pneumatic switches with stop actions and diodes as required.                   |
| GENERAL         | Present pipes and action to be retained except as specified.                                       |

Organ to be regulated and tone finished in church.

**SPECIFICATIONS**

FOR

CONSOLE AND ORGAN

|                |                                   |
|----------------|-----------------------------------|
| MANUAL COMPASS | CC to C4, 61 notes                |
| PEDAL COMPASS  | CCC to G, 32 notes                |
| WIND PRESSURE  | Gr 3-1/2", Sw 4", Ped 3 1/2" & 4" |
| PITCH          | A-440 @ 70 degrees F              |

NOTE: Present pipes unless otherwise indicated.

GREAT ORGAN - Exposed 7

|    |           |                                               |           |
|----|-----------|-----------------------------------------------|-----------|
| 1. | 8         | Principal.....                                | 61 pipes  |
| 2. | 8         | Rohrflote.....#1-61 present pipes & action    |           |
|    |           | #62-85 new pipes & action.....                | 85 pipes  |
| 3. | 8         | Erzahler Celeste (II Rks.)...from #11 & 12... | 61 notes  |
| 4. | 4         | Octav.....                                    | 61 pipes  |
| 5. | 4         | Spillflote.....from #2.....                   | 61 notes  |
| 6. | 2         | Blockflote.....from #2.....                   | 61 notes  |
| 7. | II-IV Rk. | Mixtur.....                                   | 208 pipes |

GREAT ORGAN (Continued)

|    |   |                                                                                          |
|----|---|------------------------------------------------------------------------------------------|
| 8. | 8 | Cromorne TC.....new pipes & action.....49 pipes                                          |
| 9. |   | Chimes (jamb switch)...present tubes &<br>electro-pneumatic action (1-1/4").....25 tubes |

SWELL ORGAN - Enclosed 7

|     |       |                                                                                  |
|-----|-------|----------------------------------------------------------------------------------|
| 10. | 8     | Holzgedeckt.....61 pipes                                                         |
| 11. | 8     | Erzahler.....61 pipes                                                            |
| 12. | 8     | Erzahler Celeste TC...new pipes & action.....49 pipes                            |
| 13. | 4     | Nachthorn.....61 pipes                                                           |
| 14. | 2     | Principal.....61 pipes                                                           |
| 15. | 1-1/3 | Quinte.....61 pipes                                                              |
| 16. | 8     | Trompete...#1-31 new pipes, #32-61 present<br>pipes, present action.....61 pipes |
| 17. |       | Tremolo                                                                          |

\* PEDAL ORGAN 2

|     |    |                                                                            |
|-----|----|----------------------------------------------------------------------------|
| 18. | 32 | Untersatz...(toe stud)..from #10, 19 & 20.....32 notes                     |
| 19. | 16 | Subbass.....32 pipes                                                       |
| 20. | 16 | Gedeckt.....12 pipes; 20 from #10.....32 notes                             |
| 21. | 8  | Octav.....44 pipes                                                         |
| 22. | 8  | Gedeckt.....from #10.....32 notes                                          |
| 23. | 4  | Octav.....from #21.....32 notes                                            |
| 24. | 32 | Reed Cornet...(toe stud)..from #16 & 25.....32 notes                       |
| 25. | 16 | Trompete Bass....12 new pipes, present action,<br>20 from #16.....32 notes |
| 26. | 4  | Clairon.....from #16.....32 notes                                          |

\* Pedal Organ playable thru slides in console  
and new switches as required.

COUPLERS - no change

|     |                   |
|-----|-------------------|
| 27. | Great to Pedal    |
| 28. | Swell to Pedal    |
| 29. | Swell to Great 16 |
| 30. | Swell to Great    |
| 31. | Swell to Great 4  |
| 32. | Swell 16          |
| 33. | Swell 4           |

ADJUSTABLE COMBINATIONS - no change

|                   |                       |
|-------------------|-----------------------|
| Pistons No. 1-2-3 | Affecting Great Organ |
| Pistons No. 1-2-3 | Affecting Swell Organ |
| Pistons No. 1-2-3 | Affecting Pedal Organ |
| Pistons No. 1-2-3 | Affecting Full Organ  |
| General Cancel    |                       |

PEDAL MOVEMENTS

Great to Pedal reversible  
Tutti reversible with indicator light (red jewel)  
32 Untersatz reversible with indicator light (blue jewel) - new  
32 Reed Cornet reversible with indicator light (blue jewel) - new  
Balanced Expression Pedal - Swell Organ  
Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES - no change

Concave, radiating pedal clavier  
Organ bench with music shelf  
Music rack with light  
Pedal light  
Momentary contact starter switch  
Motor, blower and action power unit

dmm

8-31-87