

M. P. MÖLLER Organ Factory

Daniels

3-26

Pipe Organ No. 10489 Date July 5, 1967
 For IMMANUEL EVANGELICAL LUTHERAN CHURCH, MERIDEN, CONNECTICUT
 Action Pitman type Electro-Pneumatic Console Detached
 Casing No. None Finish As Per Sample
 Decorations None Motor 3 H.P. Style 3-P-3027
 Width of Key-bed Standard Stops and intra-manual couplers by draw
English ivory keys. Stop Controls knobs. Inter-manual couplers
 No. Manuals THREE Multiple contacts & all by tilting tablets. Gt. 3", Pos. 2-3/4", Sw. 3 1/2",
electric switches. Wind Pressure Ped. 3" & 3 1/2"
 To be Completed September 1, 1969 Blower Pipe furnished by Purchaser

PITCH: A=440 @ 70°F

SPECIFICATIONS

GREAT ORGAN 9

(Unenclosed and Exposed)

- | | | |
|----|----|---|
| 1. | 8' | Principal.....47.....18-1/2.....12 Zinc S.M....61 pipes |
| 2. | 8' | Brzahler.....52-1/4..17-1/2.....12 Zinc S.M....61 pipes |
| 3. | 8' | Holzgedeckt..Spec. Tapered Wood Bass, Reg. Stopped
Flute, Treble.....Wood.....61 pipes |
| 4. | 4' | Octave.....58.....18-1/2.....S.M....61 pipes |
| 5. | 2' | Waldflöte.....68-3/4...20-1/2.....S.M....61 pipes |
| 6. | | III-IV Rk.Mixture 15-19-22..Formula "A"..17-1/2.....S.M....61 pipes |
| 7. | | Chimes....pres. bells, new Moller action A to F #22 to ²²⁶ Deagan "K" tubes |
- A to E - new top F take new ~~electro pneumatic action~~ A to F #22 to #42.....21 ~~bells~~ Tubes*

SWELL ORGAN 9

(Enclosed)

- | | | |
|-----|---------|---|
| 8. | 8' | Rohrflöte.....54.....21-1/2.....12 Zinc S.M....61 pipes |
| 9. | 8' | Gamba.....52.....18-1/2.....12 Zinc S.M....61 pipes |
| 10. | 8' | Gamba Celeste T.C...54 @ 8' CC..18-1/2.....S.M....49 pipes |
| 11. | 4' | Nachthorn.....56.....19-1/2.....S.M....61 pipes |
| 12. | 2' | Spitzprincipal.....70-3/4..18-1/2.....S.M....61 pipes |
| 13. | II Rks. | Scharf...19-22.....Formula "B"..18-1/2.....S.M....122 pipes |
| 14. | 8' | Trompette...CC 3-1/2"..TC 2-1/16"...42-1/2.....61 pipes |
| 15. | 4' | Schalmei.....3" @ 8' CC.....61 pipes |
| 16. | | Tremolo |

POSITIV ORGAN 7

(Unenclosed and Exposed)

- | | | |
|-----|---------|---|
| 17. | 8' | Gedeckt.....56.....20-1/2.....12 Zinc S.M....61 pipes |
| 18. | 4' | Principal.....58.....17-1/2.....S.M....61 pipes |
| 19. | 2' | Oktav.....71.....17-1/2.....S.M....61 pipes |
| 20. | 1-1/3' | Larigot.....80-2/3..18-1/2.....S.M....61 pipes |
| 21. | II Rks. | Sesquialtera..12-17....Formula "C"..20-1/2.....S.M....122 pipes |
| 22. | 8' | Krummhorn.....1"61 pipes |
| 23. | | Tremolo |

PEDAL ORGAN

24.	16'	Violone....CCC 36...CC 46....18-1/2.....29 Zinc S.M....56 pipes
25.	16'	Subbass....Reg. Ped. Bdn....12 pipes, 20 from #3.....32 notes
26.	16'	Rohrgedeckt...CCC 40...CC 54....21-1/2...12 pipes, 20 from #8.....32 notes
27.	8'	Principal.....from #24.....32 notes
28.	8'	Subbass.....from #3.....32 notes
29.	8'	Rohrgedeckt.....from #8.....32 notes
30.	4'	Octave.....from #24.....32 notes
31.	16'	Trompette....CCC 6"...CC 3-1/2"...12 pipes, 20 from #14 32 notes
32.	4'	Trompette.....from #14.....32 notes

COUPLERS

33.	Great to Pedal 8'
34.	Swell to Pedal 8'
35.	Swell to Pedal 4'
36.	Positiv to Pedal 8'
37.	Swell to Great 16'
38.	Swell to Great 8'
39.	Swell to Great 4'
40.	Positiv to Great 16'
41.	Positiv to Great 8'
42.	Great Unison On and Off
43.	Great to Great 4'
44.	Swell to Positiv 16'
45.	Swell to Positiv 8'
46.	Swell to Positiv 4'
47.	Swell to Swell 16'
48.	Swell Unison On and Off
49.	Swell to Swell 4'
50.	Positiv to Positiv 16'
51.	Positiv Unison On and Off

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5	Affecting Great Stops
Pistons No. 1-2-3-4-5-6	Affecting Swell Stops
Pistons No. 1-2-3-4-5	Affecting Positiv Stops
Toe Studs No. 1-2-3-4-5-6	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ (duplicated by toe studs)
General Cancel Piston	

PEDAL MOVEMENTS

Balanced Expression Pedal - Swell Organ

Positive to Pedal by toe stud & manual piston

Balanced Crescendo Pedal

*Tutti by toe stud & manual piston**Great to Pedal by toe stud & manual piston**Swell to Pedal by toe stud and manual piston*ACCESSORIES

Concave radiating pedal clavier

Organ bench with music shelf

Crescendo indicator light

Tutti indicator light

Music rack light

Pedal light

Plexiglas music rack

Motor starter switch mounted in console

Electric motor, blower and action power unit of ample capacity

Shade to open horizontally.

There is to be 2 feet between top of reservoir and bottom boards clearance.

JHH/mr

12/17/68

Salesman: Beyer

MIXTURE FORMULAS

GREAT ORGAN
III-IV Rks. Mixture Formula "A"

15	12	8	8
19	15	12	15
22	19	15	12
	22	19	15
1-18	19-42	43-54	55-61

Unison 46 @ 8' CC 17-1/2 1/4 mouth S.M.
 Quint 47 @ 8' CC 17-1/2 1/4 mouth S.M.

SWELL ORGAN
II Rks. Scharf Formula "B"

26	22	19	15	12
29	26	22	19	15
1-12	13-24	25-36	37-48	49-61

Unison 48 @ 8' CC 18-1/2 1/4 mouth S.M.
 Quint 49 @ 8' CC 18-1/2 1/4 mouth S.M.

POSITIV ORGAN
II Rks. Sesquialtera Formula "C"

12	12
17	15
1-50	51-61

12th 2-2/3' 68-3/4 20-1/2 2/9 mouth S.M.
 15th 2' 76 20-1/2 2/9 mouth S.M.
 17th 1-3/5' 77-2/3 20-1/2 1/5 mouth S.M.