

#1196

THE REUTER ORGAN CO.
LAWRENCE, KANSAS

Organ Architects and Builders

George L. Hamrick, SOUTHEASTERN REPRESENTATIVE

2602 ACORN AVENUE, N.E., Atlanta 5, Georgia

3/27

1957

SPECIFICATIONS

OF A

REUTER PIPE-ORGAN

For The

CENTRAL PRESBYTERIAN CHURCH

Anderson, S. C.

Three Manuals & Pedal

Manuals:	Compass CC to C4, 61 notes
Pedals:	Compass CCC to G, 32 notes
Action:	Reuter's Electro-Pneumatic
Console:	Detached
Registration:	Controlled by Stop-Tongues
Pitch:	A-440
Casework:	None except for the Console
Display Pipes:	None in this contract
Grilles:	By the Second Party
Enclosures:	Suitable chambers for the organ, blower and motor are to be provided by the Second Party; details to be supplied by the First Party

GREAT ORGAN 5

(Expressive in Chamber No. 1)

1.	8'	Diapason	metal	51 Møller, 10 Reuter pipes
2.	8'	Eordun	metal	61 Reuter pipes
3.	4'	Octave	metal	12 Møller, 49 Reuter pipes
4.	2 2/3'	Twelfth	metal	61 Reuter pipes
5.	2'	Super Octave	metal	49 Møller, 12 Reuter pipes
6.		Chimes	(Console Preparation Only)	

Couplers to Great: Great to Great 16'

IV Furniture	244 (1973)	Great Unison Off
8' Bombards	17A2 (1973)	Great to Great 4'
8 Tenc pf		Swell to Great 16'
		Swell to Great 8'
		Swell to Great 4'
		Choir to Great 16'
		Choir to Great 8'
		Choir to Great 4'

SWELL ORGAN 9

(Expressive in Chamber No. 2)

7.	16'	Sedeckt, t.c.	from #8	61 notes
8.	8'	Stopped Flute	w & m	61 Møller, 24 Reuter pipes
9.	8'	Salicional	metal	12 Møller, 61 Reuter pipes
10.	8'	Voix Celeste, t.c.	metal	49 Møller, 12 Reuter pipes
11.	4'	Principal	metal	49 Møller, 24 Reuter pipes
12.	4'	Flute d'Amour	from #8	73 notes
13.	2 2/3'	Nasard	from #8	61 notes
14.	2'	Flautino	from #8	61 notes
15.	III Rank	Mixture	metal 15-19-22	185 Reuter pipes
16.	8'	Trompette	reeds	73 Reuter pipes
17.	4'	Hautbois	reeds	73 Reuter pipes
18.		Tremulant		

Couplers to Swell: Swell to Swell 16'
Swell Unison Off
Swell to Swell 4'

CHOIR ORGAN 5

(Expressive in Chamber No. 1)

19.	8'	Melodia	w & m	61 Møller, 24 Reuter pipes
20.	8'	Dulciana	metal	12 Møller, 49 Reuter pipes
21.	8'	Unda Maris, t.c.	metal	49 Møller pipes
22.	4'	Flauto Traverso	from #19	61 notes
23.	2'	Nasat	metal	61 Reuter pipes
24.	2'	Piccolo	from #19	61 notes
25.	1-3/5'	Tierce	metal	61 Reuter pipes
26.		Tremulant	14 Bourdon 244 (1973) 8 Bourdon 172 (1973)	
		Couplers to Choir:	Choir to Choir 16'	
			Choir Unison Off	
	8 Ten C pf		Choir to Choir 4'	
			Swell to Choir 16'	
			Swell to Choir 8'	
			Swell to Choir 4'	

PEDAL ORGAN 3

(Expressive with other Divisions)

27.	16'	Violone	metal	32 Reuter pipes
28.	16'	Bourdon	wood	32 Møller pipes
29.	16'	Gedeckt	#8 Extension	12 Reuter pipes
30.	8'	Octave	metal	32 Reuter pipes
31.	8'	Bourdon	#28 extension	10 Møller, 2 Reuter pipes
32.	8'	Gedeckt	from #8	32 notes
33.	4'	Super Octave	#30 extension	12 Reuter pipes
34.	4'	Flute	from #8	32 notes
		Couplers to Pedal:	Great to Pedal 8'	
			Great to Pedal 4'	
	16 Bombarde 32 (1973)		Swell to Pedal 8'	
	8 Bombarde 12		Swell to Pedal 4'	
	4 Clarion 12		Choir to Pedal 8'	
			Choir to Pedal 4'	

COMBINATIONS

(Instantly Adjustable and visibly moving the Stops)

Five General Pistons acting on the entire organ
General Cancel Piston acting on the entire organ
Five Pistons acting on Great Stops & Couplers
Five Pistons acting on Swell Stops & Couplers
Five Pistons acting on Choir Stops & Couplers
Five Toe-Studs acting on Pedal Stops & Couplers
Great to Pedal Reversible toe-stud
Sforzando Reversible toe-stud and indicator

COMBINATION COUPLERS

Pedal Pistons to Great Pistons, On and Off
Pedal Pistons to Swell Pistons, On and Off
Pedal Pistons to Choir Pistons, On and Off

ACCESSORIES

Balanced Great-Choir Expression Pedal and Action
Balanced Swell Expression Pedal and Action
Balanced Register Crescendo Pedal, adjustable and with indicator

Organ Blower and Motor of ample capacity
Action Current Rectifier
Organist Bench with music shelf and adjustable in height
Fluorescent Light for Music Rack and switch
Pedal Manual Light
Concave-Radial Pedal Manual, A.G.O. Model
Console lock and two keys

MEMORANDUM OF AGREEMENT entered into this 5 day of Feb., 1973, by and between THE REUTER ORGAN COMPANY, Lawrence, Kansas, Builder, and CENTRAL PRESBYTERIAN CHURCH, Anderson, South Carolina, Purchaser, witnesseth:

1. The Builder agrees to build for and erect in Central Presbyterian Church, Anderson, South Carolina, the following listed additions and modifications to the present Reuter Pipe Organ, complete and ready for use on or about April 1, 1973, subject however to delays from fire, water, strikes, or causes not within the reasonable control of the first party, to wit:

- A. A new nameboard with new stopkeys and combination action shall be built and installed in the existing Reuter console. The combinations shall be of the same number and disposition as are in the existing console. All existing stop controls shall be included in the new unit as well as the following additions:
 - (1) Great Organ: IV Fourniture
 - (2) Great Organ: 8' (Ped) Bombarde
 - (3) Great Organ: 8' Trompette en chamade
 - (4) Choir Organ: 8' Trompette en chamade
 - (5) Pedal Organ: 16' Bombarde
 - (6) Pedal Organ: 8' Bombarde
 - (7) Pedal Organ: 4' Clarion
- B. Great Organ, IV Mixture, 244 pipes and chest with frame, electrical cable, cutout switch and wind conductor to be added to the existing Great division and blended with the existing pipework to provide a functional musical unit.
- C. Pedal Organ, 16' Bombarde, 73 pipes and chest with frame and rack supports, electrical cable, separate air reservoir, and wind conductors to be added to the existing Pedal division and blended with the existing pipework to provide a functional musical unit. This rank shall also be supplied with a diode relay and wired to the existing Great organ to play at 8' pitch in the manual as a major reed stop.

2. The Builder warrants that the said additions shall be of first quality, free from defects in material or workmanship, and agrees to replace or repair any such defective parts at its own expense during the term of five years after the completion of said additions, upon written notice thereof. This warranty does not include tuning, regulating, or care of said additions.