

#582

The Clearfield Meth. Episc Church
Clearfield, Pa.

This Agreement made this
2nd day of February, 1905, by and
between M. P. Moller, of Hagerstown
Maryland, party of the first part
and The Clearfield Methodist
Episcopal Church of Clearfield
Pa., party of the second part
witnesseth:

That the said party of the
first part does hereby agree to
build an organ after and accord-
ing to the annexed specifications
and the drawings to be hereafter
approved by the said party of the
second part and to erect the said
organ in the new M. E. Church
building, Corner 2nd and Walnut
streets, Clearfield, Pa., complete
and ready for use and to the
acceptance of the party of the
second part, on or before the
31st day of July, 1905.

And the party of the second part
agrees to pay M. P. Moller or his
order the sum of Four Thousand
Dollars (\$4000.00) within thirty
days after satisfactory completion
of the organ in said church, the
party of the first part further
agrees to forfeit the sum of Three
Hundred Dollars (\$300.00) if organ
is not completed on or before the
15th day of August 1905.

and the Clearfield Methodist
Episcopal Church of Clearfield
Pa, party of the second part
witnesseth:

That the said party of the
first part does hereby agree to
build an organ after and accord-
ing to the annexed specifications
and the drawings to be hereafter
approved by the said party of the
second part and to erect the said
organ in the new M. E. Church
building, Corner 2nd and Walnut
streets, Clearfield, Pa., complete
and ready for use and to the
acceptance of the party of the
second part, on or before the
31st day of July, 1905

And the party of the second part
agrees to pay M. P. Moller or his
order the sum of, Four Thousand
Dollars (\$4000.00) within thirty
days after satisfactory completion
of the organ in said church, the
party of the first part further
agrees to forfeit the sum of Three
Hundred Dollars (\$300.00) if organ
is not completed on or before the
15th day of August 1905

Geo. H. Pheasant
Sec. Trustees of
Clearfield M. E.
Church.

The party of the first part
further agrees to tune the organ
once a year for a term of two
years after completion of the
organ, without cost to the
party of the second part

582

Specifications:-

2 manual Pipe Organ.

Manuals:- Compass C to c - 61 Notes
 Pedals :- Compass C to F - 30 Notes
 Action :- Möller's Improved Tubular
 Pneumatic throughout, including
 Couplers and Stop-action -

<u>Great Organ:-</u>				
1-	16 ft	Dbl. Open Diapa-	Wood ^{and} Metal	61 Pipe
2-	8 "	Open Diapa -	"	61 "
3-	8 "	Vio. d'Gamba	"	61 "
4-	8 "	Dulciana	"	61 "
5-	8 "	Melodia	Wood	61 "
6-	8 "	Sopell Floete	"	61 "
7-	4 "	Principal	Metal	61 "
8-	4 "	Flute d'Amour	Wood ^{and}	" 61 "
9-	2 $\frac{2}{3}$ "	Oct. Quint	"	61 "
10-	2 "	Super Octave	"	61 "
11-	8 "	Trumpet	Reeds.	61 "

<u>Swell Organ:-</u>				
12-	16 "	Lieb. Gedacht Treble	Wood	61 "
13-	16 "	do do Bass		
14-	8 "	Open Diapa -	Metal	61 "
15-	8 "	Viola	"	61 "
16-	8 "	Stop Diap -	Wood	61 "
17-	8 "	Violina -	Metal	61 "
18-	8 "	Vox Celeste	"	49 "
19-	4 "	Violina	"	61 "
20-	4 "	Flute Harm.	"	61 "
21-	2 "	Flautina	"	61 "
22-	8 "	Oboe & Bassoon	Reed	61 "
23-	8 "	Vox Humana.	"	49 "

<u>Pedal Organ:-</u>				
24-	16 "	Dbl. Open Diap	Wood	30 "
25-	16 "	Bourdon	"	30 "
26-	8 "	Violincello	Metal	30 "

3-8	"	Vio. d'Gamba	"	61	"
4-8	"	Dulciana	"	61	"
5-8	"	Melodia	Wood	61	"
6-8	"	Sopfel Floete	"	61	"
7-4	"	Principal	Metal	61	"
8-4	"	Flute d'Amour	Wood	61	"
9-2 $\frac{2}{3}$	"	Oct. Quint	"	61	"
10-2	"	Super Octave	"	61	"
11-8	"	Trumpet	Reeds.	61	"

<u>Swell Organ</u>	12-16	Lieb. Gedacht Treble	}	Wood	61	"
	13-16	do do Bass				
	14-8	Open Diapa-		Metal	61	"
	15-8	Viola		"	61	"
	16-8	Stop Diap-		Wood	61	"
	17-8	Arolina-		Metal	61	"
	18-8	Vox Celeste		"	49	"
	19-4	Violina		"	61	"
	20-4	Flute Harm.		"	61	"
	21-2	Flautina		"	61	"
	22-8	Oboe & Bassoon		Reed	61	"
	23-8	Vox Humana.		"	49	"

<u>Pedal Organ</u>	24-16	Dbl. Open Diap.	Wood	30	"
	25-16	Bourdon	"	30	"
	26-8	Violincello	Metal	30	"

Mech Reg-

- 27- Swell to Great Coupler
 28- Great to Pedal do
 29- Swell to do do
 30- Swell to Great Super Octave Coupler
 31- Swell to Great Sub do do.
 32- Swell Tremolo -
 33- Pedal Chrtk
 34- Bellows Signal
 Wind Indicator
 Crescendo Indicator

Adjustable Combinations:-

(Controlled by pistons placed under resp. manuals)

- | | |
|-------------|-----------------------------------|
| Piston No 1 | } Affecting Swell and Pedal Stops |
| " No 2 | |
| " No 3 | |
| " No 4 | } " Great and Pedal do. |
| " No 5 | |
| " No 6 | |

Great to Pedal Reversible

Balanced Swell Pedal.

Grand Crescendo Pedal, beginning at the softest and drawing all stops in their regular order of power by a single movement of the foot. By reversing the movement stops are thrown off in an inverse order. This applies to Reeds and Couplers -

All combinations specified are to be operated by pistons and visibly affect the draw knobs and are double acting and so arranged and constructed that the performer

Adjustable Combinations: -

(Controlled by pistons placed under resp. manuals)

Piston No 1	}	Affecting Swell and Pedal Stops
" No 2		
" No 3		
" No 4	}	" Great and Pedal do.
" No 5		
" No 6		

Great to Pedal Reversible

Balanced Swell Pedal

Grand Crescendo Pedal, beginning at the softest and drawing all stops in their regular order of power by a single movement of the foot. By reversing the movement stops are thrown off in an inverse order. This applies to Reeds and couplers -

All combinations specified are to be operated by pistons and visibly affect the draw knobs and are double acting and so arranged and constructed that the performer can lock any desired complement of stops to the respective pistons controlling that division or those divisions of the organ to which the said stops belong, by means of a draw knob bearing ivory signature plate

#582

Engraved "Adjustable" Combination
No 1" and so on in serial order of
numbers until one such knob for
each combination piston has been
provided. The operation of the
locking device shall not require
the interruption of the player's
performance.

Organ Bench with music shelf of
same material as casing.
Concave Pedal -

Water motor of sufficient capacity
for all legitimate purposes with
all automatic attachments. Second
party to do plumbing and masonry
water pressure not to be less than
30 lbs at motor -

Aug. 18, 1905 Organ Shipped, 66 M. Parts, 9500 Hight.
Rate 374
Car No. 944 P. R. R Co.
Consigned to Geo. H. Rheum,
Clearfield, Pa.