

M. P. MÖLLER Organ Factory

J. R. Daniels

2/18

Pipe Organ No. 11059 Date August 27, 1974
 For ST. STEPHEN'S CATHOLIC CHURCH, STREATOR, ILLINOIS
 Action Moller's Electro-Pneumatic Console Detached. All electric operation with roll top & lock.
 Casing No. None Finish As Per Sample
 Decorations None Motor 1 H.P. Style 3-P-2722
 Width of Key-bed Standard Stop Controls Tablet Type
 No. Manuals TWO Wind Pressure 2-3/4"
 To be Completed June 20, 1975 Blower Pipe furnished by Purchaser

SPECIFICATIONS

PITCH: A-440

GENERAL: Present organ shall be removed by and become salvage of M. P. Moller, Inc. if desired, and without charge. The new organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

GREAT ORGAN (unenclosed and exposed)

1.	8'	Principal.....45.....17-1/2.....17 Zinc S.M....61 pipes
2.	8'	Bourdon.....54.....20-1/2.....17 Zinc S.M....61 pipes
3.	4'	Octave.....57.....18-1/2.....5 Zinc S.M....61 pipes
4.	2'	Doublette.....70.....17-1/2.....S.M....61 pipes
5.	II-IV Rks.	Furniture.....Formula "A"208 pipes
6.	8'	Trompette.....from #14.....61 notes
7.		Chimes....(console only, with switch)

+

SWELL ORGAN (enclosed)

8.	8'	Rohrfiöte...#1-12 Wood #13 based on 56 Wood, Zinc & SM.61 pipes
9.	8'	Viola.....52.....18-19-1/2.....16 Zinc S.M....61 pipes
10.	8'	Viola Celeste T.C...54.....18-19-1/2.....2 Zinc S.M....49 pipes
11.	4'	Spitzprinzipal...58-2/3..18-1/2.....5 Zinc S.M....61 pipes
12.	2'	Hohlfliöte.....66.....17-1/2.....S.M....61 pipes
13.	III Rks.	Scharf.....Formula "B"S.M...183 pipes
14.	8'	Trompette.....3"42-1/2.....61 pipes
15.		Tremolo

16
4

PEDAL ORGAN (unenclosed and exposed)

16.	16'	Principal.....32....17-1/2.....29 Zinc S.M....56 pipes
17.	16'	Rohrgedeckt....LMB 12 pipes 20 from #8.....Wood.....32 notes
18.	8'	Octave.....from #16.....32 notes
19.	8'	Rohrfiöte.....from #8.....32 notes
20.	4'	Super Octave.....from #16.....32 notes
21.	16'	Bombarde.....4".....1/2 length...12 pipes; 20 from #14.....32 notes
22.	4'	Clairon.....from #14.....32 notes

711 Lindy St
61344

COUPLERS

- 23. Great to Pedal 8'
- 24. Swell to Great 16'
- 25. Swell to Great 8'
- 26. Swell to Great 4'
- 27. Swell to Pedal 8'
- 28. Swell 16'
- 29. Swell 4'
- 30. Great 4'

ADJUSTABLE COMBINATIONS

General Pistons No. 1-2-3-4-5-6

Affecting entire organ, placed
beneath Swell center.

ACCESSORIES

Crescendo Pedal for entire organ, with indicator light, cut-out for
Tremolo-Celeste-Chimes.

Great to Pedal Reversible toe stud

Swell expression pedal, swell box enclosure and shade actions in standard
materials as required. Shades to have independent operation.

Circuit breakers for organ action protection, 15 Ampere maximum per circuit.

Solid wood music rack with light in 4" shelf; light for pedal board.

Organ bench with music shelf

Starter buttons mounted in console

Electric motor, blower with action current rectifier of ample capacity,
static blower reservoir.

D. C. Current Light

DMG/mr

1/8/75

Salesman: Henry Beard

ORGAN NO. 11059

ST. STEPHEN'S CATHOLIC CHURCH, STREATOR, ILLINOIS

SPECIAL MIXTURE FORMULAS

GREAT ORGAN

II-IV Rks. Fourniture (Formula "A") 208 pipes S.M. 2-3/4"

22	19	15	12	8	1	1
26	22	19	15	12	8	8
	26	22	19	15	12	12
		26	22	19	15	
1-12	13-18	19-30	31-42	43-49	50-55	56-61
Unison	48 Sc. @ 8'	17-1/2	1/4 mouth			
Quint	49 Sc. @ 8'	17-1/2	1/4 mouth			

SWELL ORGAN

III Rks. Scharf (Formula "B") 183 pipes S.M. 2-3/4"

29	26	22	19	15	12	8
33	29	26	22	19	15	12
36	33	29	26	22	19	15
1-12	13-24	25-30	31-42	43-49	50-54	55-61
Unison	50 Sc. @ 8'	17-1/2	1/4 mouth	S.M.		
Quint	51 Sc. @ 8'	17-1/2	1/4 mouth	S.M.		