

MÖLLER ORGAN FACTORY

29

Pipe Organ No. M-6446 Date November 28, 1990
 For TRINITY EPISCOPAL CHURCH, HATTIESBURG, MISSISSIPPI
 Action Electro-Pneumatic Console Detached - No Rolltop
 Casing None Finish Per Customer's Sample
 Decoraction None Motor Present - No Change
 Width of Key-bed Standard Tracker Touch Yes ☒ No ☐
 Keys to be Present - No Change Stop Controls Walnut Implex Draw Knobs and
Maple Tilting Tablets
 No. Manuals TWO AND PEDAL Wind Pressure No Change
 To be Completed December 1, 1991 Blower Pipe Furnished by Existing

SPECIFICATIONS

FOR

ADDITIONS TO PRESENT MC MANIS ORGAN 44942

CONSOLE

Install new two manual, all electric, detached, ^{draw knob and} tilting tablet console, pedal keyboard and bench.

OFFSET & UNIT CHEST

Install new chest as follows:

Swell 8 Hohlflöte 73 notes

Install new actions as required for additions.

SWITCHES

Install new solid state switches as required.

PIPES

Install new pipes as indicated by organ specifications.

SPECIFICATIONS

FOR

CONSOLE AND ORGAN

MANUAL COMPASS CC to C4, 61 notes
 PEDAL COMPASS CCC to G, 32 notes
 WIND PRESSURE See Scale Sheet
 PITCH A-440 @ 70° F.

NOTE: Present pipes and actions unless indicated.

GREAT ORGAN - Unenclosed

1.	16	Gemshorn.....from #27 & 13.....61 notes
2.	8	Principal.....85 pipes
3.	8	Chimney Flute.....73 pipes
4.	8	Gemshorn.....from #13.....61 notes
5.	4	Octave.....from #2.....61 notes
6.	4	Chimney Flute.....from #3.....61 notes
7.	4	Gemshorn.....from #13.....61 notes
8.	2 2/3	Nazard.....from #3 (repeat top notes).....61 notes
9.	2	Super Octave.....from #2.....61 notes

GREAT ORGAN (Continued)

10.	III	Mixture.....from #20.....61 notes
11.	8	Trumpet.....from #21.....61 notes

SWELL ORGAN - Enclosed

12.	8	Hohlflöte.....new pipes & actions.....73 pipes
13.	8	Gemshorn.....97pipes
14.	8	Gemshorn Celeste TC.....49 pipes
15.	4	Flute.....from #12.....61 notes
16.	4	Gemshorn.....from #13.....61 notes
17.	2	Gemshorn.....from #13.....61 notes
18.	1 1/3	Larigot.....from #13.....61 notes
19.	1	Gemshorn.....from #13.....61 notes
20.	III	Scharf.....183pipes
21.	8	Trumpet.....73pipes
22.	4	Clairon.....from #21.....61 notes
23.		Tremulant
24.	* 16	Trompette en Chamade TC (prepared for)
25.	* 8	Trompette en Chamade (prepared for)

* Not affected by couplers.

* PEDAL ORGAN

26.	32	Untersatz...12 new electronic; 20 from #27 & 3....32 notes
27.	16	Sub Bass.....12 pipes; 20 from #3.....32 notes
28.	8	Principal.....from #2.....32 notes
29.	8	Chimney Flute.....from #3.....32 notes
30.	8	Gemshorn.....from #13.....32 notes
31.	4	Octave.....from #2.....32 notes
32.	4	Flute.....from #12.....32 notes
33.	4	Gemshorn.....from #13.....32 notes
34.	III	Mixture.....from #20.....32 notes
35.	32	Reed Cornet.....from #3, 36 & 21.....32 notes
36.	16	Posaune.....12 pipes; 20 from #21.....32 notes
37.	8	Trumpet.....from #21.....32 notes
38.	4	Clairon.....from #21.....32 notes

* Playable thru new solid state switched.

COUPLERS

39.	Great to Pedal
40.	Swell to Pedal
41.	Swell to Great
42.	Great to Swell

ADJUSTABLE COMBINATIONS
Solid State - Four Memories

Pistons No. 1-2-3-4-5-6	Affecting Great Organ
Pistons No. 1-2-3-4-5-6	Affecting Swell Organ
Toe Studs No. 1-2-3-4-5-6	Affecting Pedal Organ
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ (duplicated by toe studs)
General Cancel	
Combination Adjustor	
Combination Lock	
Memory Selector	

REVERSIBLES

Great to Pedal - toe stud
Swell to Pedal - toe stud
Tutti - manual piston and toe stud with indicator light
32 Untersatz - toe stud
32 Reed Cornet - toe stud

PEDAL MOVEMENTS

Balanced Expression Pedal - Swell Organ (8 contacts, make to open)
Balanced Crescendo Pedal with indicator light

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf
Transparent music rack with light
Pedal light
Blower motor starter lock switch with indicator light
Present motor and blower

GENERAL

Church to prepare chamber space in consultation with M. P. Möller, Inc.
Salesman: William E. Gray, Jr.

dmm
8-16-91