

M. P. MOLLER ORGAN FACTORY

2/6/7

7

Pipe Organ No. 11893 Date June 24, 1988
 For OCEANVIEW UNITED METHODIST CHURCH, JUNO BEACH, FLORIDA
 Action Electro-Pneumatic Console Detached - No Rolltop
 Casing None Finish As Per Sample
 Decoration None Motor 1 HP - Ventus 612112
 Width of Key-bed Standard Tracker Touch Yes No X
 4 ounce key touch
 Keys to be Bone/Walnut Stop Controls Maple Tilting Tablets
 No. Manuals TWO AND PEDAL Wind Pressure See Scale Sheet
 To be Completed September 1, 1989 Blower Pipe Furnished by Purchaser

PITCH: A-440

SPECIFICATIONS**M-8300P+**

GREAT ORGAN - Manual I
 (Unenclosed - Partially displayed)

1.	8	Principal.....	61	pipes
2.	8	Gedeckt.....	61	pipes
3.	8	Gemshorn.....from #10.....	61	notes
4.	4	Octav.....	61	pipes
5.	2	Hohlflote.....	61	pipes
6.	III-IV	Mixtur.....	224	pipes
7.	8	Cromorne.....	61	pipes
8.		Chimes....Mayland bells, action, transformer relays & volume control, A to F #22-42.....	21	bells

SWELL ORGAN - Manual II
 (Enclosed)

9.	8	Rohrflote.....	61	pipes
10.	8	Gemshorn.....	80	pipes
11.	8	Gemshorn Celeste TC.....	49	pipes
12.	4	Spitzflote.....	61	pipes
13.	2-2/3	Nasard.....from #10.....	61	notes
14.	2	Principal.....	61	pipes
15.	1-3/5	Terz.....	61	pipes
16.	8	Trompette.....	61	pipes
17.		Tremolo		

PEDAL ORGAN
 (Partially displayed)

18.	16	Principal.....	56	pipes
19.	16	Bordun.....12 pipes; 20 from #9.....	32	notes
20.	8	Octav.....from #18.....	32	notes
21.	8	Rohrflote.....from #9.....	32	notes
22.	4	Choralbass.....from #18.....	32	notes
23.	16	Contre Trompette....12 pipes; 20 from #16.....	32	notes
24.	4	Clairon.....from #20.....	32	notes

COUPLERS

25.	Great to Pedal	32.	Great 4
26.	Great to Pedal 4	33.	Swell 16
27.	Swell to Pedal	34.	Swell Unison Off
28.	Swell to Pedal 4	35.	Swell 4
29.	Swell to Great 16		
30.	Swell to Great		
31.	Swell to Great 4		

ADJUSTABLE COMBINATIONS

Solid State - Single Memory

Pistons No. 1-2-3-4	Affecting Great Organ
Pistons No. 1-2-3-4	Affecting Swell Organ
Toe Studs No. 1-2-3-4	Affecting Pedal Organ
Pistons No. 1-2-3-4-5-6	Affecting Full Organ
	(duplicated by toe studs)
General Cancel	
Combination Adjustor	
Combination Lock	

PEDAL MOVEMENTS

Great to Pedal reversible
 Swell to Pedal reversible
 Tutti reversible with indicator light
 Balanced Expression Pedal - Swell Organ
 Balanced Crescendo Pedal with indicator light

ACCESSORIES

Concave, radiating pedal clavier
 Organ bench with music shelf
 Transparent music rack with light
 Pedal light
 Motor, blower and action power unit of ample capacity
 Key operated motor switch with indicator light
 Accordion expression action, allowing full 90 degree opening
 Sound insulated blower enclosure
 Principal facade pipes for three tone openings

GENERAL

Church to provide proper space and conditions for the installation, to plans and recommendations by M. P. Moller, Inc. and in accordance with paragraph 8 of the contract agreement.

Moller to provide Church with detailed organ display drawings, for approval, prior to fabrication of organ.

Final tonal regulation, and "finishing", in Church, by Head Moller Factory Finisher.

DLA/jm
8-22-89

Salesman: H. M. Ridgely, Jr.