Number 112541B

Page I

# SPECIFICATIONS AND STRUCTURAL DETAILS

of a

### KIMBALL ORGAN

for

GALLERY

ST. JOHN'S CATHEDRAL

DENVER, COLO.

Manuals, Two compass CC to C4\_\_\_61 notes
Pedals, compass CCC to G\_\_\_\_\_32 notes
Console, detached, stopkeys.
Combinations, adjustable at the console,

This organ is also playable from the Main console.

W. W. KIMBALL COMPANY

Kimball Hall - Chicago

## ww.KIMBALLco.

Number 112541B Page 2

Pitch	Name of Stop	Pipes	Materials and Remarks
		GREAT	
8.	Open Diapason	73	metal
81	Waldflöte	73	wood, open
80	Erzähler	73	metal
74.	Octave	73	metal
281	Twelfth	61	metal
2"	Fifteenth	61	metal
	Tremolo		
		SWELL	
16*	Spitzflöte	73	metal
8.	Diapason	73	metal
81	Cor de Nuit	73	wood and metal
8•	Viole de Gambe	73	metal
8.	Viole Celeste	73	metal
4.	Flute Triangulaire	73	wood, open
III	Cornet (17-19-22)	183	metal
8.	Trumpet	73	reeds, metal
	Tremolo		
		PEDAL	
16*	Principal	32	heavy metal
16.	Bourdon	32	wood
16.	Spitzflöte		from Swell
8*	Octave	32	metal
8.	Flute	12	ext. of Bourdon 16.
81	Spitzflöte		from Swell
4.	Choral Bass	32	metal

### ww.KIMBALLco.

Number	112541B	Page 3
	PEDAL	(Continued)
4.	Flute 12	ext. of Bourdon 16'
16*	Posaune 12	ext. of Trumpet 8*
81	Trumpet	from Swell
4.	Clarion	from Swell Trumpet 8'
	COUPLERS	
	Great to Great 16' Great to Great 8' off Great to Great 4'	Swell to Swell 16' Swell to Swell 4'
	Swell to Great 16' Swell to Great 8' Swell to Great 4'	Great to Pedal 8' Swell to Pedal 4' Swell to Pedal 4'

#### ADJUST ABLE COMBINATIONS

Six adjustable combination pistons affecting Great stops and intra-manual couplers. Six adjustable combination pistons affecting Swell stops and intra-manual couplers. Six adjustable to pistons affecting Pedal stops.

Six adjustable general pistons affecting stops and couplers of entire organ.

Pedal to Manual "ON and OFF" controls for each manual.

General cancel piston.

#### ACCESSORIES

Balanced expression pedal for Great and Pedal organs.
Balanced expression pedal for Swell organ.
Balanced crescendo pedal for entire organ with selected couplers
Sforzando, reversible.
Great to Pedal, reversible toe piston, duplicated by manual piston.
Swell to Pedal, reversible toe piston, duplicated by manual piston
Choir to Pedal, reversible toe piston, duplicated by manual piston
Choir to Pedal, reversible toe piston, duplicated by manual piston.
Indicator lights for all blind movements and organ current.
Organ bench with music shelf.
Organ blower of ample capacity with generator.
Remote control starter switch for blower motor.