

M. P. MÖLLER Organ Factory

H. R. Daniels

2/9

Pipe Organ No. 10810 Date August 27, 1971
 For MAIN ST. UNITED METHODIST CHURCH, DILLON, SOUTH CAROLINA
 Action Moller's Electro-Pneumatic Console Detached
 Casing No. None Finish As Per Sample
 Decorations None Motor 3/4 @ H.P. Style 2-P-2117
 Width of Key-bed Standard Stops and couplers controlled by tilting tablets.
 No. Manuals TWO 4 oz. key touch Wind Pressure Gt. 3 1/2", Sw. & Ped. 4".
 To be Completed September 30, 1972 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

Op. 2032 (1916)

GREAT ORGAN Unenclosed

- | | | |
|----|----------|--|
| 1. | 8' | Principal.....46.....17-1/2.....12 Zinc S.M.....73 pipes |
| 2. | 8' | Holzgedeckt.....from #8.....61 notes |
| 3. | 8' | Gemshorn.....from #9.....61 notes |
| 4. | 4' | Octave.....from #1.....61 notes |
| 5. | 2' | Holzflöte.....from #8.....61 notes |
| 6. | III Rks. | Mixture.....Formula "A".....17-1/2.....S.M.....183 pipes |
| 7. | | Chimes..(present Deagan ^K Chimes, new Moller action)
4 A to F, #22 to #42.....21 bells |

SWELL ORGAN Expressive

- | | | |
|-----|----|---|
| 8. | 8' | Holzgedackt (unit) Spec. Tapered Bass New
pres. Stopped Diapason #13-61
Wood & S.M.....85 pipes |
| 9. | 8' | Gemshorn.....52-1/3.....17-1/2.....12 Zinc S.M.....61 pipes |
| 10. | 8' | Gemshorn Celeste T.C...54-1/3...17-1/2.....S.M.....49 pipes |
| 11. | 4' | Spitzprincipal..58-3/4...17-1/2.....S.M.....73 pipes |
| 12. | 4' | Flute.....from #8.....61 notes |
| 13. | 2' | Spitzoctav.....from #11.....61 notes |
| 14. | 8' | Trompette.....2-3/4" 11 Reg. Halving.....73 pipes |
| 15. | 4' | Clairon.....from #14.....61 notes |
| 16. | | Tremulant |

PEDAL ORGAN

- | | | |
|-----|-----|--|
| 17. | 16' | Bordun....Reg. Ped. Bdn. 12 pipes, 20 from #8.....32 notes |
| 18. | 8' | Holzgedackt.....from #8.....32 notes |
| 19. | 4' | Holzflöte.....from #8.....32 notes |

GREAT MIXTURE FORMULA "A"

	15	12	8
	19	15	12
	22	19	15
	<hr/>		
	1-42	43-54	55-61
Unison	47 @ 8' CC	17-1/2	1/4 mouth S.M.
Quint	48 @ 8' CC	17-1/2	2/9 mouth S.M.

39496

42529

COUPLERS

- 20. Great to Pedal 8'
- 21. Swell to Pedal 8'
- 22. Swell to Great 16'
- 23. Swell to Great 8'
- 24. Swell to Great 4'
- 25. Great 4'
- 26. Swell 16'
- 27. Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4

Affecting Full Organ

PEDAL MOVEMENTS

Great to Pedal Reversible
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf
Crescendo indicator light
Light for music rack
Light for pedal clavier
Motor, blower and action power unit of ample capacity
Momentary contact starter switch

JHH/mx

2/24/72

Salesman: Greer/Redd

Under terms of the herein annexed specifications, M. P. Moller, Inc. proposes to supply the following:

CONSOLE

Install new two manual detached console, pedal keys and bench, same to use sterling silver contacts of 0.925 fine. The natural keys shall be covered with heavy cut imported ivory.

ORGAN

Install the following:

New wind trunks

New reservoirs as required by specifications

New tremolo

New cables and electrical contacts as required

New wind chests including magnets and primaries, which shall be of the individual valve type, utilizing the best grade imported brown bark-tanned lambskin, glued to the action parts with hot animal glue.

New blower and action power unit (credit to be given for trade in of present Orgelectra) and all related wind trunks within organ chamber.

LUMBER

All lumber used in the construction of the organ shall be thoroughly air dried to a moisture content of not more than 12% and kiln-dried to a moisture content of not less than 5%. During kiln-drying a steam bath shall be given the lumber at intervals to prevent case hardening.

The console box shall be constructed of the best rift-sawn oak available, finished to sample submitted by church.

PIPES

This proposal incorporates the re-use of pipes from the existing Moller Opus #2032 (1916). Said pipes are to be returned to the builder's factory in Hagerstown, Maryland to be completely reconditioned, revoiced, and guaranteed like new.