





EMANUEL'S LUTHERAN CHURCH SEGUIN, TEXAS



Organ Builder: Robert L. Sipe — Dallas, Texas

SPECIFICATIONS OF THE ORGAN FOR EMANUEL'S LUTHERAN CHURCH SEGUIN, TEXAS

Stoplist:

GREAT ORGAN

61 pipes per register except as indicated

16' Quintade

8' Principal

8' Gedeckt

4' Octave

2 $\frac{2}{3}$ ' Nasard

2' Octave

1 $\frac{3}{4}$ ' Tierce

IV-V Mixture — 244 pipes

8' Trompete

Tremulant

SWELL ORGAN

61 pipes per register except as indicated

8' Gemshorn

8' Rohrflöte

4' Principal

4' Spillflöte

2' Blockflöte

1 $\frac{1}{2}$ ' Quinte

III-IV Scharf — 183 pipes

8' Hautbois

Tremulant

PEDAL ORGAN

32 pipes per register except as indicated

16' Principal

16' Subbass

8' Octave


4' Choralbass

IV Mixture — 96 pipes

16' Posaune

4' Schalmey

Tremulant



COUPLERS:

Swell to Great
Swell to Pedal
Great to Pedal

COMBINATIONS:

Solid state capture system visibly operating
the stop controls
General pistons 1-10 and 5 toe stud duplicates

GENERAL DESCRIPTION:

A two manual and pedal mechanical action instrument with electric stop action containing 24 registers and 31 ranks of pipes. Console is detached and of a modern design with tilting tablet controls. The organ contains 1630 pipes.