

#1189

PROPOSED

SPECIFICATIONS

FOR A

3/36
1956

REUTER PIPE ORGAN

FOR

THE ST. MARK'S ~~ON-THE-MESA~~ EPISCOPAL CHURCH

ALBUQUERQUE, N. MEXICO

THREE MANUAL AND PEDAL

THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

October 31, 1955
~~JULY 20, 1954~~

GENERAL SPECIFICATIONS

MANUALS	Compass CC to C ₄ , 61 Notes.
PEDALS	Compass CCC to G, 32 Notes.
ACTION	Reuter's Pitman Electro-Pneumatic.
REGISTRATION	Controlled by Draw Knobs or Stop Keys, <u>as preferred by the purchaser.</u>
PITCH	A-440.
CONSOLE	Detached.
CASEWORK OR GRILLE	None, except console case.
ORGAN CHAMBERS	Suitable, finished chambers to be furnished by the purchaser.

GREAT ORGAN ¹⁰
(Non-expressive)

1.	8 ft.	Principal	Metal	61 pipes.
2.	8 ft.	Hohl Flute	Wood	61 pipes.
3.	4 ft.	Principal	Metal	61 pipes.
4.	4 ft.	Gedackt	W & M	61 pipes.
5.	2 2/3 ft.	Twelfth	Metal	61 pipes.
6.	2 ft.	Superoctave	Metal	61 pipes.
7.	IV rk.	Fourniture	Metal	244 pipes.
8.		Chimes	Console Preparation	
<i>out</i> → 9.		Tremulant <i>ad.</i>		

Couplers to Great:

10. Great to Great 4 ft.
11. Great Unison Off.
12. Great to Great 16 ft.
13. Swell to Great 4 ft.
14. Swell to Great 8 ft.
15. Swell to Great 16 ft.
16. Choir to Great 4 ft.
17. Choir to Great 8 ft.
18. Choir to Great 16 ft.

SWELL ORGAN 14
(Expressive)

19.	✓	16 ft.	Rohrbourdon	Wood, Extension #21	12 pipes.
20.	✓	8 ft.	Geigen Principal	Metal	73 pipes.
21.	✓	8 ft.	Rohrflöte	Metal	73 pipes.
22.	✓	8 ft.	Viole de Gambe	Metal	73 pipes.
23.	✓	8 ft.	Viole Celeste (7 c.)	Metal	61 (73) pipes.
24.	✓	8 ft.	Spitzflöte	Metal	73 pipes.
25.	✓	4 ft.	Spitz Principal	Metal	73 pipes.
26.	✓	4 ft.	Zauberflöte	Metal	73 pipes.
27.	✓	2 ft.	Doublette	Metal	61 pipes.
28.	✓	III rk.	Mixture	Metal	183 pipes.
29.	✓	8 ft.	Trumpet	Metal, reeds	73 pipes.
30.	✓	8 ft.	Oboe	Metal, reeds	73 pipes.
31.	✓	4 ft.	Clarion	Metal, reeds	73 pipes.
32.	✓		Tremulant		

Couplers to Swell:

- 33. Swell to Swell 4 ft.
- 34. Swell Unison Off.
- 35. Swell to Swell 16 ft.

*1787
and 1788
1786*

CHOIR ORGAN 9
(Expressive)

35.	8 ft.	Viola	Metal	73 pipes.
36.	8 ft.	Koppelflöte	W & M	73 pipes.
37.	8 ft.	Kleine Erzähler	Metal	73 pipes.
38.	8 ft.	Erzähler Celeste (TC)	Metal	61 pipes.
39.	4 ft.	Nachthorn	Metal	73 pipes.
40.	2 2/3 ft.	Rohrnat	W & M	61 pipes.
41.	2 ft.	Blockflöte	Metal	61 pipes.
42.	1 3/5 ft.	Tierce	Metal	61 pipes.
43.	8 ft.	Clarinet	Metal, reeds	73 pipes.
44.		Chimes	Console Preparation.	
45.		Tremulant		

Couplers to Choir:

- 46. Choir to Choir 4 ft.
- 47. Choir Unison Off.
- 48. Choir to Choir 16 ft.
- 49. Swell to Choir 4 ft.
- 50. Swell to Choir 8 ft.
- 51. Swell to Choir 16 ft.

52.	16 ft.	Principal	Metal	32 pipes.
53.	16 ft.	Bourdon	Wood	32 pipes.
54.	16 ft.	Lieblich Gedeckt	From Swell #19 and #21	32 notes.
55.	10 2/3 ft.	Quinte	From #53 and #57	32 notes.
56.	8 ft.	Octave	Metal	32 pipes.
57.	8 ft.	Bourdon	Wood, extension #53	12 pipes.
58.	8 ft.	Rohrflöte	From Swell #21	32 notes.
59.	5 1/3 ft.	Twelfth	From #56 and #60	32 notes.
60.	4 ft.	Choral Bass	Metal, extension #56	12 pipes.
61.	4 ft.	Rohrflöte	From Swell #21	32 notes.
62.	16 ft.	Trumpet	Metal, reeds	32 pipes.
63.	8 ft.	Trumpet	Metal, reeds, ext. #62	12 pipes.
64.	4 ft.	Clarion	Metal, reeds, ext. #63	12 pipes.

Console
Preparation
Only

JNG - EPR

Couplers to Pedal:

- 65. Great to Pedal 8 ft.
- 66. Great to Pedal 4 ft.
- 67. Swell to Pedal 8 ft.
- 68. Swell to Pedal 4 ft.
- 69. Choir to Pedal 8 ft.
- 70. Choir to Pedal 4 ft.

ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.
Adjustable at Keyboard & visibly affecting Stop Controls.

- 71-76. Six, thumb pistons affecting Great Organ & its Couplers.
- 77-82. Six, thumb pistons affecting Swell Organ & Its Couplers.
- 83-88. Six, thumb pistons affecting Choir Organ & its Couplers.
- 89-94. Six, toe pistons affecting Pedal Organ & its Couplers.
- 95-100. Six, thumb pistons affecting all stops and all couplers.
- 101. General Cancel Piston.

COMBINATION COUPLERS

- 102. Pedal Combinations to Great Pistons, On & Off Switch.
- 103. Pedal Combinations to Swell Pistons, On & Off Switch.
- 104. Pedal Combinations to Choir Pistons, On & Off Switch.

REVERSIBLES

- 105. Great to Pedal 8 ft., thumb & toe pistons.
- 106. Swell to Pedal 8 ft., thumb & toe pistons.
- 107. Choir to Pedal 8 ft., thumb & toe pistons.
- 108. Sforzando, thumb and toe pistons.

PEDAL MOVEMENTS

- 109. Balanced Register Crescendo Pedal.
- 110. Balanced Swell Expression Pedal.
- 111. Balanced Choir Expression Pedal.

ACCESSORIES

- 112. Sforzando Indicator Light.
- 113. Register Crescendo Indicator Light.
- 114. Music Rack.
- 115. Music Rack Fluorescent Light.
- 116. Organist's Bench.
- 117. Organ Blower and Motor of ample Capacity. *Heater "Organo"*
Serial # 28815
- 118. Action Current Power Unit.
- 119. Concave Radiating Pedal Keyboard, A.G.O. Model.
- 120. Static Control Reservoir for Blower.

ad
↓
NOTE:

If the draw knob console is used, the Intra-manual couplers will be controlled by draw knobs placed with their respective stop groups, and affected by the combination pistons of that division. The inter-manual and manual to Pedal Couplers will be controlled by tilting tablets placed in a single row above the Swell Manual, and will be affected by the General Pistons only.