

1579

1579

THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

PROPOSES A THREE MANUAL PIPE ORGAN

FOR

FIRST PRESBYTERIAN CHURCH
BISMARCK, NORTH DAKOTA

OCTOBER 21, 1965

Mr. John A. Frykman, District Representative
8760 Irving Avenue South, Minneapolis, Minnesota 55431

THE *Reuter* ORGAN COMPANY

214 E Thayer Ave 58501

GENERAL SPECIFICATIONS

MANUALS	Compass CC to C4, 61 Notes.
PEDAL	Compass CCC to G, 32 Notes.
ACTION	Reuter's Pitman Electro-Pneumatic.
REGISTRATION	Controlled by ^{display} drawknobs. The intramanual couplers are controlled by knobs placed with their respective stop groups and the inter-manual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.
PITCH	A-440.
CONSOLE	Detached. <i>Console Case to be Reuter's standard contemporary design without roll top.</i>
CASEWORK	None, except for console.
ORGAN CHAMBER	Suitable, finished chamber to be provided by the purchaser.

G R E A T O R G A N

1.	8' Principal	61 pipes.
2.	8' Bourdon	61 pipes.
3.	4' Octave	61 pipes.
4.	4' Spillflöte	61 pipes.
5.	2' Fifteenth	61 pipes.
6.	IV Mixture	244 pipes.
	Chimes (Switch and relay only)	

Couplers to Great:

Great to Great 16'

Great Unison Off

Great to Great 4'

Swell to Great 16'

Swell to Great 8'

Swell to Great 4'

Positiv to Great 16'

Positiv to Great 8'

Positiv to Great 4'

SWELL ORGAN

7.	16'	Quintaten	61 pipes.
8.	8'	Rohrflöte	61 pipes.
9.	8'	Salicional	61 pipes.
10.	4'	Hohlflöte	61 pipes.
11.	2 2/3'	Nasard	61 pipes.
12.	2'	Blockflöte	61 pipes.
13.	1 3/5'	Tierce	61 pipes.
14.	8'	Oboe	61 pipes.
15.	4'	Clarion	61 pipes.

Tremolo

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

POSITIV ORGAN

(Except for the 8' Gemshorn and 8' Gemshorn Celeste, as below listed, the console is to be prepared completely for the later addition of the balance of the Positiv Organ in an exposed position. This preparation will include the complete Positiv manual; Stop Controls as listed below; all related Couplers as specified, with switches wired complete; ~~Ex~~
~~pression Pedal~~; and the Adjustable Combination Pistons for the Positiv Division.)

16.	8' Gelindgedeckt	61	1975
17.	8' *Gemshorn	61 pipes.	
18.	8' *Gemshorn Celeste (TC)	49 pipes.	
19.	4' Nachthorn	61	
20.	2' Principal	61	
21.	1 1/3' Quinte	61	
22.	II Cymbal	122	
23.	8' Krummhorn	61	

Tremolo

Couplers to Positiv:

Positiv to Positiv 16'

Positiv Unison Off

Positiv to Positiv 4'

Swell to Positiv 16'

Swell to Positiv 8'

Swell to Positiv 4'

* Stops marked with the asterisk are to be placed with the Swell stops under expression.

PEDAL ORGAN

24.	✓ 32' Bourdon	(#1-12 Resultant)	32 notes
25.	✓ 16' Principal		32 pipes.
26.	✓ 16' Bourdon		56 pipes.
27.	✓ 16' (Sw) Quintaten	From # 7	32 notes
28.	✓ 8' Octave		44 pipes.
29.	✓ 8' Bourdon	From # 26	32 notes
30.	✓ 8' (Sw) Quintaten	From # 7	32 notes
31.	✓ 4' Super Octave	From # 28	32 notes
32.	✓ 4' Bourdon	From # 26	32 notes
33.	✓ 16' Bombarde	(Console Preparation)	44 pipes
34.	✓ 8' Bombarde	(Console Preparation)	32 notes
35.	4' (Pos) Krummhorn	(Console Preparation)	
36.	Chimes	From Great	
	Couplers to Pedal:		

Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

Positiv to Pedal 8'

Positiv to Pedal 4'

ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals.
Adjustable at keyboard and visibly affecting stop controls.

Five thumb pistons affecting Great ^{Organ} stops and ^{its} (intramanual) couplers.

Five thumb pistons affecting Swell ^{Organ} stops and ^{its} (intramanual) couplers.

Five thumb pistons affecting Positiv ^{Organ} stops and ^{its} (intramanual) couplers.

Five toe pistons affecting Pedal (stops only.) ^{all} Organ and its ^{all} Couplers.

Six thumb pistons affecting all stops and couplers, duplicated on toe pistons

General Cancel thumb piston.

COMBINATION COUPLERS

Pedal Combinations to Great Pistons, On and Off.

Pedal Combinations to Swell Pistons, On and Off.

Pedal Combinations to Positiv Pistons, On and Off.

REVERSIBLES

Great to Pedal, duplicate toe and thumb pistons.

Swell to Pedal, duplicate toe and thumb pistons.

Positiv to Pedal, duplicate toe and thumb pistons.

Full Organ, duplicate toe and thumb pistons.

PEDAL MOVEMENTS

Register Crescendo Pedal.

Swell Expression Pedal.

ACCESSORIES

Register Crescendo Indicator Light.

Current Indicator Light.

Full Organ Indicator Light.

Music Rack.

Music Rack Fluorescent Light.

Organist's Bench with curved front.

Concave Radiating Pedal Keyboard, A.G.O. Model.

Blower and Motor of ample capacity, 3 H.P.

Action Current Power Unit.

Static Pressure Control Reservoir on blower.

Pedal Board Light.

Addendum to the Agreement dated January 24, 1966, by and between The Reuter Organ Company, Lawrence, Kansas, the builder, and First Presbyterian Church, Bismarck, North Dakota, the purchaser, witnesseth:

It is mutually agreed by both parties hereto that the following changes and additions shall be made to the specifications for the pipe organ as covered under the above referred to Agreement, to wit:

I GENERAL SPECIFICATIONS

REGISTRATION now reads:

Controlled by drawknobs. The intramanual couplers are controlled by knobs placed with their respective stop groups and the intermanual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.

REGISTRATION changed to read:

Controlled by stopkeys.

CONSOLE now reads:

Detached.

CONSOLE changed to read:

Detached. The console case to be Reuter's standard contemporary design without roll top.

II PEDAL ORGAN now reads:

33. 16' Bombarde (Console Preparation)

34. 8' Bombarde (Console Preparation)

PEDAL ORGAN changed to read:

33. 16' Bombarde

44 pipes.

34. 8' Bombarde

III The following shall be added to the Pedal Organ.

35A. Chimes (Borrowed from the Great)

IV The entrys under Adjustable Combinations are to be superseded by the following:

ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.

Adjustable at Keyboard and visibly affecting Stop Controls.

Five, thumb pistons affecting Great Organ and its couplers.

Five, thumb pistons affecting Swell Organ and its couplers.

Five, thumb pistons affecting Positiv Organ and its couplers.

Five, toe pistons affecting Pedal Organ and its couplers.

Six, thumb pistons affecting all stops and all couplers, duplicated
on toe pistons.

General Cancel thumb piston.

In consideration therefor the purchaser agrees to pay the builder the additional sum of One Thousand Six Hundred Fifty-seven and no/100 (\$1,657.00) dollars and applicable North Dakota State Tax, thus increasing the total purchase price of the said organ to Thirty-seven Thousand One Hundred Sixty-nine and no/100 (\$37,169.00) dollars and applicable North Dakota State Tax. Payment of this said additional amount shall be made by the purchaser to the builder as follows:

Upon the start of actual construction of the said organ by the builder in its factory, the sum of \$550.00, thus increasing this payment to \$11,204.00.

Upon the delivery of the said organ to the building where the organ is to be installed, the sum of \$550.00, thus increasing this payment to \$11,204.00.

Upon the complete installation and acceptance of the said organ, a balance of \$557.00, thus increasing this final payment to \$11,211.00, and applicable North Dakota State Tax.

All other terms and provisions of the said organ purchase contract shall remain unchanged.

FIRST PRESBYTERIAN CHURCH
BISMARCK, NORTH DAKOTA

THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

BY: Mrs. Margaret H. Hirsch

BY: A. G. Sabol, Jr. Pres

Register & Organ
