

#1802

THE REUTER ORGAN COMPANY

LAWRENCE, KANSAS

PROPOSES A THREE MANUAL AND PEDAL PIPE ORGAN

(Revised Design)

3/30  
1971

FOR

FIRST UNITED METHODIST CHURCH

BELLFONTAINE, OHIO

November 15, 1971 1971

Mr. Charles A. Durst, District Representative  
P. O. Box 8215, Erie, Pennsylvania 16506

## GENERAL SPECIFICATIONS

### MANUALS

Compass CC to C4, 61 notes

### PEDAL

Compass CCC to G, 32 notes.

### ACTION

Reuter's pitman, electro-pneumatic.

### REGISTRATION

Controlled by draw knobs. The intramanual couplers are controlled by knobs placed with their respective stop groups, and the inter-manual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.

### CONSOLE

Detached.

### PTICH

A-440

### CASEWORK

Case for console and approximately 80 square feet of simple slab panel design casework to be furnished by the Reuter Organ Company. Such portions of the casework as will be exposed to view are to be surfaced with oak or other suitable hardwood and finished to harmonize with the other woodwork in the building.

### ORGAN CHAMBERS

Suitable, finished chambers to be furnished by the purchaser. Such structural supports as may be required for the exposed cantilevered sections are to be furnished by the Reuter Organ Company. Any design for new grillework by the purchaser shall be adapted to accommodate the projection of these supports as they project from the chamber through the grilles for support of the cantilevered chests.

GREAT ORGAN (Exposed)

1.	8'	Principal	61 pipes
2.	8'	Gedeckt	61 pipes
3.	4'	Octave	61 pipes
4.	4'	Koppelflöte	61 pipes
5.	2'	Fifteenth	61 pipes
6.	III	Fourniture	183 pipes

Chimes (The church's existing chime tubes shall be reused; the Reuter Organ Company shall provide a new chime action and relay for their operation.)

Couplers to Great:

Great to Great 16'

Great Unison Off

Great to Great 4'

Swell to Great 16'

Swell to Great 8'

Swell to Great 4'

Choir to Great 16'

Choir to Great 8'

Choir to Great 4'

SWELL ORGAN (Expressive)

7.	8'	Rohrflöte	61 pipes
8.	8'	Viola de Gambe	61 pipes
9.	8'	Viola Celeste (TC)	49 pipes
10.	4'	Sptizprincipal	61 pipes
11.	4'	Hohlflöte	61 pipes
12.	2 2/3'	Nazard	61 pipes
13.	2'	Blockflöte	61 pipes
14.	1 3/5'	Tierce	61 pipes
15.	III	Scharf	183 pipes
16.	8'	Trompette	61 pipes

Tremolo

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

CHOIR ORGAN (Expressive)

17.	8'	Nasonflöte	61 pipes
18.	8'	Gemshorn	61 pipes
19.	4'	Nachthorn	61 pipes
20.	2'	Doubllette	61 pipes
21.	1 1/3'	Larigot	61 pipes
22.	8'	Krummhorn	61 pipes

Tremolo

Couplers to Choir:

Choir to Choir 16'

Choir Unison Off

Choir to Choir 4'

Swell to Choir 16'

Swell to Choir 8'

Swell to Choir 4'



PEDAL ORGAN

23.	16'	Bourdon	56 pipes
24.	16'	(Sw) Rohrgedeckt	12 pipes
25.	8'	Octave	32 pipes
26.	8'	Bourdon	
27.	8'	(Sw) Rohrflöte	
28.	4'	Choral Bass	32 pipes
29.	4'	Bourdon	
30.	16'	Fagotto	32 pipes
31.	4'	(Ch) Krummhorn	

Couplers to Pedal:

Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

Choir to Pedal 8'

Choir to Pedal 4'

## ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals.  
Adjustable at keyboard and visibly affecting stop controls.

Four, thumb pistons affecting the Great stops and intramanual couplers.

Four, thumb pistons affecting the Swell stops and intramanual couplers.

Four, thumb pistons affecting the Choir stops and intramanual couplers.

Four, toe pistons affecting the Pedal stops only.

Four, thumb pistons affecting all stops and couplers of the entire organ,  
duplicated on toe pistons.

General Cancel, thumb piston.

## PEDAL MOVEMENTS

Register Crescendo Pedal.

Balanced Expression Pedal, Swell Organ.

Balanced Expression Pedal, Choir Organ.

## REVERSIBLES

Great to Pedal, duplicate thumb and toe pistons.

Full Organ, duplicate thumb and toe pistons.

ACCESSORIES

Current Indicator Light.

Crescendo Indicator Light.

Full Organ Indicator Light.

Music rack with fluorescent light at base.

Organist's bench with blocks for height adjustment.

A.G.O. standard pedal keyboard.

Organ Blower and motor of ample capacity.

Action current power unit.

Static reservoir on blower.

Pedal board light.