

M. P. MÖLLER Organ Factory

2/19

Pipe Organ No. 10739 Date July 30, 1970
 For EASTMINSTER UNITED PRESBYTERIAN CHURCH, GRAND RAPIDS, MICHIGAN
 Action Moller's Pitman Electro-Pneumatic Console Detached. Electro-Pneumatic
 Casing No. None Finish As Per Sample operation. low compact
 Decorations None Motor 2 H.P. Style 3-P-3025 styling. without cabinet
 Width of Key-bed Standard Stop Controls Draw Knob Type
 No. Manuals TWO Multiple contacts with switches. Wind Pressure Gt. 3-1/2", Sw. 4", Pedal 3-1/2"
 To be Completed June 15, 1972 Blower Pipe furnished by Purchaser & 4"

PTTCH: A-440

SPECIFICATIONS

GENERAL: Unenclosed pipework of the Great and Pedal divisions shall be displayed in functional design in upper rear level of the chancel. The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

GREAT ORGAN (unenclosed and displayed)

1.	8'	Principal.....	47.....	18-1/2.....	12 Zinc S.M.....	61 pipes
2.	8'	Rohrfloete.....	54.....	21-1/2.....	12 Zinc S.M.....	61 pipes
3.	8'	Spitzgambe.....	from #11.....			61 notes
4.	4'	Octave.....	60.....	18-1/2.....	S.M.....	61 pipes
5.	2'	Doublette.....	73.....	19-1/2.....	S.M.....	61 pipes
6.	III-IV Rks.	Furniture.....	Formula "A"	18-1/2.....	S.M.....	220 pipes
7.	8'	Trompette.....	from #16.....			61 notes
8.		Chimes.....	(console only, with switch)			Mayland 21 tubes & electric actions
9.		Tremolo (electric)	with relays, transformer, volume control switches & volume control relay. Compass A-#22 to F-#42 - 21 tubes			

SWELL ORGAN (enclosed)

10.	8'	Bordun (metal) ..CC 32..	C66...20-1/2.....	12 Zinc S.M.....	68 pipes
11.	8'	Spitzgambe.....	52-3/4...17-1/2.....	12 Zinc S.M.....	68 pipes
12.	8'	Spitzgambe Celeste (CC) ..	54-3/4 @ 8' CC. 17.45	Zinc S.M.....	61 pipes
13.	4'	Ganshorn.....	56-1/2...18-1/2.....	S.M.....	68 pipes
14.	2'	Schweifloete.....	68-2/3...20-1/2.....	S.M.....	61 pipes
15.	III Rks.	Scharf.....	Formula "B"	18-1/2.....	S.M.....183 pipes
16.	16'	Double Trumpet..	1-12 half length CCC 4" CC 3" ..	42-1/2.....	80 pipes
17.	8'	Trompette.....	from #16.....		68 notes
18.	4'	Trichter Regal.....	2-1/2"...Reg.....		68 pipes
19.		Tremolo (electric)			

PEDAL ORGAN (unenclosed)

20.	16'	Contra Bass.....	CCC 34.....	18-1/2.....	29 Zinc S.M.....	56 pipes
21.	16'	Bourdon.....	L.M.B...12 pipes, 20 from #10.....			32 notes
22.	8'	Principal.....	from #20.....			32 notes
23.	8'	Gedeckt.....	from #10.....			32 notes
24.	4'	Octave.....	from #20.....			32 notes
25.	4'	Gedeckt.....	from #10.....			32 notes
26.	16'	Double Trumpet.....	from #16.....			32 notes
27.	4'	Clarion.....	from #16.....			32 notes

COUPLERS

- 28. Great to Pedal 8'
- 29. Swell to Great 16'
- 30. Swell to Great 8'
- 31. Swell to Great 4'
- 32. Great 4'
- 33. Swell to Pedal 8'
- 34. Swell 16'
- 35. Swell Unison Off
- 36. Swell 4'

ADJUSTABLE COMBINATIONS
(Capture Adjusting System)

- | | |
|-----------------------|---------------------------------|
| Pistons No. 1-2-3-4 | Affecting Great Organ |
| Pistons No. 1-2-3-4 | Affecting Swell Organ |
| Tee Studs No. 1-2-3 | Affecting Pedal Organ, at right |
| Pistons No. 1-2-3-4-5 | General, Affecting Entire Organ |
| General Cancel Piston | |
| Adjuster Piston | |

ACCESSORIES

Crescendo pedal for entire organ, with signal light, Tremolo-Celeste-Chimes cut-out switch.

Balanced Expression Pedal - Swell Organ

Great to Pedal Reversible piston, duplicated to pedal

Solid wood music rack with Castlelight; light for pedal board

One piece console top, ~~without roll top~~; starter buttons to be mounted with lockswitch interception.

Circuit breakers for organ action protection, 15 ampere maximum per circuit

Swell shade actions with separate reservoir wind supply, as required.

Action current unit of ample capacity, with wind switch.

Electric motor, steel slow-speed Kinetic blower with static reservoir, of ample capacity.

Swell to Pedal Reversible piston, duplicated to pedal.

GENERAL

The organ shall be assembled and tested at the factory, then delivered, installed and finished in the Church by Moller staff, ready for use.

Cabinetwork to enclose exposed mechanisms is not included, though is available on separate order if desired following development of engineering layout.

Church to provide supports for exposed divisions as directed.

JHR/mr
3/15/72
Salesman: H. Beard

GREAT ORGAN
III-IV Rks. Fourniture Formula "A"

19	15	12	8	8
22	19	15	12	12
26	22	19	15	15
		22	19	15
1-12	13-24	25-42	43-54	55-61

Unison	48	@ 8' CC	18-1/2	1/4 mouth	S.M.
Quint	49	@ 8' CC	18-1/2	2/9 mouth	S.M.

SWELL ORGAN
III Rks. Scharf Formula "B"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-18	19-36	37-49	50-56	57-61

Unison	48	@ 8' CC	18-1/2	1/4 mouth	S.M.
Quint	49	@ 8' CC	18-1/2	2/9 mouth	S.M.