

AR SERIES ORGAN
 HARMARK FOR
 #11359, FIRST BAPTIST CHURCH, NORTH VERNON, INDIANA
 SPECIFICATIONS FOR A SERIES 70-7B ORGAN

2/9

GENERAL

(1) ORGAN

Great Organ	Standard design without grille
Swell Organ	Standard design without grille
	Layout will be supplied
Wood & Finish	Silvite - Charcoal Brown
Action	Electro-Pneumatic (unit type)
Wind Pressure	See Pipe Analysis
Pitch	A-440 @ 70°F

(2) CONSOLE

Cabinet	Standard design with roll top
Wood & Finish	Rift Sawn Oak to customer's sample
Manual	Two and Pedal
Manual Compass	CC to C4, 61 notes
Pedal Compass	CCC to G, 32 notes
Stop Controls	Tilting Tablets
Action	All Electric

(3) BLOWER (located in ~~organ~~ ^{blower} space)

Type	Kinetic 2-P-2116, 1/2 HP - 1750 RPM - 6" outlet
Wind	360 c.f.m. @ 4"
Current Specifications	1 Ph - 60 Cy - 110 Volts - 7.2 Amperes
Overall Size	2' - 5-3/4" long x 1' - 10-3/8" wide x 2' - 6-1/4" high

(4) POWER UNIT (located in console cabinet)

Rating	DC Output - 10-15 Volts - 30 Amperes
Current Specifications	AC Input - 1 Ph - 60 Cy - 110 Volts - 10 Amperes
Overall Size	14-1/2" long x 10-3/4" wide x 7" high

CONSOLE AND ORGAN

GREAT ORGAN (Enclosed)

1	16'	Bourdon-----	92 pipes
2	8'	Principal-----	80 pipes
3	8'	Gedeckt -----from #1 -----	61 notes
4	8'	Gemshorn-----from #13 -----	61 notes
5	4'	Octave -----from #2 -----	61 notes
6	4'	Gedeckt -----from #1 -----	61 notes
7	2'	Super Octave-----from #2---(repeat 5 top notes)-----	61 notes
8	2'	Flute-----from #1---(repeat 5 top notes)-----	61 notes
9	II-III	Mixture -----	126 pipes
10		Chimes-----Mayland tubes & electric action, relay, transformer & volume control-- A to F, #22 to #42 -----	21 tubes
11		Tremolo	

SWELL ORGAN (Enclosed)

12	8'	Spitzflöte-----	(low octave from #13)-----	73 pipes
13	8'	Gemshorn -----		85 pipes
14	8'	Gemshorn Celeste TC. -----		49 pipes
15	4'	Spitzflöte -----	from #12-----	61 notes
16	2'	Spitzflöte -----	from #12-----	61 notes
17	1-1/3'	Larigot -----	from #13--(repeat 7 top notes)-----	61 notes
18	16'	Contre Trompette -----		85 pipes
19	8'	Trompette -----	from #18-----	61 notes
20	4'	Clairon-----	from #18-----	61 notes
21		Tremolo		

PEDAL ORGAN

22	16'	Bourdon -----	from #1-----	32 notes
23	8'	Principal-----	from #2-----	32 notes
24	8'	Gedeckt -----	from #1-----	32 notes
25	8'	Gemshorn -----	from #13-----	32 notes
26	4'	Octave -----	from #2-----	32 notes
27	4'	Spitzflöte -----	from #12-----	32 notes
28	III	Mixture -----	from #7 & 9-----	32 notes
29	16'	Contre Trompette---	from #18-----	32 notes
30	8'	Trompette -----	from #18-----	32 notes
31	4'	Clairon-----	from #18-----	32 notes

COUPLER

32 Swell to Great

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4

Affecting Full Organ

PEDAL MOVEMENTS

Balanced Expression Pedal - Great Organ (8 contacts, reverse system)
 Balanced Expression Pedal - Swell Organ (8 contacts, reverse system)
 Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Motor and power unit on-off switch (toggle type) with indicator light (amber jewel)
 and related wiring.
 Concave and radiating pedal keyboard
 Organ bench with music shelf
 Music rack
 Music rack light
 Pedal light

PIPE ANALYSIS

STOP	PITCH	PIPES	SCALE	HALVING	MOUTH	METAL	WIND PRESSURE
------	-------	-------	-------	---------	-------	-------	---------------

GREAT ORGAN

Bourdon	16'	92	CCC to BBB Reg. Manual Bourdon CC to BB Reg. Artiste Tapered Bass TC 68 68 21-1/2 2/9			Wood Wood 5 Zinc C.M.	3-1/2"
Principal	8'	80	CC 52 TC 60 18-1/2 1/4			19 Zinc S.M.	3-1/2"
Mixture	II-III	126	See Formula Below				3-1/2"

SWELL ORGAN

Spitzflöte TC	8'	73	60-2/3 @ 4'C 19-1/2 1/5			5 Zinc C.M.	3-1/2"
Gemshorn	8'	85	CC 56 19-1/2 2/9 C 68-1/2 19-1/2 2/9 #56 98 17-1/2 1/6			17 Zinc S.M.	3-1/2"
Gemshorn Celeste TC	8'	49	56-1/2 @ 8' C 19-1/2 2/9			5 Zinc S.M.	3-1/2"
Contre Trompette	16'	85	3" CCC to FF half length FF# up full length D(F) Eschallots			Zinc & S.M.	3-1/2"

GREAT II-III MIXTURE FORMULA

	19	12	12	12	15
	22	19	19		
		22			
	1-37	38-49	50-53	54-56	57-61
Unison	47 Sc.	17-1/2	1/4 mouth	S.M.	
Quint	49 Sc.	17-1/2	1/4 mouth	S.M.	