

Memorandum of Agreement, Made this 19th

day of April A. D., 1929 by and between M. P. MÖLLER, Inc. of Hagerstown, Maryland, party of the first part, and the Ladies Aid Society of the Methodist Episcopal Church of Saline, Mich. of the second part,

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part and to erect it in Methodist Episcopal Church, Saline, Mich.

ready for use on or before the 25th day of August A. D., 1929 or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of ~~one~~ five year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturer for one year.)

4. In consideration of the above, the party of the second part agrees to pay M. P. Möller, Inc., or order, the sum of \$4,500.00

AS FOLLOWS \$2000.00 when organ is installed and accepted, balance in three equal notes due 12, 24 and 36 months from date of acceptance and bearing interest at six per cent.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ now ready weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

The purchaser has the privilege of paying all cash when organ is accepted or of paying all, or any part of notes in advance of date due.

JUL 24 1929

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductors between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that ~~automatic remote control motor starter~~, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. ~~When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.~~

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and undertakings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

.....(SEAL)

Party of the first part.

..... Ladies Aid Society of the (SEAL)
..... Methodist Episcopal Church,
..... Saline, Mich. (SEAL)

Ford & Reynolds

By Mrs. C. A. Jordan.....(SEAL)

Mrs. W. B. Stiarle.....(SEAL)

Party of the second part.

C. A. Durtiss

Mrs. E. Tosdick

NOTE—If terms other than “cash on completion” are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

Pipe Organ No. 5581 Date Apr. 19, 1929.
 For M. E. Church, Saline, Mich.
 Action Electric Console Detached 35'-0"
 Casing No. Plain Light oak Finish _____
 Decorations _____ Motor Electric
 Width of Key-bed _____ Stop Controls Stop Keys
 No. Manuals Two Wind Pressure 5"
 To be completed Aug. 25, 1929. Blower pipe furnished by Church

SPECIFICATIONS

No display pipes to be furnished No case paneling.
 Organ chamber enclosed by church.
 Grille of design, material & construction to be approved by committee.

A-440 GREAT ORGAN 73 note stations

| | | | | | |
|---|----|---------------------|---------------------------------------|----|-------|
| 1 | 8' | Open Diapason..... | 42 scale - wood bass.... | 61 | Pipes |
| 2 | 8' | Dulciana..... | 56 " | 73 | " |
| 3 | 8' | Clarabella..... | | 85 | " |
| 4 | 4' | Flute Traverso..... | From #3..... | 73 | Notes |
| 5 | 8' | Salicional..... | " 9..... | 73 | " |
| 6 | | Chimes..... | wired 22 to 41. Deagan Style "A"..... | 20 | Tubes |

SWELL ORGAN

| | | | | | |
|----|----|-----------------------|--------------------------|----|-------|
| 7 | 8' | Stopped Diapason..... | unit..... | 85 | Pipes |
| 8 | 8' | Open Diapason..... | 44 scale - wood bass.... | 73 | " |
| 9 | 8' | Salicional..... | 60 " | 73 | " |
| 10 | 4' | Flute d'Amour..... | From #7..... | 73 | Notes |
| 11 | 2' | Piccolo..... | " 7..... | 61 | " |
| 12 | 8' | Oboe..... | | 73 | Pipes |
| 13 | 8' | Voix Celeste..... | 62 scale..... T.C..... | 61 | " |
| 14 | 8' | Vox Humana..... | S. S. B..... | 61 | " |
| 15 | 8' | Dulciana..... | From #2..... | 73 | Notes |

PEDAL ORGAN

| | | | | | |
|----|-----|-----------------------|-----------------|----|-------|
| 16 | 16' | Bourdon..... | | 32 | Pipes |
| 17 | 16' | Lieblich Gedeckt..... | 20 from #7..... | 12 | " |
| 18 | 8' | Dolce Flute..... | From #7..... | 32 | Notes |

COUPLERS

| | | | |
|----|--------------------|----|--------------------|
| 19 | Great to Great 4' | 25 | Swell to Swell 16' |
| 20 | Great to Great 16' | 26 | Swell to Pedal |
| 21 | Swell to Great 4' | 27 | Great to Pedal |
| 22 | Swell to Great 8' | 28 | Swell Unison Off |
| 23 | Swell to Great 16' | 29 | Great Unison Off |
| 24 | Swell to Swell 4' | | |

MECHANICALS

30 Tremulant
 Crescendo Indicator by light.

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4 Affecting Swell & Pedal Stops
 Pistons No. 1-2-3-4 Affecting Great & Pedal Stops

PEDAL MOVEMENTS

| | |
|---|---------------------------|
| 1 | Great to Pedal Reversible |
| 2 | Balanced Swell Pedal |
| 3 | Grand Crescendo Pedal |
| 4 | Concave Radiating Pedals |

FURNISHED WITH ORGAN

Organ Bench with music shelf
 Electric motor, blower and generator
 Freight & drayage from factory to bldg. & installation.

Cramer

ORGAN No. 5581

P R R

FOR Saline Wick

Loaded by Hamburg Date 8-6-29 Car No. 538098

| No. of Parts | MATERIAL | Weight |
|--------------|-------------------|--------|
| 2 | Crate Wood ply | 425 |
| 2 | Crate Wood ply | 805 |
| 1 | Crate rot Hickory | 95 |
| 1 | Crate swell | 135 |
| 1 | Crate chest | 640 |
| 1 | Bundle frame | 50 |
| 1 | Crate contact | 120 |
| 2 | Crate Resroy | 295 |
| 1 | Crate att | 380 |
| 1 | Crate att | 445 |
| 1 | Crate att | 500 |
| 1 | Crate Wood ply | 165 |
| 2 | Crate Wood ply | 680 |
| 1 | Crate Spade | 150 |
| 1 | Crate Paddle Key | 145 |
| 1 | Crate grill | 350 |
| 1 | Crate Console | 650 |
| 1 | Crate Case | 300 |

Ordered
8-6-29

Rev. S. S. Sheffield
M.C.A.

| | | |
|---|--------------|-----|
| 1 | Box Soft ply | 385 |
| 1 | Box Wood Ply | 80 |
| 1 | Box Zinc ply | 515 |
| 1 | Box Chum bet | 80 |
| 1 | Box Weight | 100 |

7490

5 boxes
22 crates
27

M. P. MÖLLER Organ Factory

Pipe Organ No. 5581 Date Apr. 19, 1929
 For M. E. Church, Saline, Mich.
 Action Electric Console Detached 35' - 0"
 Casing No. Plain Light oak Finish _____
 Decorations _____ Motor Electric
 Width of Key-bed _____ Stop Controls Stop Keys
 No. Manuals Two Wind Pressure 5"
 completed Aug. 25, 1929 Blower pipe furnished by Church

SPECIFICATIONS

No display pipes to be furnished No case paneling.
 Organ chamber enclosed by church.
 Grille of design, material & construction to be approved by committee.

A-440 GREAT ORGAN 73 note stations
 1 8' Open Diapason.....42 scale - wood bass....61 Pipes
 2 8' Dulciana.....56 "73 "
 3 8' Clarabella.....85 "
 4 4' Flute Traverso.....From #3.....73 Notes
 5 8' Salicional....." 9.....73 "
 6 Chimes....wired 22 to 41.Deagan Style "A"..20 Tubes

SWELL ORGAN

7 8' Stopped Diapason.....unit.....85 Pipes
 8 8' Open Diapason.....44 scale - wood bass....73 "
 9 8' Salicional.....60 "73 "
 10 4' Flute d'Amour.....From #7.....73 Notes
 11 2' Piccolo....." 7.....61 "
 12 8' Oboe.....73 Pipes
 13 8' Voix Celeste.....62 scale.....T.C.....61 "
 14 8' Vox Humana.....S. S. E.....61 "
 16 8' Dulciana.....From #2.....73 Notes

PEDAL ORGAN

16 16' Bourdon.....32 Pipes
 17 16' Lieblich Gedeckt.....20 from #7.....12 "
 18 8' Dolce Flute.....From #7.....32 Notes

COUPLERS

19 Great to Great 4' 25 Swell to Swell 16'
 20 Great to Great 16' 26 Swell to Pedal
 21 Swell to Great 4' 27 Great to Pedal
 22 Swell to Great 8' 28 Swell Unison Off
 23 Swell to Great 16' 29 Great Unison Off
 24 Swell to Swell 4'

MECHANICALS

30 Tremulant
 Crescendo Indicator by light.

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4 Affecting Swell & Pedal Stops
 Pistons No. 1-2-3-4 Affecting Great & Pedal Stops

PEDAL MOVEMENTS

1 Great to Pedal Reversible
 2 Balanced Swell Pedal
 3 Grand Crescendo Pedal
 4 Concave Radiating Pedals

FURNISHED WITH ORGAN

Organ Bench with music shelf
 Electric motor, blower and generator
 Free drainage from factory to bldg. & installation.

3587
 3351 - Saline, Mich.

Hagerstown, Md. 5/8/29

300 Stop Keys white engraved in black block letters.

| | | |
|------------------------------|-------------------------------|-------------------------------|
| Spohn Diapason 8' | Dulciana 8' | Clarabella 8' |
| Flute Traverso 4' | Salicional 8' | Stopped Diapason 8' |
| Open Diapason 8' | Salicional 8' | Flute d'Amour 4' |
| Piccilo 2' | Oboe 8' | Voix Celeste 8' |
| Vox Human 8' | Dulciana 8' | Bourdon 16' |
| Lieblich Ced-ckt 16' | Dolce Flute 8' | Swell to Great |
| Swell to Pedal | Great to Pedal | |
| Grandtop Keys white engraved | Grandtop Keys white engraved | Grandtop Keys white engraved |
| | Great to Great 4' | Great to Great 16' |
| Swell to Great 4' | Swell to Great 16' | Swell to Swell 4' |
| Swell to Swell 16' | Swell Unison Separation | Great Unison Separation |
| Tremulant | | |