Casavant Opus: 2543 Contract Specification Date: February 17, 1959

Location: Sackville United Church

Sackville, New Brunswick

Installation Date: July 1959

Key Action: Electro-pneumatic Stop Action: Electro-pneumatic (Pitman)
Console / Keydesk: 3 manuals Fixed in place With rolltop cover

Console Location: Detached

Stop Controls: Drawknobs Arrangement: Vertical rows on angled jambs

Manual Compass: 61 notes Pedal Compass: 32 notes

Expressive Divisions: Swell and Choir

Tonal Director: Claver Casavant (Opua 1279)

Case / Façade: Organ installed in a walnut stained case 32', 6" wide at the front of

the church with façade pipes in plain gold bronze.

### Specification

	Stop	specycunon	Feet	Pipes
		<b>Great Organ</b> (II)		
1.	Lieblich Bourdon		16	68
2.	Open Diapason		8	68
3.	Doppel Flute		8	68
4.	Gemshorn		8	68
5.	Principal		4	68
6.	Harmonic Flute		4	68
7.	Fifteenth		2	61
	Blank stop knob			
	Great 4'			
		Swell Organ (III)		
8.	Open Diapason	3 \ /	8	68
9.	Stopped Flute		8	68
10.	Viola di Gamba		8	68
11.	Voix Céleste	(TC)	8	56
12.	Aeoline		8	68
	Blank stop knob			
13.	Traverse Flute		4	68
14.	Mixture III			204
15.	Contra Fagotto		16	68
16.	Cornopean		8	68
17.	Oboe		8	68
18.	Vox Humana		8	68
	Blank stop knob			
	Tremulant			
	Swell 16'			
	Swell 4'			

## $\boldsymbol{Choir\ Organ\ (I)}$

19.	Geigen Principal		8	68
20.	Melodia		8	68
21.	Dulciana		8	68
22.	Wald Flute		4	68
	Blank stop knob			
	Blank stop knob			
	Blank stop knob			
23.	Clarinet		8	68
	Tremulant			
	Choir 16'			
	Choir 4'			
		Pedal Organ		
24.	Open Diapason	_	16	32
25.	Bourdon		16	32
26.	Gedeckt	(from No. 1)	16	
27.	Octave	(extension of No. 24)	8	12
28.	Stopped Diapason	(extension of No. 25)	8	12
	Blank stop knob			
29.	Fagotto	(from No. 15)	16	
	Blank stop knob			
	Blank stop knob			

## Couplers

Great to Pedal		8	1
		o	4
Swell to Pedal		8	4
Choir to Pedal		8	4
Swell to Great	16	8	4
Choir to Great	16	8	4
Swell to Choir	16	8	4

# **Combination Action**

Type: Capture system

Department	Thumb	Toe
Great	5	
Swell	5	
Choir	5	
Pedal	5	
General		5
General Cancel		
Adjuster		

#### **Balanced Pedals**

Swell Expression Choir Expression Crescendo on all stops and couplers

#### **Reversible Pistons**

Great to Pedal	Thumb	&	Toe
Swell to Pedal	Thumb		
Choir to Pedal	Thumb		
Swell to Great	Thumb		
Choir to Great	Thumb		
Swell to Choir	Thumb		
Full Organ			Toe

### Analysis <sup>1</sup>

Division	Registers	Stops	Ranks	Pipes
Great Organ	7	7	7	469
Swell Organ	11	11	13	872
Choir Organ	5	5	5	340
Pedal Organ	6	2	2	88
Total	29	25	27	1769

## Notes <sup>2</sup>

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

The contract for Opus 2543 was to supply a new three manual console for the existing specification of Opus 1279 (1928) including a number of blank draw knobs listed in specific positions in the four divisions clearly suggesting the anticipated prepared stops. The contract also included two new electro-pneumatic expression motors for the Swell and Choir divisions. The reed stops were returned to Casavant Frères for repair and revoicing. The organ was tonally regulated on site following the return of the reeds and installation of the new console.

<sup>&</sup>lt;sup>1</sup> The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

<sup>&</sup>lt;sup>2</sup> The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – May 30, 2007



Photograph of Opus 1279

Photograph: Casavant Frères Archives