

Casavant Opus: 2593 *Contract Specification Date:* February 6, 1959
Location: St. Therese Catholic Church
Munhall, Pennsylvania ¹
Installation Date: July 1960
Key Action: Electro-pneumatic *Stop Action:* Electro-pneumatic (Pitman)
Console / Keydesk: 2 manuals Fixed in place With rolltop cover
Console Location: Detached, centrally located in the front of the nave with the choir
Stop Controls: Drawknobs *Arrangement:* Vertical rows on angled jambs
Manual Compass: 61 notes *Pedal Compass:* 32 notes
Expressive Divisions: Swell
Tonal Director: Lawrence Phelps
Case / Façade: The organ is divided into two sections with the Sanctuary Organ located in an elevated chamber at the front of the nave on the right side. The Nave Organ is located in an elevated position at the back of the nave and is divided on two sides of the building.

Sanctuary Organ Specification

<i>Stop</i>		<i>Feet</i>	<i>Pipes</i>
Sanctuary Great Organ (I)			
1. Montre		8	61
2. Flûte à cheminée		8	61
3. Cor de Chamois		4	61
4. Flûte à bec		2	61
5. Fourniture IV		1-1/3	244
Swell Organ (II)			
6. Salicional	<i>(stopped bass)</i>	8	61
7. Salicional Céleste	<i>(TC)</i>	8	49
8. Bourdon		8	61
9. Flûte à fuseau		4	61
10. Doublette		2	61
11. Sesquialtera II		2-2/3	122
12. Trompette	<i>(half length resonators)</i>	8	61
Tremulant			
Sanctuary Pedal Organ			
13. Soubasse		16	32
14. Bourdon	<i>(extension of No. 13)</i>	8	12
15. Flûte	<i>(extension of No. 14)</i>	4	12

¹ This suburb of Pittsburgh is sometimes called Homestead Park, which is the name on the original contract.

Nave Organ Specification

Nave Great Organ (floating)

16.	Montre	8	61
17.	Prestant	4	61
18.	Grande Fourniture VI	2-2/3	366
19.	Cymbale IV	1	244

Bombarde Organ (floating)

20.	Bombarde	16	61
21.	Trompette	8	61
22.	Clairon	4	61

Couplers

Sanctuary Great to Pedal	8
Nave Great to Pedal	8
Swell to Pedal	8
Bombarde to Pedal	8
Swell to Manual I	8
Bombarde to Manual I	8
Swell Off Manual II	8
Bombarde Off Manual II	8
Sanctuary Great to Manual II	8
Nave Great to Manual II	8

Combination Action

Type: Capture system

<i>Department</i>	<i>Thumb</i>	<i>Toe</i>
Sanctuary Great	3	
Swell	3	
Sanctuary Pedal	3	
Nave Great	3	
Bombarde	3	
Nave Pedal	3	
General-Sanctuary	3	
General-Nave	3	
General Cancel		
Adjuster		

The following tablets are used for coupling the combination pistons affecting the stops of the Nave Organ to those of the Sanctuary Organ so that one set of pistons may control the stops of both organ when required.

Nave Great Pistons to Sanctuary Great Pistons
 Bombarde Pistons to Swell Pistons
 Nave Pedal Pistons to Sanctuary Pedal Pistons
 Nave General Pistons to Sanctuary general Pistons

Reversible Pistons

Full Organ-Sanctuary Thumb
 Full Organ-Nave Thumb

Balanced Pedals

Swell Expression
 Sanctuary Organ Crescendo
 Nave Organ Crescendo

Analysis ²

Division	Registers	Stops	Ranks	Pipes
Sanctuary Great Organ	5	5	8	488
Swell Organ	7	7	8	476
Sanctuary Pedal Organ	3	1	1	56
Nave Great Organ	4	4	12	732
Bombarde Organ	3	3	3	183
Total	22	20	32	1935

Notes

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

² The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.