Casavant Opus: 153 Contract Specification Date: December 23, 1901

Location: St. Peter's Anglican Church

Sherbrooke, Québec

Installation Date: March 1902

Key Action: Tubular-pneumatic Stop Action: Tubular-pneumatic (Ventil)

Console / Keydesk: 3 manuals Fixed in place

Console Location: Detached

Stop Controls: Drawknobs Arrangement: Horizontal rows on stepped terraces

Manual Compass: 58 notes Pedal Compass: 30 notes

Expressive Divisions: Swell

Tonal Director: Claver Casavant

Case / Façade: Organ located on the right side of the chancel with visible stencilled

façade pipes facing the choir and nave.

Specification

		Specification		
	Stop		Feet	Pipes
		Great Organ (II)		
1.	Double Open	_	16	65
2.	Open Diapason		8	65
3.	Violin Diapason		8	65
4.	Doppel Flute		8	65
5.	Principal		4	65
6.	Wald Flute		4	65
7.	Fifteenth		2	65
8.	Mixture III			195
9.	Trumpet		8	65
	Great 4'			
		Swell Organ (III)		
10.	Lieblich Gedeckt		16	58
11.	Open Diapason		8	58
12.	Stopped Diapason		8	58
13.	Claribel		8	58
14.	Viole da Gamba		8	58
15.	Voix céleste	(TC)	8	46
16.	Flauto Traverso		4	58
17.	Piccolo		2	58
18.	Dolce Cornet III			174
19.	Cornopean		8	58
20.	Oboe & Bassoon		8	58
21.	Vox Humana		8	58
	Tremulant			

Choir Organ (I—unenclosed)

		- 9 - (
22.	Geigen Principal		8	58
23.	Melodia		8	58
24.	Dulciana		8	58
25.	Harmonic Flute		4	58
26.	Flageolet		2	58
27.	Krummhorn	(prepared in the console)	8	
28.	Clarinet		8	58
		Pedal Organ		
29.	Double Open Diapason	_	16	30
30.	Bourdon		16	30
31.	Violoncello		8	30

Couplers

Great to Pedal		8
Swell to Pedal		8
Choir to Pedal		8
Swell to Great	16	8
Choir to Great		8
Swell to Choir		8

Combination Action

• • • • • • • • • • • • • • • • • • • •		
Department	Thumb	
Great	3 fixed combinations	
Swell	4 fixed combinations	
General	3 adjustable combinations	

Reversible Piston

Great to Pedal Toe

Balanced Pedals

Swell Expression Crescendo on all stops and couplers

Analysis ¹

Division	Registers	Stops	Ranks	Pipes
Great Organ	9	9	11	715
Swell Organ	12	12	14	800
Choir Organ	7	6	6	348
Pedal Organ	3	3	3	90
Total	31	30	34	1953

Notes

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

The organ was blown by a water motor.

A note in the contract indicates that the "console (is) to be prepared so that a west end organ can be added later." This addition, as well as the prepared Krummhorn in the Choir division, were not made at the time of the rebuilding of the organ in 1959.

This organ was rebuilt with electro-pneumatic action as Opus 2558 in 1959.

¹ The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – May 20, 2007