Casavant Opus: 2532 Contract Specification Date: November 4, 1958

Location: Messiah Evangelical Lutheran Church

Bay City, Michigan

Installation Date: May 1959

Key Action: Electro-pneumatic Stop Action: Electro-pneumatic (Pitman)
Console / Keydesk: 2 manuals Fixed in place With rolltop cover

Console Location: Detached

Stop Controls: Drawknobs Arrangement: Vertical rows on angled jambs

Manual Compass: 61 notes Pedal Compass: 32 notes

Expressive Divisions: Swell

Tonal Director: Lawrence Phelps

Case / Façade: The organ is located in one unit in the gallery with no casework or

visible façade pipes.

		Specification		
	Stop		Feet	Pipes
		Great Organ (I)		
1.	Principal		8	61
2.	Gedeckt		8	61
3.	Erzähler		8	61
4.	Octave		4	61
5.	Nachthorn		4	61
6.	Fifteenth		2	61
	Tremulant			
	Great 4'			
		Swell Organ (II)		
7.	Rohrbourdon		8	61
8.	Aeoline		8	68
9.	Aeoline Céleste	(GG)	8	61
10.	Prestant		4	68
11.	Chimney Flute	(extension of No.	7) 4	12
12.	Nasat		2-2/3	61
13.	Flautino	(extension of No.	11) 2	12
14.	Fourniture IV			244
15.	Trompette		8	68
	Tremulant			
	Swell 16'			
	Swell Unison Off			
	Swell 4'			

Pedal Organ

16.	Subbass		16	32
17.	Rohrbass	(extension of No. 7)	16	12
18.	Spitzprinzipal		8	32
19.	Rohrbourdon	(from No. 7)	8	
20.	Choralbass	(extension of No. 18)	4	12
21.	Chimney Flute	(from No. 7)	4	
22.	Fagotto	(prepared in the console)	16	(32)

Couplers

Great to Pedal		8	4
Swell to Pedal		8	4
Swell to Great	16	8	4

Combination Action

Type: Capture System

Department	Thumb
Great	4
Swell	4
Pedal	4
General	4
General Cancel	
Adjuster	

Reversible Pistons

Great to Pedal Thumb Full Organ Thumb

Balanced Pedals

Swell Expression Crescendo on all stops and couplers

Analysis ¹

Division	Registers	Stops	Ranks	Pipes
Great Organ	6	6	6	366
Swell Organ	9	7	10	655
Pedal Organ	6	2	2	88
Total	21	15	18	1109

Prepared Stop

Pedal Organ	1	1	1	32
Total	22	16	19	1141

Notes ²

The information found in this document comes from the original contract located in the archives of Casavant Frères in Saint-Hyacinthe, Québec.

¹ The term "Registers" refers to the total number of speaking stops including duplexed and extended stops but excluding couplers, tremulants and controls. "Stops" refers to the total number of independent or straight stops excluding duplexed and extended stops as well as couplers and controls.

 $^{^2\,}$ The information contained herein was researched by Stanley R. Scheer, Vice President Emeritus-Casavant Frères – May 29, 2007